
Leblanc illuminations
Creator of sustainable emotions through light

BRAZIL

OFFICE • +55 (41) 99109-7011 • relacionamento@leblanc-illuminations.com.br

CANADA

OFFICE • +1 450 755 6902 • contact@leblanc-illuminations.ca
FREE CALL • +1 866 814 3617
SALES • +1 514 891 6902 • a.beauvais@leblanc-illuminations.ca

FRANCE

OFFICE • +33 (0)2 43 61 43 61 • contact@leblanc-illuminations.com
6-8 rue Michaël Faraday 72027 Le Mans Cedex 2 France

LOGISTICS DEPARTMENT • +33 (0)2 43 61 43 80 • leblanc.logistique@leblanc-illuminations.com
35 Boulevard Pierre Lefaucheux 72027 Le Mans Cedex 2 France


AFTER SALES SERVICE • +33 (0)2 43 61 43 61 • sav@leblanc-illuminations.com
Open monday to friday from 8.30 am to 12.30 am and from 1.30 pm to 5.30 pm.

MEXICO

OFFICE • tmesa@leblanc-illuminations.com

UNITED KINGDOM

OFFICE • 01622 882424 • hello@galalights.com
TWITTER @GalaLights **• FACEBOOK** @GalaLightsUK



ONLIGNE CATALOGUES

All our **products** ans **know-how** can be found
in our updated catalogues and brochures.



Leblanc illuminations, creator of lasting emotions.

As the holiday season approaches, light becomes a universal language, carrying a spirit of sharing, generosity and renewed connections. At Leblanc illuminations, these values guide every one of our creations.

To innovate, to imagine, to design in a more resposible way: our teams are committed each day to advancing the art of illumination, combining creativity, sustainable technologies and aesthetic excellence. Behind every decor, dedicated professionals combine their complementary expertise and energy in service of your projects.

This 2026 catalogue highlights the strength of our teams working together. It showcases the diversity of our talents and our ability to transform spaces into places of emotion, where the magic of Christmas brings people together and lets what truly matters shine: being together.

Alexandra Petit & *Rachel Net*

Chief Executive Officer — Deputy CEO



LEBLANC ILLUMINATIONS

French company with international expertise

Leblanc illuminiations consolidates its influence worldwide through five subsidiaries and a presence in more than 40 countries, through an extensive network of authorised distributors.




Head Office


Alexandra Petit

Chief Executive Officer
contact@leblanc-illuminations.com

Rachel Net

Deputy CEO
rnet@leblanc-illuminations.com





Romania

Elena Heuripeau

Chief Executive Officer
Ph. +33 (0)2 43 61 43 61
contact@leblanc-illuminations.com

United Kingdom

Christopher Stille

Chief Executive Officer
Ph. +44 1622 882424
hello@galalights.com





Canada

Jean-François Hénault

Chief Executive Officer
Ph. +450 755-6902
contact@leblanc-illuminations.ca

Mexico

Thomas Mesa

Chief Executive Officer
tmesa@leblanc-illuminations.com





Brazil

Glasiele Barros

Chief Executive Officer
Ph. +55 (41) 99109-7011
relacionamento@leblanc-illuminations.com.br




"A group serving your creativity"

The companies of the **Creative Show Industry** group, supports all professionals invloved in the design, production, and implementation of lighting and audiovisual projects. Through the brands we create and distribute, as well as the services we provide, we offer reliable and lasting solutions that meet the requirements of public and institutional projects. Our comprehensive approach ensures the technical, artistic and operational success of every project, while respecting budgetary, regulatory and environmental constraints.

Creative Show Industry stands out with a unique presence on the French market, covering the entire value chain: consulting, engineering, manufacturing, distribution, implementation and ongoing support. This intregrated structure allows us to rely on strucured, committed and responsible partners, capable of supporting projects of any scale, **from local initiatives to international ventures.**

Arnaud Leschemelle - President



Leblanc illuminations

Founded in 1958, Leblanc illumniations, a pioneer in the festive illumniations market, supports cities, hotels, restaurants, theme parks and event organisers in bringing their bespoke projects to life in France and abroad.

www.leblanc-illuminations.com

Starway

Within CSI Audiovisuel, **STARWAY** is the manufacturing division. A historic French brand, founded in 1995, **STARWAY** designs and manufactures professional projectors for the events and live entertainment markets. Driven by a commitment to continuous innovation and the highest quality standards, the brand develops high-performance, durable and responible lighting soltutions designed for intensive professional use.

www.starway.eu

CSI AUDIOVISUEL

CSI AUDIOVISUEL is a leading distributor of **premium professional audiovisual brands**. The company supports professionals in production, integration, broadcasting, and events by offering a comprehensive range of sound, lighting, video, and related technical communication solutions.

Its expertise is based on a portfolio of recognized international brands such as **JBL, Crown, Clear-Com, Tascam, RME, Waves, Avid, Hollyland, Beyerdynamic, AKG, AMX**, and **BSS**, selected for their reliability, performance, and ability to meet the demands of the most complex projects.

www.csi-audiovisuel.com

MEGA-HERTZ

Mega-Hertz is a recognised technical service provider in the events sector, with over **40 years'** experience. The compagny offers a comprehensive range of services, ensuring the succes of your events in lighting, video, sound and the setup of stage structures.

www.mega-hertz.fr

Discover the catalogue.





OUR BRANDS




Professional-quality illumination equipment

➔ A French brand specialising in electric cables and string lights since 1943.

➔ Lighting equipment for cities and professionals.

➔ Reliable, high-tech, and easy-to-use products.

➔ Carefully designed with low energy consumption



Daytime decoration


➔ Daytime decorations that do not use electricity.

➔ Manufactured in-house using 3D printing.

➔ 4 materials and 14 colours for maximum creative freedom.

➔ Bio-based, recycled, and fully recyclable materials..

Watch the video



Creative connected lighting decorations

➔ String lights controlled via smartphone.

➔ Smart scanning of each LED using the smartphone camera.

➔ Wide range of customisable effects (colours, speed, animations).

➔ Design of personalised animations.

Learn more



Dynamic architectural lighting

➔ French brand dedicated to enhancing buildings.

➔ Architectural lighting solutions: bars, spotlights, projectors, gobos.

➔ Over 30 years of experience in sustainable, colourful projects.

➔ Comprehensive support in bringing your projects to life.



COLLECTIONS THROUGHOUT THE SEASONS

Each season has its own decor.

Leblanc illuminiations offers a range of products with e-deco that can be adapted throughout the year to suit every event: the festive season, summer decorations, Pink October, Valentine's Day, sporting events, and more.

Dress your place for the season.



Online catalogue

PINK OCTOBER

SUMMER DECORATIONS

SEASONAL FESTIVITIES

SEASIDE

PRIVATE EVENTS

LEBLANC ILLUMINATIONS WORLDWIDE

We accompany you all over the world!

90
MILLION LEDS
light up per year

40+
COUNTRIES
over 5 continents

25 000
PLACES DECORATED
across the world



Cleveland, USA



Beaugrenelle, Paris



Punaauia, Tahiti



Nemacolin, USA

They entrusted their projects to us

Miami Beach • Kourou • Marseille • Toulouse • Nouméa • Orlando • Mexico City • Bamako • Nantes • La Plagne • Richmond • Nice • Les Deux Alpes • Laval • NASA • La Clusaz • Annecy • Bruxelles • Montréal • Tahiti • Puebla • Las Vegas • Canterbury • Cannes • La Réunion • Monaco...

... And many others.

USA **Canada** **Israel** **Tahiti**

1958

Founder of the lighting decorations market

Michel Leblanc created Leblanc illuminations in the Meuse region in France.
He was the first to produce wooden decorations fitted with porcelain sockets.

1960

FIRST ALUMINUM DECOR MANUFACTURER
Leblanc illuminations is the first in its market to produce light decorations on an aluminum frame.

1982

FIRST TO ILLUMINATE THE CHAMPS-ELYSÉES
Leblanc illuminations is the first company to illuminate the most beautiful avenue in the world.

1988

ROPE & ROLL
Rope light gradually replaces sockets in our light decorations.

1994

A ROYAL PLACE
Leblanc illuminations goes international with Gala Lights, our UK subsidiary.

1996

PIONEER OF LED
Leblanc illuminations anticipated the need for energy savings by being the first in Europe to include LED garlands in its illuminations.

2001

MERGER WITH CHROMEX
Leblanc Illuminations and Chromex merge and move to the Sarthe region of Le Mans.

3D

2014

CONTROL YOUR ELECTRICITY CONSUMPTION
Thanks to our set control solution, programming the times and operating period for you illuminations, zone by zone, is simple and quick, with just a few clicks on your smartphone.

ISO 9001 CERTIFICATION
Leblanc illuminations is the first company in its sector to be ISO 9001 certified.

2013

¡ VIVA ILUMINACIÓN !
Launch of our Leblanc Mexico subsidiary starting by the illumination of the town of Puebla and the Mazatlán shopping centre.

2010

LEBLANC BRINGS FESTIVE CHEER TO HOSPITALS
Leblanc illuminations and "Les Blouses Roses" have teamed up to offer hospitalised children and elderly patients a Christmas full of light every year.

2008

FIRST TO USE VIDEO FOR XMAS
Leblanc illuminations reinvents Christmas illuminations with the first animated and personalised 3D decor using video technology.

LET'S GO EAST
The base of our main production facility is founded. Leblanc illuminations România is created.

2007

THE FAR NORTH IS OURS!
Leblanc illuminations Canada opens and lets the Canadian snow shine.

2015

AUTHENTIC PARTNERSHIP
Leblanc illuminations highlights Megève, the small internationally renowned village of the Savoy Region in the French Alps, and becomes its official partner in 2017.

3D PRINTING
Leblanc Illuminations innovates by using 3D print technology.

2016

FRENCH SKI FEDERATION PARTNERSHIP
Signed an official 4 year partnership with the French Ski Federation and the French Ski Freestyle team, renewed until 2028.

2016

VIRTUAL REALITY
Virtual Reality, Augmented Reality, 3D Scanning – Leblanc uses new technologies which serve your imagination.

2019

LET'S SAVE CHRISTMAS
Between reality and the virtual world, Leblanc illuminations puts the user at the heart of illuminations.



2023

A LEGENDARY CIRCUIT

Leblanc illuminations enjoyed breathtaking scenery and a grand celebration, as a partner at the 24 Hours of Le Mans race centenary.

2022

COQ VERT

To underline its commitment to ecological transition, Leblanc illuminations joined the Coq Vert Eco Community.

CHROMEX.FR

Leblanc Illuminations launches its online store.

MELLOW

A flexible material, designed by Leblanc illuminations, responsible and sustainable without compromising on creativity.

2021

GREEN REVOLUTION

This 3D printing process produces new and more sustainable daytime decorations.

CSR 26000 CERTIFICATION

Leblanc illuminations becomes the most labelled company in its sector, with its CSR 26000 and ISO 9001 certifications.

EXPERIENTIAL SHOW

Leblanc illuminations create a unique experiential light show: a new combination of architectural lighting, luminous decorations and lighting solutions.

2020

CONNECTED LIGHTS

Leblanc illuminations becomes a distributor of Twinkly Pro, a range of smartphone-controlled decors.

2024

THE FAMILY IS GROWING

The preferred partner of lighting professionals deploys its expertise to create exceptional lighting with HALTO.

2025

LEBLANC SETS THE SCENE

In partnership with the NGO WeForest, Leblanc illuminations offsets its CO_2 emissions y supporting reforestation and ecological restoration projects to fight climate change.

INDUSTRIAL DEVELOPMENT

The Romanian production site doubles its production capacity.

LEBLANC ILLUMINATIONS STORE

The online store is evolving with the sale of decorations on the French market.

2026

PIONEER IN PRINTED STRUCTURES

As part of its CSR approach, Leblanc illuminations designs decorative structures entirely manufactured using 3D printing.

HEADING TO BRAZIL!

Leblanc illuminations is strengthening its presence on the American continent and setting up in Brazil.





LIGHTING UP THE HEART OF CITIES

Illuminations bring joy to people and boost economic activity.
Leblanc illuminations designs festive, responsible, and sustainable solutions.

An energy-saving approach

We advise local authorities and professionals on how to reduce their energy consumption. Thanks to **LED technology,** 100% of our decorations enable a reduction of **more than 90% in electricity consumption.**

Innovative solutions to optimize consumption

Our **remote control unit,** developed in **France**, allows decorations to be lit only at key moments, offering optimal control and **significant savings**.

Eco-Responsible manufacturing

Designed in-house, our decorations are based on **French expertise** and an eco-responsible approach: recycling, reuse of materials, and **responsible waste management.**

Better informing our customers.

Providing our customers with clear information on the power consumption of our equipment is part of the service we offer, guiding you in your choices.





A SUSTAINABLE AND RECOGNIZED COMMITMENT

For several years, we have placed sustainable development and environmental responsibility at the heart of our strategy.
Aware of social and ecological challenges, we work every day to improve product quality, reduce our environmental impact, and ensure customer satisfaction.

Leblanc illuminations is the only French manufacturer that is :

- **ISO 9001 certified**
- **CSR 26000 certified**
- **A WeForest partner**
- **A member of the Coq Vert community**
- **Manufacturing in France & Europe**

Our ambition is clear: to combine **innovation**, **quality**, and **responsibility** to create a **more sustainable and brighter future** together.

We are proud of our labels!


Quality and reliability

Our teams are constantly seeking eco-responsible solutions to reduce plastic use and the carbon footprint of our products, while enhancing their performance and durability.


Protection caps and
transparent protection caps

Ultra-flexible LED string lights **30% brighter,** with an exceptionally long lifespan and low energy consumption (just 2.5w per metre) featuring ultra-bright rope lights with horizontal 360° wide-angle LEDs.

3D Printing



Daytime decorations on both sides of the illuminated decor.
Our discs and decorative mesh are made in France and are 100% recyclable.



Decor control solution

Plug & Light rapid electrical connection system

Quality welding: cleaned and painted

Solid and durable structure, with low environmental impact, made from aluminum or e-deco depending on the model.

Pre-drilled structures for fastening

e-deco
by Leblanc

Innovative materials, optimised energy consumption, new production methods: we are transforming our business to offer you products suited to the demands of sustainable urban life.

50% electricity savings


thanks to patented technology developed by our teams, simply by controlling the lighting periods of the decorations.

Aluminium Hydro REDUXA

This aluminium has a **low environmental impact** and is produced using renewable energy. **100% of aluminium** frames returned to us at the end of their lifecycle are recycled into new decorations or products.

LEBLANC ILLUMINATIONS, FRENCH EXPERTISE

From order to delivery



A well-conceived project

- Integrated creative and technical teams.
- Aesthetic design with assured feasibility.
- Compliance and safety guaranteed.
- Overseen by an in-house test centre.



Logistics at your service

- Fast and organised shipping.
- Daily deliveries.
- National and international distribution.
- 20 000 m² dedicated storage space..



100% made by us

- The largest specialised lighting decoration manufacturing facility.
- All expertise brought together in-house.
- Local, controlled production.
- Guarantee of consistent quality.



Responsive quality and after-sales service

- Systematic checks at every stage.
- Products guaranteed for 2 years.
- Dedicated quality service.
- Technical support within 24 to 48 hours.

“As a French manufacturer, Leblanc illuminations is committed to supporting employment in France, fostering economic development, and promoting French expertise internationally.”



COMMUNITY AND BEST PRACTICE

We are passionate about our work and aim to build strong, responsible relationships with our partners. Our commitment to customer service and after-sales support is at the heart of our values.

Commitment charters

We have developed a CSR Commitment Charter for our employees and stakeholders, as well as Responsible Purchasing Charter covering our entire supply chain.

Encouraging
recycling and local purchasing.

Annual client
satisfaction surveys.

Employees
Identifying development opportunities for our employees.

Defending the diversity of our teams
100% of our employees have signed our charter for the promotion of equal opportunities.

Taking care of our teams, our clients, and future generations


Leblanc Illuminations is committed to operating in a socially responsible manner. In 2020, we formalised our commitments and expectations in a Responsible Purchasing Charter, which is shared with our partners.

CORPORATE SUPPORT & SPONSORSHIP

THE BLOUSES ROSES ASSOCIATION

The Blouses Roses Association, founded in 1944, aims to provide comfort, support, and amusement to people who are sick, elderly, or living with a disability, through engaging activities.

www.lesblousesroses.asso.fr





Leblanc illuminations' commitment to its partners and employees

The end-of-year celebrations reflect sharing and generosity. Since 2010, to bring smiles to both young and old, Leblanc illuminations and Les Blouses Roses have been working together. Together, we decorate their care facilities, bringing light and comfort to **52 hospitals across France every year.**

Beyond this solidarity partnership, Leblanc illuminations is also committed to supporting its employees by backing their sporting and charitable initiatives. In particular, the company supports the Pink October Walk and the Cross Ouest France race, in which many employees enthusiastically participate.

These actions fully illustrate the values of sharing, commitment and kindness that drive Leblanc illuminations on a daily basis.

"It's very pleasant to arrive at the hospital when it's all lit up.
The decorations are superb.

It's really beautiful, it helps us forget a little where we are.

It's really pretty and the children are amazed.
Thank you to Les Blouses Roses for this lovely gift.

A big thank you to Leblanc illuminations for this wonderful gift.

These decorations, installed at the hospital entrance, in the staff canteen and in the maternity and paediatric wards, are appreciated by both patients and staff alike."

PARTNERSHIPS

Feel the thrill of Ski Cross!

Already a **partner** of French ski resorts, the **French Ski Federation** and the **French Ski Cross Team since 2016**, we have renewed our partnership **until 2028** to experience even more sporting achievements!



Leblanc as snow

We were looking for a place that Embodies history, architectural heritage and **the French art of living**, nestled in the heart of the Alps. With its 445 km of slopes, hotels, traditional chalets and shops, we have found it: Megève, an authentic and renowned Savoyard village.
Since 2015, Leblanc illuminations has been proud to be the official partner of the Megève illuminations. Every year, more than **5,000 spectators** gather for the inauguration of the legendary tree on the church square.




Watch the video

OUR SHOWROOM IN LE MANS

Awaken the senses with immersive experiences!

Leblanc illuminations presents an immersive light show at its showroom in Le Mans. Similar to the programmes we offer to local authorities and businesses, the sound and light show transports spectators into a magical universe that captivates both young and old!


Request your invitation



Visit the showroom



Santa's showroom



The design process



ICONIC LOCATIONS



A magical tree in Beaugrenelle Paris

Our expertise has brought to life a unique tree, which has become the center of attention in the gallery thanks to a combination of light and technological innovations.
This project was carried out in partnership with **Mr. Bruno Dolis**, whose vision made it possible to design a magical universe within the gallery. We developed **automated shows** that punctuate the day, blending sounds, lights, and connected scenery to offer visitors an **immersive and unforgettable experience.**




Christmas magic at the Château de Vaux-le-Vicomte

Immerse yourself in the world of luminous tales.
This year, the Château de Vaux-le-Vicomte is transformed into an enchanted kingdom, where the tales of our childhood come to life under the lights. A unique scenography by **Leblanc illuminations / Twinkly Pro / BS Technology**, where innovation and heritage meet.



Les Thermes in pink at La Roche-Posay

To mark Pink October, we are revealing the architecture of the La Roche-Posay Thermal Centre through subtle, enveloping pink lighting that conveys a powerful **message of awareness.**
We are designing and installing luminous 3D pink ribbons, striking **visual signatures** that blend elegantly into the site and offer visitors an experience that is both aesthetic and engaging.




Vivement dimanche

For Christmas, we created the warm and **friendly atmosphere** of the **Vivement Dimanche television set.** Thanks to our installations, we added a touch of elegance and warmth, highlighting this iconic venue and providing viewers with a unique visual experience.

TOGETHER

Around the world



Trade fairs and congresses

We demonstrate our commitment to local authorities by participating in the sector's key events, notably SMCL in PAris and JTSE with our HALTO brand.
Throughout the year, we take part in numerous reginal events with **a single constant objective: to remain as close as possible to our customers and their challenges.**



Le Grand Déstockage celebrates its 20th anniversary.

An anniversary that did not go unnoticed! For its latest edition, the event received extensive media coverage across French print, radios, and television. **Ouest-Frace, Sweet FM, Ici Maine, M6, Actu.fr, LMTV...** all these outlets gave the event wide exposure.


Ouest-France M6 LMTV Ici Maine



From the showroom to the screen: an immersive experience

In our showroom, a space inspired by Avatar hosts our sound and light show. This creation, produced in collaboration with Extra.Studio, showcases our expertise and the immersive nature of our lighting designs.

Watch the video



French Festival of Brisbane

During the 2025 French Festival in Brisbane, Leblanc Illuminations helped showcase **French culture in Australia** through its first collaboration with Australian Bright Engineering. This partnership brings together technical expertise, high-end lighting solutions and complementary human resources to present our know-how to the international stage.



OUR NEW MAGAZINE

We LOVE lights

In this second edition, discover our finest creations, our latest innovations, and the expertise behind every project. We LOVE lights #2 invites you to immerse yourself in our vision: designing unique lighting solutions that transform spaces and evoke emotions.



Online magazine



SOCIAL MEDIA

Join us

across our social media channels, where we regularly share content that captures the **unique spirit of Leblanc illuminations**. We've recently joined **TikTok**, a platform where you can discover our **original, creative, and playful videos.** Immerse yourself in our quirky universe and be inspired by our vision!

- Expertise and achievements
- Reports and interviews
- Twinkly and e-deco





Content

Photo gallery

Our most beautiful achievements p. 23

Luminous decorations

Modular decorations p. 42
My Traditional Christmas p. 54
My Crystalline Christmas p. 68
My Sumptuous Christmas p. 80
My Authentic Christmas p. 94
Floorstanding decorations p. 106
Infinity range p. 168
Installations p. 176

Lighting solutions

Festoon lights p. 186
Bulb lights p. 194
Twinkly Pro range p. 203
String lights p. 207
Cluster lights p. 219
Icicle lights p. 223
Light nets and curtain lights p. 231
Ceiling lights p. 237
Suspensions p. 240
Branches, trees and floorstanding decorations p. 252
Rope lights p. 257
Plug & Light p. 266
Daytime decorations e-deco p. 272
Daytime decorations p. 276
Technological animations p. 283

Architectural lighting

HALTO by Leblanc products p. 292
Chromex & Starway products p. 296
Lumenradio products p. 298
Projects & services p. 299

Technical appendix

Standards and advices p. 304
Index p. 314



Gallery

Megève • France



FOR THE PAST 10 YEARS,

Megève's illuminations have been renewed every winter to offer visitors an ever more immersive and spectacular experience.

In the heart of the village, the majestic 22-metre Abies Caméléon fir tree attracts everyone's attention. Fully equipped with Twinkly technology, it is brought to life by 43,750 controllable LEDs, allowing for dynamic and evolving light displays.

The lighting also extends to the architectural heritage, with six iconic facades decorated with Twinkly icicle lights.

In total, 56,750 fully controllable LEDs make up this large-scale lighting system, transforming the village into a veritable open-air stage.

All the facades are also highlighted by HALTO projectors, while the soundscape is provided by a JBL speaker system, integrated thanks to the global expertise of the CSI group.

Every day, a sound and light show enhances the whole experience thanks to the work of lighting designer LYUM and a full week of programming carried out by our teams.
Technical control ensures precise and lively orchestration of the animations, for tailor-made light sequences perfectly synchronised with the architecture of the venue.




Leblanc
illuminations

Cannes • France




GARE DE CANNES
Gare SNCF
Gare SNCF













Laval • France

IN THE HEART OF AN ENCHANTED FOREST...

This year, for Laval's illuminations, delicate reindeer slip among sparkling holly, while mischievous fairies sprinkle their magic in every corner. The main bridge is adorned with light and wonder, inviting young and old alike to take a magical stroll where nature and fantasy meet. Laval becomes a veritable kingdom of light, where the charm and magic of Christmas can be fully experienced.



Laval • France



Pignans • France



Tarbes • France




Valenciennes • France



Pau • France


Amiens • France


Amiens • France



Biot • France

WHEN NIGHT FALLS...

The city is transformed by the glow of festive lights. Buildings are adorned with lights, revealing their contours, while trees lining the avenues are decked out in sparkling garlands, tracing luminous paths that guide the steps of passers-by. The overall effect is an elegant and welcoming scene, where the city comes alive, inviting visitors to wander to the rhythm of the festivites.



United Kingdom



Biot • France


Biot • France



Biot • France

IN A SMALL VILLAGE...

In a small village, warm white lights gently come on, enveloping the narrow streets in a reassuring glow. Christmas trees, timeless symbols of the festive season, stand proudly in their deep green splendour, reminding us of traditions passed down through generations. The simple, welcoming atmosphere invites you to savour the peace and spirit of Christmas to the fullest.


Amiens • France



Pignans• France



Théoule-sur-Mer • France



Théoule-sur-Mer • France




Pignans• France



Théoule-sur-Mer • France



Seclin • France



Lectour • France



Bruay-sur-l'Escault • France



Béziers • France



Valenceinnes • France



Béziers • France



Le Mans • France



Carvin • France



Le Mans • France



Lectour • France



Lectour • France




Carvin • France



Le Mans • France



Le Mans • France



Belgium



Chicago • USA



New Lenox • USA



Belgium



Euliano • USA



New Lenox • USA



Belgium



Stockholm • Sweden





NEW FOR 2026
RETHINKING THE STRUCTURE OF OUR LIGHTING DECORS

Leblanc illuminations has developed a team of sophisticated robots to manufacture next-generation decorative structures. The robots make bespoke 3D print creations from materials which have previously been recycled and are completely recyclable at the end of their life - delivering a sustainable circular model. This technology continue's the company's position as a pioneer in the industry.

Nothing changes in the way you use or integrate our decor. However, this evolution allows us to go further in terms of performance, aesthetics and environmental responsibility, while strengthening our ability to design ever more creative, personalised and innovative projects.


Increased durability: the seamless design eliminates the risk of breakage and significantly improves the lifespan of structures. Robustness remains equivalent to traditional solutions, with unchanged fastening systems.

Enhanced aesthetics: the structure is no longer limited to a technical role, it becomes a decorative element in its own right. 3D printing offers great design freedom, allowing for finer details, more complex shapes and enhanced aesthetic expression. The colour is integrated throughout the material, improving daytime appearance and opening up new creative possibilities for the future.

Eco-designed approach: this development is fully in line with our e-deco approach, promoting more sustainable, recyclable structures designed to minimise their impact throughout their life cycle. An innovation that combines performance, aesthetics and responsible commitment at the heart of every decor.

e-deco
by Leblanc illuminations

More information




- Bright decor
- Non-illuminated decor
- Day colour
- LED color
- Animated decor
- Chasing effect
- E-deco structure

For most of our range, the light decorations can be installed vertically or horizontally.
They are available in a wide variety of sizes, colours, and animations.
Different collections can be easily mixed and matched.

All our decorations are made using 100% LED lights and come with a power cable and fixing kit
but do not include decorative balls, stelly stars, snowfall animation or bulbs.
All our 3D floor decorations are wired with SELV, except for products that are not compatible.

Luminous Decorations


Modular decorations






FRAMES & BOULLIZ' THROUGHOUT THE YEAR





Discover our frames and our Boulliz collection, which can be adapted throughout the year. Our Boulliz are made of a ball structure in various colours that can be quickly and easily personalised to create many characters to match seasons and retail occasions throughout the year.

How does it work ?
Watch the video





N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205263	Boulliz'	3D Floorstanding decor	H:1.2 Ø:1.2 m	
2	170754	Kit Boulliz' Rudy	Accessory e-deco		
3	205264	Boulliz'	3D Floorstanding decor	H:1.2 Ø:1.2 m	
4	170755	Kit Boulliz' Frosty	Accessory e-deco		
5	205351	Boulliz'	3D Floorstanding decor	H:1.2 Ø:1.2 m	
6	205352	Boulliz'	3D Floorstanding decor	H:1.2 Ø:1.2 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
7	205286	Cadre lumineux	3D Floorstanding decor	H:2.6 W:2 D:0.9 m	
8	205807*	Cadre sapinette	3D Floorstanding decor	H:2.6 W:2 D:0.9 m	
9	205808*	Cadre sapinette	3D Floorstanding decor	H:2.6 W:2 D:0.9 m	
10	205039	Cadre photo	Fixing Accessory	H:2.63 W:2 D:1 m	
11	205040	Cadre photo	Fixing Accessory	H:2.63 W:2 D:1 m	
12	205285	Cadre lumineux	3D Floorstanding decor	H:2.6 W:2 D:0.9 m	

*** NEW**

CUSTOMISABLE ARCHES







Throughout the year, personalise your structure with colourful e-deco kits to suit your events. Luminous or non-luminous, indoors or outdoors, decorate high-traffic areas and entrances to your venues. Your visitors will love capturing the moment with a selfie or group photo.

How does it work ?
Watch the video





N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205037	Arche	Fixing Accessory	H:2.73 W:3.6 m	
2	205105	Arche circulaire	Fixing Accessory	H:2.8 W:3.8 m	
3	205281	Arche 3D Infinity	3D Floorstanding decor	H:2.75 W:4 D:1 m	
4	205279	Arche 3D	3D Floorstanding decor	H:2.75 W:4 D:1 m	
5	205280	Arche 3D	3D Floorstanding decor	H:2.75 W:4 D:1 m	
6	205288	Arche lumineuse	2D Floorstanding decor	H:2.8 W:3.8 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
7	205287	Arche lumineuse	2D Floorstanding decor	H:2.8 W:3.8 m	
8	171346*	Christmas Market	Accessory e-deco	H:0.75 x W:2.7 m	
9	171347*	Christmas Market	Accessory e-deco	H:0.75 x W:2.7 m	
10	170997*	Marché de Noël	Accessory e-deco	H:0.3 W:2.6 m	
11	170998*	Marché de Noël	Accessory e-deco	H:0.3 W:2.6 m	
12	205618	Arche sapinette	2D Floorstanding decor	H:2.8 W:3.8 m	
13	205619	Arche sapinette	2D Floorstanding decor	H:2.8 W:3.8 m	

*** NEW**

MAKE YOUR OWN DECORATION









Easily combine seats and ceilings to create your evolving decor. The Module Assise and Oriflamme collections can be adapted for all seasons and all occasions by dressing them up with the colourful e-deco elements of your choice !

How does it work ?
Watch the video







N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205455	Oriflamme	2D Lamp column	H:2 W:1 m	
2	205456	Oriflamme	2D Lamp column	H:3 W:1 m	
3	205457	Module Assise	3D Floorstanding decor	H:2.2 W:1.3 D:0.85 m	
4	205458	Module Plafond	2D Floorstanding decor	H:2.9 W:1.45 m	
5	170823	Oriflamme	2D Lamp column	H:2 W:1 m	
6	170824	Oriflamme	2D Lamp column	H:3 W:1 m	
7	170801	Module Assise	3D Floorstanding decor	H:2.2 W:1.3 D:0.85 m	
	170802	Module Plafond	2D Floorstanding decor	W:2.9 D:1.45 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
8	205250	Oriflamme	2D Lamp column	H:2 W:1 m	
9	205251	Oriflamme	2D Lamp column	H:3 W:1 m	
10	205282	Module Assise	3D Floorstanding decor	H:2.2 W:1.3 D:0.85 m	
11	205283	Module Plafond	2D Floorstanding decor	H:2.9 W:1.45 m	
12	170857	Oriflamme	2D Lamp column	H:2 W:1 m	
13	170858	Oriflamme	2D Lamp column	H:3 W:1 m	
14	170859	Module Assise	3D Floorstanding decor	H:2.2 W:1.3 D:0.85 m	
	170860	Module Plafond	2D Floorstanding decor	W:2.9 D:1.45 m	

LETTERING

This suspension collection is compatible with all existing crossings and can also be adapted to those you already own. Add a joyful message to your town entrances, regardless of your current decor, and offer a festive touch while staying within your budget.





How does it work ?
Watch the video

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205627	Merry Christmas	2D Suspension	H:0.85 W:3.8 m	
2	205626	Joyeuses Fêtes	2D Suspension	H:0.85 W:3 m	



REFERENCE	DESIGNATION	DIMENSIONS	DETAILS
170902*	A Géométra	H:1.5 W:1.25 m	
170903*	B Géométra	H:1.5 W:1.25 m	
170904*	C Géométra	H:1.5 W:1.25 m	
170905*	D Géométra	H:1.5 W:1.25 m	
170906*	E Géométra	H:1.5 W:1.25 m	
170907*	F Géométra	H:1.5 W:1.25 m	
170908*	G Géométra	H:1.5 W:1.53 m	
170909*	H Géométra	H:1.5 W:1.25 m	
170910*	I Géométra	H:1.5 W:0.5 m	
170911*	J Géométra	H:1.5 W:1.25 m	
170912*	K Géométra	H:1.5 W:1.25 m	
170913*	L Géométra	H:1.5 W:1.25 m	
170914*	M Géométra	H:1.5 W:2 m	
170915*	N Géométra	H:1.5 W:1.25 m	

REFERENCE	DESIGNATION	DIMENSIONS	DETAILS
170916*	O Géométra	H:1.5 W:1.5 m	
170917*	P Géométra	H:1.5 W:1.5 m	
170918*	Q Géométra	H:1.5 W:1.5 m	
170919*	R Géométra	H:1.5 W:1.25 m	
170920*	S Géométra	H:1.5 W:1.25 m	
170921*	T Géométra	H:1.5 W:1.25 m	
170922*	U Géométra	H:1.5 W:1.25 m	
170923*	V Géométra	H:1.5 W:1.25 m	
170924*	W Géométra	H:1.5 W:1.95 m	
170925*	X Géométra	H:1.5 W:1.25 m	
170926*	Y Géométra	H:1.5 W:1.5 m	
170927*	Z Géométra	H:1.5 W:1.35 m	
170928*	# Géométra	H:1.5 W:2.2 m	



REFERENCE	DESIGNATION	DIMENSIONS	DETAILS
170943*	A Alpha	H:1.5 W:0.8 D:0.5 m	
170944*	B Alpha	H:1.5 W:0.8 D:0.5 m	
170945*	C Alpha	H:1.5 W:0.8 D:0.5 m	
170946*	D Alpha	H:1.5 W:0.8 D:0.5 m	
170947*	E Alpha	H:1.5 W:0.8 D:0.5 m	
170948*	F Alpha	H:1.5 W:0.8 D:0.5 m	
170949*	G Alpha	H:1.5 W:0.8 D:0.5 m	
170950*	H Alpha	H:1.5 W:0.8 D:0.5 m	
170951*	I Alpha	H:1.5 W:0.8 D:0.5 m	
170952*	J Alpha	H:1.5 W:0.8 D:0.5 m	
170953*	K Alpha	H:1.5 W:0.8 D:0.5 m	
170954*	L Alpha	H:1.5 W:0.8 D:0.5 m	
170955*	M Alpha	H:1.5 W:0.8 D:0.5 m	
170956*	N Alpha	H:1.5 W:0.8 D:0.5 m	


REFERENCE	DESIGNATION	DIMENSIONS	DETAILS
170957*	O Alpha	H:1.5 W:0.8 D:0.5 m	
170958*	P Alpha	H:1.5 W:0.8 D:0.5 m	
170959*	Q Alpha	H:1.5 W:0.8 D:0.5 m	
170960*	R Alpha	H:1.5 W:0.8 D:0.5 m	
170961*	S Alpha	H:1.5 W:0.8 D:0.5 m	
170962*	T Alpha	H:1.5 W:0.8 D:0.5 m	
170963*	U Alpha	H:1.5 W:0.8 D:0.5 m	
170964*	V Alpha	H:1.5 W:0.8 D:0.5 m	
170965*	W Alpha	H:1.5 W:0.8 D:0.5 m	
170966*	X Alpha	H:1.5 W:0.8 D:0.5 m	
170967*	Y Alpha	H:1.5 W:0.8 D:0.5 m	
170968*	Z Alpha	H:1.5 W:0.8 D:0.5 m	
170969*	# Alpha	H:1.5 W:0.8 D:0.5 m	


#LOVE


BRETAGNE


REIMS





REFERENCE	DESIGNATION	DIMENSIONS	DETAILS
204799-24V	A Majuscule	H:1.7 W:1.86 m	
204800-24V	B Majuscule	H:1.7 W:1.3 m	
204801-24V	C Majuscule	H:1.7 W:1.46 m	
204802-24V	D Majuscule	H:1.7 W:1.48 m	
204803-24V	E Majuscule	H:1.7 W:1.31 m	
204804-24V	F Majuscule	H:1.7 W:1.31 m	
204805-24V	G Majuscule	H:1.7 W:1.38 m	
204806-24V	H Majuscule	H:1.7 W:1.44 m	
204807-24V	I Majuscule	H:1.7 W:0.64 m	
204808-24V	J Majuscule	H:1.7 W:1.42 m	
204809-24V	K Majuscule	H:1.7 W:1.33 m	
204810-24V	L Majuscule	H:1.7 W:1.32 m	
204811-24V	M Majuscule	H:1.7 W:1.8 m	
204812-24V	N Majuscule	H:1.7 W:1.43 m	
204813-24V	O Majuscule	H:1.7 W:1.7 m	
204814-24V	P Majuscule	H:1.7 W:1.18 m	
204815-24V	Q Majuscule	H:1.7 W:1.71 m	
204816-24V	R Majuscule	H:1.7 W:1.31 m	
204817-24V	S Majuscule	H:1.7 W:1.31 m	
204818-24V	T Majuscule	H:1.7 W:1.3 m	
204819-24V	U Majuscule	H:1.7 W:1.81 m	
204820-24V	V Majuscule	H:1.7 W:1.88 m	
204821-24V	W Majuscule	H:1.7 W:2.48 m	
204822-24V	X Majuscule	H:1.7 W:1.66 m	
204823-24V	Y Majuscule	H:1.7 W:1.75 m	
204824-24V	Z Majuscule	H:1.7 W:1.66 m	

REFERENCE	DESIGNATION	DIMENSIONS	DETAILS
204825-24V	Hashtag	H:1.7 W:1.87 m	
204826-24V	Chiffre 0	H:1.7 W:1.52 m	
204827-24V	Chiffre 1	H:1.7 W:1 m	
204828-24V	Chiffre 2	H:1.7 W:1.34 m	
204829-24V	Chiffre 3	H:1.7 W:1.31 m	
204830-24V	Chiffre 4	H:1.7 W:1.5 m	
204831-24V	Chiffre 5	H:1.7 W:1.42 m	
204832-24V	Chiffre 6	H:1.7 W:1.44 m	
204833-24V	Chiffre 7	H:1.7 W:1.54 m	
204834-24V	Chiffre 8	H:1.7 W:1.05 m	
204835-24V	Chiffre 9	H:1.7 W:1.44 m	

REFERENCE	DESIGNATION	DIMENSIONS	DETAILS
204932-24V	A maj flocon	H:1.8 W:1.85 m	
204933-24V	B maj flocon	H:1.8 W:1.61 m	
204934-24V	C maj flocon	H:1.8 W:1.62 m	
204935-24V	D maj flocon	H:1.8 W:1.44 m	
204936-24V	E maj flocon	H:1.8 W:1.47 m	
204937-24V	F maj flocon	H:1.8 W:1.36 m	
204938-24V	G maj flocon	H:1.8 W:1.77 m	
204939-24V	H maj flocon	H:1.8 W:1.69 m	
204940-24V	I maj flocon	H:1.8 W:0.53 m	
204941-24V	J maj flocon	H:1.8 W:1.49 m	
204942-24V	K maj flocon	H:1.8 W:1.84 m	
204943-24V	L maj flocon	H:1.8 W:1.36 m	
204944-24V	M maj flocon	H:1.8 W:2.03 m	
204945-24V	N maj flocon	H:1.8 W:1.69 m	
204946-24V	O maj flocon	H:1.8 W:1.8 m	
204947-24V	P maj flocon	H:1.8 W:1.61 m	
204948-24V	Q maj flocon	H:1.8 W:1.92 m	
204949-24V	R maj flocon	H:1.8 W:1.67 m	
204950-24V	S maj flocon	H:1.8 W:1.53 m	
204951-24V	T maj flocon	H:1.8 W:1.61 m	
204952-24V	U maj flocon	H:1.8 W:1.61 m	
204953-24V	V maj flocon	H:1.8 W:1.79 m	
204954-24V	W maj flocon	H:1.8 W:2.42 m	
204955-24V	X maj flocon	H:1.8 W:1.86 m	
204956-24V	Y maj flocon	H:1.8 W:1.89 m	
204957-24V	Z maj flocon	H:1.8 W:1.59 m	

REFERENCE	DESIGNATION	DIMENSIONS	DETAILS
204967-24V	Hashtag flocon	H:1.8 W:1.47 m	
204982-24V	Chiffre 0 flocon	H:1.8 W:1.5 m	
204958-24V	Chiffre 1 flocon	H:1.8 W:0.93 m	
204959-24V	Chiffre 2 flocon	H:1.8 W:1.47 m	
204960-24V	Chiffre 3 flocon	H:1.8 W:1.43 m	
204961-24V	Chiffre 4 flocon	H:1.8 W:1.55 m	
204962-24V	Chiffre 5 flocon	H:1.8 W:1.5 m	
204963-24V	Chiffre 6 flocon	H:1.8 W:1.47 m	
204964-24V	Chiffre 7 flocon	H:1.8 W:1.44 m	
204965-24V	Chiffre 8 flocon	H:1.8 W:1.47 m	
204966-24V	Chiffre 9 flocon	H:1.8 W:1.47 m	





Provide 2 concrete blocks ref. 032327 per reference, or tent pegs ref. 600171.




GILDING






ENTER A WORLD OF DREAMS
AND DISCOVER
SANTA’S WORKSHOP





TOYS



My Traditional Christmas

Welcome
to an enchanted world
where wishes come true







FIR TREE

My Traditional Christmas




Bonnes Fêtes



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205724*	Forêt	2D Lamp column	H:1.5 W:1 m	
2	205721*	Forêt	2D Lamp column	H:3 W:1 m	
3	205727*	Forêt	2D Across street	H:1 W:5 m	
4	205726*	Forêt	2D Suspension	Ø:1 m	
5	203304	Cadeau	2D Globe	H:2.2 W:1 m	


*NEW



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
10	205630	Boule Noëlla 1	2D Suspension	H:1.06 W:0.54 m	
11	205631	Boule Noëlla 2	2D Suspension	H:1.06 W:0.55 m	
12	205632	Boule Noëlla 3	2D Suspension	H:1.06 W:0.43 m	
13	205636	Noëlla	2D Lamp column	H:2.5 W:1.2 m	
14	204529	Cadeau	2D Lamp column	H:3.2 W:1.1 m	
15	205633	Noëlla	2D Lamp column	H:1 W:0.5 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
16	205638	Noëlla	2D Across street	H:1 W:5 m	
17	204531	Cadeau	2D Across street	H:1.4 W:5 m	
18	204530	Cadeau	2D Suspension	H:1.15 W:1.15 m	
19	204532	Arche Cadeau	2D Across street	H:2 W:6 m	
20	205252	Boa Chic	2D Across street	H:0.8 W:6 m	
21	205253	Boa Chic	2D Across street	H:0.5 W:6 m	

My Traditional Christmas










N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205496	Cannelle	2D Lamp column	H:2.5 W:1 m	
2	205490	Etoile gourmande	2D Suspension	H:0.55 W:0.57 m	
3	205491	Couronne gourmande	2D Suspension	H:0.45 W:0.41 m	
4	205492	Ginger gourmand	2D Suspension	H:0.53 W:0.45 m	


N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
5	205493	Cannelle	2D Globe	H:1 W:1 m	
6	205498	Cannelle	2D Globe	H:1.94 W:1.2 m	
7	205532	Ayden	2D Suspension	H:1.45 W:1 m	
8	205533	Ayden	2D Globe	H:2.4 W:1.2 m	

















N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
9	205535	Ayden	2D Across street	H:1 W:5 m	
10	205530	Ayden	2D Lamp column	H:2.5 W:1 m	
11	205527	Ayden	2D Lamp column	H:1 W:1 m	
12	205834*	Couronne de Noël	2D Lamp column	Ø:2.2 m	


N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
13	205499	Cannelle	2D Across street	H:1 W:5 m	
14	204577	Souple Diamant	2D Across street	H:0.8 W:5.2 m	
15	204578	Souple Diamant	2D Across street	H:0.24 W:5.2 m	

*** NEW**




















N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	204499	Lanterne	2D Suspension	H:1 W:0.5 m	
2	170721	Pop Lanterne	3D Suspension	H:0.5 W:0.27 D:0.27 m	
3	205534	Ayden	2D Across street	H:1.7 W:5 m	
4	204587	Lanterne	2D Across street	H:1.24 W:5.2 m	
5	205536	Ayden	2D Across street	H:0.65 W:2.7 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
6	205537	Ayden	2D Across street	H:0.65 W:5.2 m	
7	205570	Lustre tradi	3D Suspension	H:2 Ø:1.6 m	
8	205569	Lustre bougies	3D Suspension	H:0.66 Ø:1.7 m	
9	205571	Lanterne mellow	3D Suspension	H:0.4 W:0.3 D:0.3 m	

*NEW



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
10	205221	Holly	2D Across street	H:1 W:5 m	
11	205291	Joy étoile	2D Suspension	H:0.5 W:0.1 m	
12	205290	Joy étoile	2D Suspension	H:1 W:0.2 m	
13	205223	Holly	2D Suspension	Ø:0.8 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
14	205222	Holly	2D Globe	H:2 W:1.2 m	
15	205220	Holly	2D Column & Across str.	H:3 W:1.5 m	
16	205217	Holly	2D Column & Across str.	H:1.5 W:0.75 m	




N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	204492	Traversée Funky	2D Across street	H:0.8 W:5 m	
2	204490	Cadeau Funky	2D Lamp column	H:0.75 W:0.6 m	
3	204493	Traversée Funky	2D Across street	H:0.75 W:4 m	
4	204489	Cadeau Funky	2D Lamp column	H:2.5 W:1 m	
5	204491	Traversée Funky	2D Across street	H:1.2 W:6 m	
6	204484	Neige Funky	2D Lamp column	H:1.6 W:0.85 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
7	205500	Ginger funky	2D Lamp column	H:1.58 W:0.8 m	
8	204488	Renne Funky Truffe	2D Lamp column	H:2.1 W:1.15 m	
9	204485	Lutin Funky	2D Lamp column	H:1.6 W:0.75 m	
10	204486	Père Noël Funky	2D Lamp column	H:1.6 W:0.7 m	
11	204487	Ours Funky Truffe	2D Lamp column	H:1.65 W:0.8 m	



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
12	204345	Mira Tradi	2D Lamp column	H:1.5 W:1 m	
13	204350	Mira Tradi	2D Across street	H:1.2 W:6 m	
14	205566	Lustre joy étoile	2D Suspension	H:1.2 W:1.08 m	
15	205134	Joy étoile	2D Column & Across str.	H:1.5 W:1 m	
16	170149	Sphère pliable	3D Suspension	Ø:0.55 m	
17	205557	Starlight boule	3D Lamp column	H:2.5 W:1 D:0.5 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
18	205554	Starlight boule	3D Lamp column	H:1 W:1 D:0.5 m	
19	205137	Joy étoile	2D Column & Across str.	H:3 W:1 m	
20	205289	Joy étoile	2D Suspension	Ø:1 m	
21	205257	Boa Tradi	2D Across street	H:0.5 W:6 m	
22	205256	Boa Tradi	2D Across street	H:0.8 W:6 m	



FROST







IMMERSE YOURSELF IN A FROSTY XMAS, WHERE MAGIC FREEZES TIME AND WARMS HEARTS.





SWEETNESS



My Crystalline Christmas

Wrap yourself
in the softness of the snow
for a memorable experience








SNOW

My Crystalline Christmas


















N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205713*	Flocon Givré	2D Across street	H:1 W:5 m	
2	201211	Flocon Strass	2D Suspension	H:0.45 W:0.45 m	
3	202002	Crystal Flake	2D Suspension	Ø:1 m	
4	202010	Snow Flake	2D Suspension	Ø:1 m	
5	205714*	Flocon Givré	2D Column & Across str.	H:3 W:1 m	
6	205719*	Flocon Givré	2D Suspension	Ø:1 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
7	205710*	Flocon Givré	2D Column & Across str.	H:1.5 W:1 m	
8	205699*	Flocon Mandala	2D Across street	H:1 W:5 m	
9	205700*	Flocon Mandala	2D Column & Across str.	H:3 W:1.45 m	
10	205694*	Flocon Mandala	2D Column & Across str.	H:2.5 W:1.2 m	
11	205704*	Flocon Mandala	2D Column & Across str.	H:1 W:0.5 m	
12	205705*	Flocon Mandala	2D Suspension	H:1 W:0.9 m	

*NEW





N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
13	205680*	Lily Givre	2D Column & Across str.	H:2.5 W:1.2 m	
14	205730*	Forêt	2D Lamp column	H:2.5 W:1 m	
15	205732*	Forêt	2D Lamp column	H:1.5 W:1 m	
16	205683*	Lily Givre	2D Column & Across str.	H:1 W:0.5 m	
17	205685*	MC Lily Givre	2D Across street	H:1 W:5 m	
18	205684*	JF Lily Givre	2D Across street	H:1 W:5 m	


N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
20	205735*	Forêt	2D Across street	H:1 W:5 m	
21	205734*	Forêt	2D Suspension	Ø:1 m	
22	205115	Nordic	2D Suspension	H:0.7 W:0.2 m	
23	205109	Nordic	2D Column & Across str.	H:1.5 W:1 m	
24	205116	Nordic	2D Suspension	H:1 W:1 m	
25	205114	Nordic	2D Across street	H:1 W:5 m	
26	205112	Nordic	2D Column & Across str.	H:3 W:1 m	

*** NEW**


My Crystalline Christmas


































N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	204525	Winter	2D Across street	H:1 W:5 m	
2	205835*	Bulle de givre	2D Across street	H:1.2 W:5 m	
3	204520	Winter	2D Lamp column	H:2 W:1 m	
4	204524	Winter	2D Globe	H:1.5 W:0.75 m	
5	205839*	Bulle de givre	2D Suspension	H:1 Ø:1 m	
6	203274	Cristal	2D Suspension	Ø:1 m	




N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
7	204523	Winter	2D Suspension	H:1.13 W:0.28 m	
8	204522	Winter	2D Lamp column	H:3 W:1 m	
9	205837*	Bulle de givre	2D Column & Across str	H:3 W:1 m	
10	205840*	Bulle de givre souple	2D Across street	H:1.2 W:4 m	
11	205247	Oriflamme Flocon	2D Column & Across str	H:3 W:1 m	


*NEW





N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
12	204215	Flocon	2D Suspension	H:1 W:1 m	
13	205507	Snowy	2D Across street	H:1 W:5 m	
14	204212	Flocon	2D Column & Across str.	H:2 W:1 m	
15	204220	Flocon	2D cand. & traversé	H:2.5 W:1.2 m	
16	204214	Flocon	2D Column & Across str.	H:3 W:1.45 m	
17	205514	Snowy	2D Across street	H:1 W:5 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
18	205508	Snowy	2D Column & Across str.	H:1 W:0.5 m	
19	205506	Snowy	2D Suspension	H:1 W:1 m	
20	205513	Snowy	2D Suspension	H:1 W:1 m	
21	205504	Snowy	2D Column & Across str.	H:2.5 W:1.15 m	
22	204216	Flocon	2D Globe	H:2 W:1 m	
23	204211	Flocon	2D Column & Across str.	H:1.5 W:0.75 m	









N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	204343	Mira Flocon	2D Across street	H:1.5 W:6 m	
2	205152	Joy Flocon	2D Column & Across str.	H:3 W:1 m	
3	205299	Joy Flocon	2D Suspension	H:1 W:0.2 m	
4	205567	Lustre Joy flocon	2D Suspension	H:1.2 W:1.08 m	
5	205298	Joy Flocon	2D Suspension	H:1 W:1 m	


N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
6	205300	Joy Flocon	2D Suspension	H:0.5 W:0.1 m	
7	204339	Mira Flocon	2D Lamp column	H:2 W:1 m	
8	205150	Joy Flocon	2D Column & Across str.	H:2 W:1 m	
9	205254	Boa Givré	2D Across street	H:0.8 W:6 m	
10	205255	Boa Givré	2D Across street	H:0.5 W:6 m	




















N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
13	204580	Souple Givrée	2D Across street	H:0.24 W:5.2 m	
14	204579	Souple Givrée	2D Across street	H:0.8 W:5.2 m	
15	204585	Souple flocon	2D Across street	H:0.8 W:5.2 m	
13	204586	Souple flocon	2D Across street	H:0.24 W:5.2 m	
17	205243	Givre	2D Suspension	H:0.8 W:0.8 m	
19	205559	Starlight flocon	3D Lamp column	H:1 W:1 D:0.5 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
24	205562	Starlight flocon	3D Lamp column	H:2.5 W:1 D:0.5 m	
20	205240	Givre	2D Column & Across str.	H:3 W:1.5 m	
21	205242	Givre	2D Globe	H:2 W:1.2 m	
25	203293	Souple Glacé	2D Across street	H:0.8 W:5.2 m	
18	205241	Givre	2D Across street	H:1 W:5 m	



NIGHT







IMMERSE YOURSELF IN THE SPLENDOUR OF A DAZZLING & SUMPTUOUS XMAS.

ELEGANCE



My Sumptuous Christmas

A sparkling celebration,
where magic and refinement come together
in an incomparable fairytale.








LIGHT

My Sumptuous Christmas





Bonnes Fêtes

























N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205797*	Art Déco	2D Lamp column	H:1.5 W:0.75 m	
2	205795*	Art Déco	2D Lamp column	H:2.5 W:1.25 m	
3	205802*	Art Déco	2D Across street	H:1 W:5 m	
4	205801*	MC Art Déco	2D Across street	H:1 W:5 m	
5	205800*	JF Art Déco	2D Across street	H:1 W:5 m	
6	205606	Abby	2D Across street	H:1 W:4 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
7	204582	Souple Louise	2D Across street	H:0.24 W:5.2 m	
8	204581	Souple Louise	2D Across street	H:0.8 W:5.2 m	
9	205799*	Art Déco	3D Globe	H:1.25 W:1.25 D:1.2 m	
10	205604	Abby	2D Lamp column	H:3 W:1.5 m	
11	205605	Abby	2D Globe	H:2 W:1.25 m	
12	205608	Abby	2D Across street	H:1.3 W:8 m	

* NEW



























N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
13	205545	Mandala	2D Suspension	H:1.05 W:0.75 m	
14	205547	Mandala	2D Across street	H:1 W:2.86 m	
15	205548	Mandala	2D Across street	H:1 W:3.53 m	
16	205546	Mandala	2D Across street	H:1 W:5 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
17	205544	Mandala	3D Lamp column	H:3.5 W:1.2 D:0.6 m	
18	205543	Mandala	2D Lamp column	H:3 W:1 m	
19	205538	Mandala	2D Column & Across str.	H:1 W:0.5 m	
20	205541	Mandala	2D Column & Across str.	H:2.5 W:1.15 m	






N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205758*	Torsade	2D Across street	H:1.5 W:5 m	
2	205746*	Torsade	2D Suspension	H:1.1 W:0.45 m	
3	205747*	BF Torsade	2D Suspension	H:1.2 W:2.6 m	
4	205754*	Torsade	2D Lamp column	H:1 W:0.45 m	
5	204601	Noeud	2D Across street	H:1.4 W:6 m	
6	171109	Mila	2D Across street	H:1 W:5 m	
7	205757*	MC Torsade	2D Suspension	H:1.5 W:1.85 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
8	205741*	Torsade	2D Lamp column	H:3 W:1.3 m	
9	204725	Chandelier	3D Suspension	H:2.2 Ø:1.3 m	
10	203337	Noeud	2D Globe	H:2.2 W:1 m	
11	171232	Mila	2D Globe	H:2 W:1.3 m	
12	171108	Mila	2D Column & Across str.	H:3 W:1 m	

* NEW




N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
12	203348	Arche Millésime	2D Across street	H:1.55 W:4 m	
13	203351	Millésime	2D Across street	H:1.3 W:6 m	
14	203917	Louise	2D Across street	H:1 W:5 m	
15	203751	Louise	2D Column & Across str.	H:2 W:1 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
17	203750	Louise	2D Lamp column	H:3 W:1 m	
18	204598	Noeud	2D Lamp column	H:3 W:1 m	
19	203347	Millésime	2D Suspension	Ø:1.35 m	
20	203755	Petite Louise	2D Suspension	H:0.63 W:0.14 m	
21	203753	Louise	2D Suspension	H:1.2 W:0.45 m	
22	203754	Grande Louise	2D Suspension	H:1.13 W:0.2 m	

My Sumptuous Christmas








N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205311	Magie	2D Suspension	H:1 W:0.1 m	
2	205639	Astra M	2D Lamp column	H:3 W:1.41 m	
3	205640	Astra S	2D Lamp column	H:1.5 W:0.8 m	
4	205310	Magie	2D Suspension	H:0.9 W:1 m	
5	205773*	Venti	2D Column & Across str.	H:3 W:1 m	
6	205780*	Venti	2D Column & Across str.	H:2.5 W:1 m	



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
7	205777*	Venti	2D Column & Across str.	H:1 W:1 m	
8	205781*	Venti	2D Column & Across str.	H:2 W:1 m	
9	205778*	Venti	2D Suspension	H:1.2 W:0.8 m	
10	205784*	Venti	2D Suspension	H:1.2 W:0.8 m	
11	205309	Magie	2D Across street	H:1 W:5 m	





* NEW





N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
12	203765	Louise	2D Column & Across str.	H:2 W:1 m	
13	205335	Magie	2D Column & Across str.	H:3 W:1 m	
14	205204	Naé Stelliz	2D Column & Across str.	H:3 W:1 m	
15	205331	Magie	2D Column & Across str.	H:1 W:1 m	
16	205201	Naé Stelliz	2D Column & Across str.	H:1.5 W:1 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
17	205333	Magie	2D Column & Across str.	H:2 W:1 m	
18	203769	Petite Louise	2D Suspension	H:0.63 W:0.14 m	
19	203768	Grande Louise	2D Suspension	H:1.13 W:0.2 m	
20	203767	Louise	2D Suspension	H:1.2 W:0.45 m	
21	205205	Naé Stelliz	2D Across street	H:1 W:5 m	



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	204336	Mira étoile	2D Across street	H:1.2 W:6 m	
2	204334	Mira étoile	2D Lamp column	H:3 W:1 m	
3	204332	Mira étoile	2D Lamp column	H:2 W:1 m	
4	205155	Joy goutte	2D Column & Across str.	H:2 W:1 m	
5	204335	Mira étoile	3D Globe	H:1.2 W:1.25 D:1.25 m	
6	205565	Lustre joy étoile	2D Suspension	H:1.2 W:1.08 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
7	205157	Joy goutte	2D Column & Across str.	H:3 W:1 m	
8	205142	Joy étoile	2D Column & Across str.	H:3 W:1 m	
9	205293	Joy étoile	2D Suspension	H:1 W:0.2 m	
10	205294	Joy étoile	2D Suspension	H:0.5 W:0.1 m	
11	205138	Joy étoile	2D Column & Across str.	H:1 W:1 m	
12	205292	Joy étoile	2D Suspension	Ø:1 m	




N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
13	204308	Inaya	2D Column & Across str.	H:2 W:0.8 m	
14	204183	Nova	2D Column & Across str.	H:2 W:1 m	
15	204186	Nova	2D Suspension	H:0.75 W:0.77 m	
16	204185	Nova	2D Column & Across str.	H:3 W:1 m	
17	204599	Noeud	2D Suspension	H:1.3 W:0.9 m	
18	204187	Nova	2D Globe	H:2.2 W:0.8 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
19	205690*	Lily Star	2D Column & Across str.	H:1 W:0.5 m	
20	205688*	Lily Star	2D Column & Across str.	H:2 W:1 m	
21	203405	Arche Filante	2D Across street	H:2.5 W:6 m	
22	205691*	JF Lily Star	2D Across street	H:1 W:5 m	
23	205692*	MC Lily Star	2D Across street	H:1 W:5 m	
24	204188	Nova	2D Across street	H:1 W:5 m	

*** NEW**



HEAT







EXPERIENCE AN AUTHENTIC XMAS,
WHERE THE WARMTH
OF HEARTS MINGLES WITH
THE SOUND OF WOOD CRACKLING

WOOD



My Authentic Christmas

Celebrate the beauty
of the season
that shines brightly







CINNAMON

My Authentic Christmas







N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205675*	Lily Perle	2D Lamp column	H:1.5 W:0.75 m	
2	205672*	Lily Perle	2D Lamp column	H:3 W:1.45 m	
3	205677*	JF Lily Perle	2D Across street	H:1 W:5 m	
4	205678*	MC Lily Perle	2D Across street	H:1 W:5 m	
5	203780	Agathe	2D Lamp column	H:2 W:1 m	
6	203778	Agathe	2D Lamp column	H:3 W:1 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
7	205522	Étoile givrée	2D Lamp column	H:1.5 W:1 m	
8	205525	Étoile givrée	2D Lamp column	H:3 W:1 m	
10	205526	Étoile givrée	2D Suspension	H:0.93 W:0.93 m	
11	203925	Agathe	2D Across street	H:1 W:5 m	

* NEW



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
12	205785*	Birdy	2D Lamp column	H:3 W:1 m	
13	205793*	MC Birdy	2D Across street	H:1 W:5 m	
14	205792*	JF Birdy	2D Across street	H:1 W:5 m	
15	205791*	Birdy	2D Across street	H:1 W:5 m	
16	204417	Atmos	2D Across street	H:1.5 W:8 m	
17	204415	Atmos	2D Suspension	H:0.85 W:0.85 m	
18	205788*	Birdy	2D Lamp column	H:1.5 W:1 m	


N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
19	205549	Starlight diamant	3D Lamp column	H:1 W:1 D:0.5 m	
20	204717	Lustre dentelle	3D Suspension	H:2.2 Ø:1.8 m	
21	205552	Starlight diamant	3D Lamp column	H:2.5 W:1 D:0.5 m	
22	204416	Atmos	2D Globe	H:2.3 W:1.1 m	
23	204413	Atmos	2D Lamp column	H:2.5 W:1 m	
24	205790*	Birdy	2D Suspension	H:1 W:0.74 m	

*** NEW**

My Authentic Christmas





ECOGRIFFE
FOURRURE RECYCLÉE
PERRIER



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	205652*	Céleste	2D Suspension	Ø:0.6 m	
2	205657*	Céleste	2D Lamp column	H:2.5 W:1 m	
3	205648*	Céleste	2D Lamp column	H:2.5 W:1 m	
4	205769*	Versa	2D Lamp column	H:1.5 W:0.4 m	
5	205763*	Versa	2D Lamp column	H:1 W:0.3 m	
6	205650*	Céleste	2D Lamp column	H:1.5 W:0.86 m	
7	205659*	Céleste	2D Lamp column	H:1.5 W:0.86 m	
8	205771*	Versa	2D Suspension	H:1 W:0.6 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
9	205765*	Versa	2D Across street	H:1 W:5 m	
10	205654*	JF Céleste	2D Across street	H:1.1 W:6 m	
11	205663*	JF Céleste	2D Across street	H:1.1 W:6 m	

* NEW




N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
12	205301	Joy goutte	2D Suspension	Ø:1 m	
13	205163	Naé Floko	2D Across street	H:1 W:5 m	
14	205295	Joy diamant	2D Suspension	Ø:1 m	
15	205568	Lustre joy goutte	2D Suspension	H:1.2 W:1.08 m	
16	205145	Joy diamant	2D Lamp column	H:2 W:1 m	
17	205297	Joy diamant	2D Suspension	H:0.5 W:0.1 m	


N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
18	205303	Joy goutte	2D Suspension	H:0.1 W:0.5 m	
19	203233	Couronne songe	3D Suspension	H:1.8 Ø:2 m	
20	205160	Naé Floko	2D Lamp column	H:2 W:1 m	
21	205564	Lustre joy diamant	2D Suspension	H:1.2 W:1.08 m	
22	203782	Agathe	2D Suspension	H:0.5 W:0.2 m	
23	202986	Zef	3D Suspension	H:0.6 Ø:0.24 m	






















N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	204353	Mira Boule	2D Lamp column	H:2 W:1 m	
2	204355	Mira Boule	2D Lamp column	H:3 W:1 m	
3	205231	Givre	2D Across street	H:1 W:5 m	
4	204357	Mira Boule	2D Across street	H:1.2 W:6 m	
5	204356	Mira Boule	3D Globe	H:1.2 W:1.25 D:1.25 m	


N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
6	170879*	Frise de Noël	2D Suspension	H:1 W:2 m	
7	170880*	Frise de Noël	2D Suspension	H:1 W:2 m	
8	205233	Givre	2D Suspension	Ø:0.8 m	
9	205228	Givre	2D Lamp column	H:2 W:1 m	
10	205230	Givre	2D Lamp column	H:3 W:1.5 m	
11	205232	Givre	2D Globe	H:2 W:1.2 m	













N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
12	205598	Souple filament	2D Across street	H:2 W:2.8 m	
13	203294	Souple Merry	2D Across street	H:0.24 W:5.2 m	
14	203295	Souple Merry	2D Across street	H:0.8 W:5.2 m	
15	203297	Souple Enchantée	2D Across street	H:0.8 W:5.2 m	
16	203296	Souple Enchantée	2D Across street	H:0.24 W:5.2 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
17	205597	Filament	2D Across street	H:1.2 W:2.5 m	
18	202932	Elfie	2D Lamp column	H:1 W:1 m	
19	205599	Couronne filament	2D Suspension	H:1.5 W:0.85 m	
20	202936	Elfie	2D Lamp column	H:3 W:1 m	

Decorations to install





Béziers • France

Pia • France



Pia • France

Pia • France

Pia • France



Béziers • France




Nîmes • France

Béziers • France

Palavas-les-Flots • France

Béziers • France


Valenciennes • France


Valenciennes • France


Valenciennes • France


Valenciennes • France


Valenciennes • France


Valenciennes • France



Bruay-sur-l'Escaut • France



Seclin • France



Valenciennes • France



Valenciennes • France



Valenciennes • France

Arches



Discover our 3D arches creations
by scanning this QR-Code.


MAS
XMAS



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	205045-24V	Arche casse-noisette	3D Floorstanding decor	H:4 W:6.5 D:1.1 m	
2	204686-24V	Arche Champagne	3D Floorstanding decor	H:4 W:5.5 D:1.5 m	
3	205619	Arche sapinette	2D Floorstanding decor	H:2.8 W:3.8 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
4	205618	Arche sapinette	2D Floorstanding decor	H:2.8 W:3.8 m	
5	205617	Arche sapin courbé	3D Floorstanding decor	H:3.9 W:6.4 D:2.5 m	

Please note: optional accessories required for installation



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
6	205591	Arche Xmas	3D Floorstanding decor	H:3.8 W:4.9 D:0.92 m	
7	205590	Arche Noël	3D Floorstanding decor	H:3.9 W:4.9 D:0.92 m	
8	204698-24V	Archétoile	3D Floorstanding decor	H:4 W:5.25 D:1 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
9	204694-24V	Arche Nova	3D Floorstanding decor	H:4 W:4.5 D:1.5 m	
10	204690-24V	Arche Boule	3D Floorstanding decor	H:4 W:4.5 D:1 m	

Please note: optional accessories required for installation

Sparkling & effervescent decors



Scan this QR-Code to discover our sparkling & effervescent decors creations.





N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	203147-24V	Sapin Pétillant	3D Floorstanding decor	H:5 W:2.5 D:0.9 m	
2	202987-24V	Sucres d'orge pétill	3D Floorstanding decor	H:1.95 W:2.2 D:0.3 m	
3	202989-24V	Flocon Pétillant	3D Floorstanding decor	H:2 W:2.2 D:0.3 m	
4	203144-24V	Etoile Pétillante	3D Floorstanding decor	H:1.8 W:2.4 D:0.3 m	
5	204735-24V	Ginger Pétillant	3D Floorstanding decor	H:2 W:2.2 D:0.3 m	
6	202988-24V	Renne Pétillant	3D Floorstanding decor	H:1.95 W:1.4 D:0.3 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
7	204737-24V	Bougie pétillante	3D Floorstanding decor	H:2 W:1 D:0.3 m	
8	202991-24V	Coeur Petillant	3D Floorstanding decor	H:1.7 W:2.2 D:0.3 m	
9	203145-24V	Boule pétillante	3D Floorstanding decor	H:2 W:2.3 D:0.3 m	
10	204733-24V	Houx pétillant	3D Floorstanding decor	H:2 W:2.6 D:0.3 m	
11	203146-24V	Paquet Cadeau Pétillant	3D Floorstanding decor	H:2 W:1.8 D:0.3 m	

Please note: optional accessories required for installation




N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
12	204730-24V	Snowman pétillant	3D Floorstanding decor	H:2 W:2 D:0.3 m	
13	205592	Boule étincelante	3D Floorstanding decor	H:1.68 W:2 D:0.3 m	
14	205595	Etoile étincelante	3D Floorstanding decor	H:1.58 W:2 D:0.3 m	
15	205594	Sapin étincelant	3D Floorstanding decor	H:2 W:1.88 D:0.3 m	
16	204740-24V	Sapin Pétillant	3D Floorstanding decor	H:2 W:2 D:0.3 m	
17	205596	Père Noël étincelant	3D Floorstanding decor	H:2 W:1.57 D:0.3 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
18	204732-24V	Eclat pétillant	3D Floorstanding decor	H:2 W:2.9 D:0.3 m	
19	205593	Cadeau étincelant	3D Floorstanding decor	H:2 W:2 D:0.3 m	
20	205825*	Boule Miniz	3D Floorstanding decor	H:1.2 W:1.55 D:0.3 m	
21	205826*	Cadeau Miniz	3D Floorstanding decor	H:1.2 W:1.8 D:0.3 m	
22	205827*	Ginger Miniz	3D Floorstanding decor	H:1.2 W:0.85 D:0.3 m	


*** NEW**

Please note: optional accessories required for installation

2D arches



Discover our 2D arches creations
by scanning this QR-Code.





N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	204676-24V	Renne	2D Floorstanding decor	H:2 W:1.6 m	
2	205805*	Pop up Ginger	3D Floorstanding decor	H:2.2 W:1.5 D:0.6 m	
3	204682-24V	Sapin L	2D Floorstanding decor	H:2 W:1.2 m	
4	204680-24V	Sapin M	2D Floorstanding decor	H:1.5 W:0.95 m	
5	204678-24V	Sapin S	2D Floorstanding decor	H:1 W:0.65 m	
6	203912-24V	J'M ma ville M	2D Floorstanding decor	H:2.5 W:4.3 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
7	204661-24V	Boule Star	2D Floorstanding decor	H:0.8 W:0.8 m	
8	204669-24V	Flake	2D Floorstanding decor	H:0.8 W:1.4 m	
9	204672-24V	Etoile Nova	2D Floorstanding decor	H:1.5 W:2.15 m	
10	204665-24V	Boule Arty	2D Floorstanding decor	H:0.8 W:0.8 m	

Please note: optional accessories required for installation

*NEW



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
11	205349	Arceau Alpi	2D Floorstanding decor	H:2 W:3.5 m	
12	203323-24V	Arceau Boule	2D Floorstanding decor	H:1.75 W:3.5 m	
13	205804*	Pop up Bougie	3D Floorstanding decor	H:2.2 W:1.5 D:0.6 m	
14	203309-24V	Arceau Cadeau	2D Floorstanding decor	H:2.5 W:3.5 m	
15	205803*	Pop up Banquise	3D Floorstanding decor	H:2.2 W:1.5 D:0.6 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
16	203352-24V	Arceau Millésime	2D Floorstanding decor	H:2.5 W:3.5 m	
17	204684-24V	Snowman	2D Floorstanding decor	H:1.5 W:1.25 m	
18	205350	Arceau Alpi	2D Floorstanding decor	H:1 W:2 m	
19	203324-24V	Arceau Boule	2D Floorstanding decor	H:1.3 W:2 m	
20	203322-24V	Arceau Boule	2D Floorstanding decor	H:1.5 W:2.15 m	

*** NEW**

Please note: optional accessories required for installation

Photobooths & Frames



Scan this QR-Code to find out more about our photobooths and frames.





N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	202679-24V	Pôle Nord	3D Floorstanding decor	H:3 W:1.3 D:1.45 m	
2	203730-24V	Cadeau photo	3D Floorstanding decor	H:2.25 W:2.55 D:1 m	
3	203308-24V	Cadeau Ruban	3D Floorstanding decor	H:3 W:6.3 D:1 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
4	205589	Cadre Père Noël	3D Floorstanding decor	H:2.75 W:1.95 D:1.08 m	
5	204645-24V	Lutin photo	3D Floorstanding decor	H:1.7 W:1.3 D:0.7 m	
6	205587	Cadre Pingouin	3D Floorstanding decor	H:2.55 W:1.95 D:1.08 m	

Please note: optional accessories required for installation



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
7	204702-24V	Kiosque	3D Floorstanding decor	H:3 Ø:2.4 m	
8	205807*	Cadre sapinette	3D Floorstanding decor	H:2.6 W:2 D:0.9 m	
9	205808*	Cadre sapinette	3D Floorstanding decor	H:2.6 W:2 D:0.9 m	
10	204685-24V	Cadre Photo	3D Floorstanding decor	H:2.55 W:1.95 D:1 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
11	204711	Joyeux Noël	2D Suspension	H:0.83 W:1.6 m	
12	205586	Cadre Renne	3D Floorstanding decor	H:2.8 W:1.95 D:1.08 m	
13	204659-24V	Cadre de Noël	2D Floorstanding decor	H:2.6 W:4 m	
14	205588	Cadre Ours	3D Floorstanding decor	H:2.7 W:2 D:1.1 m	

*** NEW**

Please note: optional accessories required for installation

Armchairs & Seats



Scan this QR-Code to discover our armchairs & seats creations.





N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	205624	Eclair	3D Floorstanding decor	H:1.95 W:1.25 D:0.33 m	
2	205622	Tornade	3D Floorstanding decor	H:1.95 W:1.25 D:0.33 m	
3	205623	Tonnerre	3D Floorstanding decor	H:1.95 W:1.25 D:0.33 m	
4	205621	Traineau de Laponie	3D Floorstanding decor	H:1.7 W:3.1 D:1.1 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
5	205373	Traineau E-Deco	3D Floorstanding decor	H:1.2 W:2.6 D:1.1 m	
6	205372	Rennes E-Deco	3D Floorstanding decor	H:1.5 W:1.12 D:1 m	
7	202798-24V	Bauble Chair	3D Floorstanding decor	H:1.7 W:1.2 D:1.2 m	

Please note: optional accessories required for installation



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
8	204639-24V	Fauteuil Renne	3D Floorstanding decor	H:2.2 W:2 D:2 m	
9	204638-24V	Fauteuil Ours	3D Floorstanding decor	H:1.8 W:2 D:2 m	
10	204640-24V	Fauteuil Noël	3D Floorstanding decor	H:2 W:2 D:2 m	
11	205620	Petit traîneau	3D Floorstanding decor	H:2 W:1.8 D:1.83 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
12	202673-24V	Fauteuil cadeau	3D Floorstanding decor	H:1 W:1.2 D:0.8 m	
13	203176-24V	Renne Comète	3D Floorstanding decor	H:2 W:1.49 D:0.63 m	
14	203131-24V	Traineau Cristal	3D Floorstanding decor	H:1.87 W:4.14 D:1.45 m	

Please note: optional accessories required for installation

Playful Decors



Scan this QR-Code to discover our playful decor creations.





N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	204634-24V	Avion	3D Floorstanding decor	H:1.4 W:2.65 D:2.6 m	
2	204635-24V	Maison Biscuit	3D Floorstanding decor	H:2 W:1.8 D:1.6 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
3	204636-24V	Train	3D Floorstanding decor	H:1.6 W:2.15 D:1.2 m	
4	204637-24V	Wagon	3D Floorstanding decor	H:0.6 W:1.5 D:1 m	

Please note: optional accessories required for installation



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
5	204633-24V	Fusée	3D Floorstanding decor	H:2.2 W:1.4 D:0.9 m	
6	205446	Grande roue	3D Floorstanding decor	H:6 W:5.45 D:3.5 m	
7	204632-24V	Voiture de course	3D Floorstanding decor	H:0.95 W:2.05 D:0.85 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
8	204650-24V	Luge des Lutins	3D Floorstanding decor	H:1 W:2 D:0.95 m	
9	204649-24V	Petit renne	3D Floorstanding decor	H:1.4 W:1.35 D:0.6 m	

Please note: optional accessories required for installation

Gourmet Decors



Scan this QR-Code to discover our gourmet decor creations.





N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	205054-24V	Macarons	3D Floorstanding decor	H:2.25 W:2.35 D:1.5 m	
2	205059-24V	Cadeaux festifs	3D Floorstanding decor	H:3 W:2.23 D:2.16 m	
3	205062-24V	Carrousel macarons	3D Floorstanding decor	H:4.4 Ø:4 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
4	205056-24V	Trois Sucettes	3D Floorstanding decor	H:3 W:2 D:1.5 m	
5	205057-24V	Sucette	3D Floorstanding decor	H:2.3 W:1.5 D:1.1 m	

Please note: optional accessories required for installation



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
6	205064-24V	Petit cône gourmand	3D Floorstanding decor	H:4 Ø:2.5 m	
7	205060-24V	Big Cake	3D Floorstanding decor	H:4.5 W:4.25 D:4.1 m	
8	205063-24V	Cône gourmand	3D Floorstanding decor	H:11 Ø:6.5 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
9	205058-24V	Sucres d'Orge	3D Floorstanding decor	H:3.7 W:3.75 D:1.1 m	
10	205055-24V	Pomme d'amour	3D Floorstanding decor	H:3 Ø:1.5 m	

Please note: optional accessories required for installation



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	205584	M Biscuit	3D Floorstanding decor	H:1.8 W:1.25 D:0.3 m	
2	205061-24V	Cupcake	3D Floorstanding decor	H:6 Ø:5.73 m	
3	203270-24V	Maison Pain d'épice	3D Floorstanding decor	H:4.22 W:3.68 D:4.2 m	
4	203271-24V	Etoile Pain d'épice	3D Floorstanding decor	H:2.1 W:2.5 D:0.8 m	
5	205053-24V	Boule S	3D Floorstanding decor	H:2.1 Ø:1.8 m	

Please note: optional accessories required for installation



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
6	205051-24V	Arceau candy L	2D Floorstanding decor	H:1.5 W:2 m	
7	205048-24V	Arceau candy XL	2D Floorstanding decor	H:1.75 W:2 m	
8	205049-24V	Arceau muffin	2D Floorstanding decor	H:1.5 W:1.3 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
9	205052-24V	Arceau spirale	2D Floorstanding decor	H:1.4 W:2 m	
10	205050-24V	Arceau candy M	2D Floorstanding decor	H:1.4 W:1.5 m	

Please note: optional accessories required for installation

Letterboxes & Characters



Scan this QR-Code to find out more about our letterboxes & characters.





N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	204641-24V	Père Noël Funky	3D Floorstanding decor	H:1.7 W:1.3 D:1 m	
2	201744-24V	Boîte aux Lettres	3D Floorstanding decor	H:1.5 W:1 D:0.6 m	
3	205267	Santa	3D Floorstanding decor	H:2.8 Ø:1.7 m	
4	205262	Père Noël Cadeau	3D Floorstanding decor	H:2.65 W:1.2 D:1.2 m	
5	203429-24V	M. Noël	3D Floorstanding decor	H:3.4 W:2.55 D:2.6 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
6	205614	Père Noël Choupi	3D Floorstanding decor	H:2.15 W:2 D:1.6 m	
7	204648-24V	Boîte Noël	3D Floorstanding decor	H:1.45 W:0.7 D:0.75 m	
8	205811*	Marin le lutin	3D Floorstanding decor	H:2 W:1.1 D:0.95 m	
9	205809*	Santa Claus	3D Floorstanding decor	H:2.9 W:1.4 D:1.05 m	
10	202675-24V	Trainossimo	3D Floorstanding decor	H:1.8 W:2.1 D:1.1 m	

Please note: optional accessories required for installation

*NEW



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
11	204658-24V	Chapin de Noël	3D Floorstanding decor	H:4.4 W:4.3 D:3.3 m	
12	205810*	Gabin le lutin	3D Floorstanding decor	H:2 W:1.1 D:0.95 m	
13	205044-24V	Casse-noisette	3D Floorstanding decor	H:2.6 W:0.8 D:0.8 m	
14	204657-24V	Augustin le Lutin	3D Floorstanding decor	H:3.7 W:2.35 D:2.45 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
15	204647-24V	Boîte Lutin	3D Floorstanding decor	H:1.45 W:1.15 D:0.75 m	
16	204654-24V	Neige Oups	3D Floorstanding decor	H:1.3 W:0.8 D:0.8 m	
17	202672-24V	La boîte des lutins	3D Floorstanding decor	H:1.8 W:0.8 D:0.8 m	

*** NEW**

Please note: optional accessories required for installation



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	202709-24V	Pompon	3D Floorstanding decor	H:3.2 W:2.4 D:1.9 m	
2	205613	Mr. Neige Choupi	3D Floorstanding decor	H:2 W:2.3 D:2 m	
3	202378-24V	Lutin Oups	3D Floorstanding decor	H:1.8 W:1.45 D:0.8 m	
5	170754	Kit Rudy	2D Floorstanding decor	H:1.3 W:1 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
6	205263	Boulliz'	3D Floorstanding decor	H:1.2 Ø:1.2 m	
7	170755	Kit Frosty	2D Floorstanding decor	H:0.9 W:1.7 m	
8	205264	Boulliz'	3D Floorstanding decor	H:1.2 Ø:1.2 m	

Please note: optional accessories required for installation




N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
9	204656-24V	Père Noël Oups	3D Floorstanding decor	H:1.4 W:0.8 D:0.8 m	
10	205609	Boule Choupi	3D Floorstanding decor	H:1.5 Ø:1.35 m	
11	205615	Ginger Choupi	3D Floorstanding decor	H:2 W:2 D:1.6 m	
12	205611	Etoile Choupi	3D Floorstanding decor	H:1.8 W:1.95 D:0.5 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
13	205261	Boîte du Père Noël	3D Floorstanding decor	H:1.5 W:1 D:1 m	
14	203430-24V	Boîte Santa	3D Floorstanding decor	H:1.5 W:0.7 D:0.5 m	
15	205610	Cadeau Choupi	3D Floorstanding decor	H:1.5 W:1.2 D:1.3 m	

Please note: optional accessories required for installation

Animals



Discover our animal creations by scanning this QR-Code.





N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	203121-24V	Bouquetin Glacé	3D Floorstanding decor	H:5 W:4.47 D:1.93 m	
2	203117-24V	Igloo	3D Floorstanding decor	H:1.3 Ø:3 m	
3	203176-24V	Renne Comète	3D Floorstanding decor	H:2 W:1.49 D:0.63 m	
4	203122-24V	Renne	3D Floorstanding decor	H:3 W:2.2 D:0.95 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
5	204792-24V	Cheval	3D Floorstanding decor	H:2.1 W:2.6 D:0.6 m	
6	205271	Rennes E-Deco	3D Floorstanding decor	H:1.5 W:1.12 D:1 m	
7	205269	Traineau E-Deco	3D Floorstanding decor	H:1.2 W:2.6 D:1.1 m	
8	203118-24V	Chamois	3D Floorstanding decor	H:2.6 W:2.2 D:0.7 m	

Please note: optional accessories required for installation



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
9	203436-24V	Renne fantastique	3D Floorstanding decor	H:6 W:5.2 D:4.3 m	
10	203428-24V	Carrousel de Noël	3D Floorstanding decor	H:3 Ø:2.5 m	
11	205046-24V	Daim	3D Floorstanding decor	H:3 W:1.9 D:0.8 m	

CHROMEX

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
12	551212	Renne féérique	3D Floorstanding decor	H:1.52 W:0.6 D:0.2 m	
13	551271	Faon féérique	3D Floorstanding decor	H:100 W:76 D:24 m	
14	551272	Cerf féérique	3D Floorstanding decor	H:1.66 W:1.35 D:0.35 m	
15	551361	Biche féérique	3D Floorstanding decor	H:130 W:110 D:32 m	

Please note: optional accessories required for installation



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	205274	Grand Pingoo	3D Floorstanding decor	H:5 W:3.75 D:2.83 m	
2	205275	Grand Rudolphe	3D Floorstanding decor	H:5.91 W:3.66 D:3.13 m	
3	205841*	Chat Choupi	3D Floorstanding decor	H:3.8 W:2.3 D:2.4 m	
4	205813*	Renne Choupi	3D Floorstanding decor	H:2.4 W:2 D:1.6 m	
5	205616	Ours Choupi	3D Floorstanding decor	H:3.3 W:3.3 D:2.4 m	

Please note: optional accessories required for installation

*NEW



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
6	202884-24V	Pingoo	3D Floorstanding decor	H:3 W:2.25 D:1.7 m	
7	203230-24V	Rudolphe	3D Floorstanding decor	H:3.55 W:2.2 D:1.88 m	
8	205814*	Ourson Choupi	3D Floorstanding decor	H:2 W:2 D:1.8 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
9	202708-24V	Nougat	3D Floorstanding decor	H:3.3 W:2.35 D:2.5 m	
10	205612	Pingouin Choupi	3D Floorstanding decor	H:2.6 W:2 D:2 m	

*** NEW**

Please note: optional accessories required for installation

Gifts & Baubles



Scan this QR-Code to find out more about our gifts and baubles.





N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	203185-24V	Bulle Dorée	3D Floorstanding decor	H:4.5 W:4.5 D:4.05 m	
2	202810-24V	Christmas Bauble XL	3D Floorstanding decor	H:3.4 Ø:2.95 m	
3	204707-24V	Boule Etoilée	3D Floorstanding decor	H:3.15 Ø:4 m	
4	203885-24V	Boule L	3D Floorstanding decor	H:3 Ø:3 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
5	205576	Gros cadeau	3D Floorstanding decor	H:3 W:2 D:2 m	
6	205578	Cadeau couché	3D Floorstanding decor	H:1.5 W:2 D:0.8 m	
7	202724-24V	Cadeau	3D Floorstanding decor	H:1 W:1.35 D:1 m	
8	203880-24V	Boule M	3D Floorstanding decor	H:2.1 Ø:2 m	

Please note: optional accessories required for installation



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
9	204754-24V	Cadeau M	3D Floorstanding decor	H:7.8 W:3.55 D:3.55 m	
10	203837-24V	Cadeau	3D Floorstanding decor	H:3.8 W:3.75 D:3.75 m	
11	205573	Maxi Cadeau	3D Floorstanding decor	H:4 W:3.4 D:3.4 m	
12	203874-24V	Boule S	3D Floorstanding decor	H:2.1 Ø:1.8 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
13	205581	Mini Cadeau	3D Floorstanding decor	H:1 W:1 D:1 m	
14	203891-24V	Boule déco	3D Floorstanding decor	H:3 W:1.5 D:1.4 m	
15	204753-24V	Cadeau S	3D Floorstanding decor	H:3.8 W:3.2 D:3.2 m	

Please note: optional accessories required for installation

Trees



Scan this QR-Code to find out more about our tree projects.





N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	204769-24V	Sapin Diamant L	3D Floorstanding decor	H:8 Ø:6.15 m	
2	205235	Cimier Givre	2D decor	H:1.4 W:0.5 m	
3	205433	Sapin 8p Givre	3D Floorstanding decor	H:6 Ø:3.6 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
4	203189-24V	Cîmier Cône Givré	2D decor	H:0.85 W:0.87 m	
5	203756-24V	Sapin Louise	3D Floorstanding decor	H:6.1 Ø:4 m	

Please note: optional accessories required for installation



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
6	203364-24V	Petit Alya	3D Floorstanding decor	H:3 W:2 D:2 m	
7	205820*	Oriane	3D Floorstanding decor	H:10 W:6.5 D:6 m	
8	205628	Cône arlequin	3D Floorstanding decor	H:3.8 Ø:2.47 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
9	203374-24V	Petit Amaya	3D Floorstanding decor	H:1.5 Ø:1 m	
10	205629	Cône arlequin	3D Floorstanding decor	H:2 Ø:1.3 m	

*** NEW**

Please note: optional accessories required for installation



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	203258-24V	Arbre Magique	3D Floorstanding decor	H:5 Ø:4 m	
2	205625	Cône essentiel	3D Floorstanding decor	H:10.17 W:3.82 D:3.82 m	
3	170866	Kit cône essentiel	Accessories	H:10.17 W:3.82 D:3.82 m	
4	205824*	Sapin cubes	3D Floorstanding decor	H:4.75 W:3.3 D:2.9 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
5	204793-24V	Cîmier Etoilé	3D Floorstanding decor	H:1 W:1 D:1 m	
6	203187-24V	Cône Givré	3D Floorstanding decor	H:6 Ø:3 m	
7	205821*	Cimier Naos	3D Floorstanding decor	H:0.75 W:0.75 D:0.45 m	
8	205822*	Naos	3D Floorstanding decor	H:5.7 Ø:3.8 m	

Please note: optional accessories required for installation

*NEW



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
11	205284	Cimier Magie	2D decor	H:1.4 W:0.6 m	
12	205382	Sapin 8p Magie	3D Floorstanding decor	H:12 Ø:6.15 m	
13	205823*	Sapin étoiles	3D Floorstanding decor	H:6.5 W:4.7 D:3.9 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
14	202499-24V	Sapin Ruban	3D Floorstanding decor	H:8 Ø:6.4 m	
15	203138-24V	Sapin Pailleté M	3D Floorstanding decor	H:6 Ø:3 m	

*** NEW**

Please note: optional accessories required for installation



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
1	203435-24V	Grand Sylvestre	3D Floorstanding decor	H:7.35 Ø:5.8 m	
2	204748-24V	Sylvestre cadeaux	3D Floorstanding decor	H:11.25 W:7.45 D:9.1 m	
3	205417	Sapin 8p Holly	3D Floorstanding decor	H:10 Ø:5.45 m	
4	205225	Cimier Holly	2D decor	H:1.4 W:0.4 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
5	205585	Cône Funky	3D Floorstanding decor	H:5 Ø:3 m	
6	205819*	Oriane	3D Floorstanding decor	H:10 W:6.5 D:6 m	
7	203174-24V	Sapin Couronnes vert	3D Floorstanding decor	H:6 Ø:3 m	

Please note: optional accessories required for installation

*NEW



N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
8	205643	Sapin Abby XL	3D Floorstanding decor	H:7.8 Ø:5.15 m	
9	170871	Kit noeuds Abby XL	Accessories		
10	205644	Sapin Abby L	3D Floorstanding decor	H:5.75 Ø:3.75 m	
11	170868	Kit boules Abby L	Accessories		
12	205646	Sapin Abby S	3D Floorstanding decor	H:2 Ø:1.35 m	

N°	REFERENCE	DESIGNATION	USAGE	DIMENSIONS	DETAILS
13	170874	Kit noeuds Abby S	Accessories		
14	205816*	Demi cône tradi S	3D Floorstanding decor	H:3 W:1 D:0.5 m	
15	205818*	Demi cône tradi M	3D Floorstanding decor	H:5 W:1.7 D:0.85 m	
16	205817*	Demi cône chic M	3D Floorstanding decor	H:5 W:1.7 D:0.85 m	
17	205815*	Demi cône chic S	3D Floorstanding decor	H:3 W:1 D:0.5 m	

*** NEW**

Please note: optional accessories required for installation

Infinity range





Discover our Infinity creations by scanning this QR code!



Pia • France

Megève • France









Théoule-sur-Mer • France



Le Mans • France




Carcassonne • France



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
1	204706-24V	Kiosque Infinity	3D Floorstanding decor	H:3 Ø:2.4 m	
2	203902-24V	Ruban Infinity	3D Floorstanding decor	H:5.25 Ø:4.5 m	
3	204788-24V	Crystal M Infinity	3D Floorstanding decor	H:7.8 Ø:5 m	
4	204790-24V	Carrosse Infinity	3D Floorstanding decor	H:3.85 W:5.1 D:3.1 m	
5	203879-24V	Boule M Infinity	3D Floorstanding decor	H:2.1 Ø:2 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
6	203873-24V	Boule S Infinity	3D Floorstanding decor	H:2.1 Ø:1.8 m	
7	203847-24V	Sapin Infinity	3D Floorstanding decor	H:6.7 Ø:3.2 m	
8	203713-24V	Alya	3D Floorstanding decor	H:5 Ø:3 m	
9	203836-24V	Cadeau Infinity	3D Floorstanding decor	H:3.8 W:3.75 D:3.75 m	
10	203868-24V	Sphère S infinity	3D suspension	Ø:0.5 m	



N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
11	203834-24V	Spirale Infinity	3D Floorstanding decor	H:5.2 W:8.4 D:5.2 m	
12	203722-24V	Renne fantastique	3D Floorstanding decor	H:6 W:5.2 D:4.3 m	
13	203835-24V	Etoile Infinity	3D Floorstanding decor	H:5.2 W:7.85 D:4 m	
14	203900-24V	Charmil Infinity B	3D Floorstanding decor	H:2.5 W:1.2 D:0.85 m	
15	203857-24V	Cône Infinity	3D Floorstanding decor	H:4.8 Ø:3.2 m	
16	203899-24V	Charmil Infinity A	3D Floorstanding decor	H:2.5 W:1.2 D:1 m	

N°	REFERENCE	DESIGNATION	USE	DIMENSIONS	DETAILS
17	203901-24V	Charmil Infinity C	3D Floorstanding decor	H:2.5 W:1.2 D:1 m	
18	203890-24V	Boule déco Infinity	3D Floorstanding decor	H:3 W:1.5 D:1.4 m	
19	205312	Fontaine E-Deco	3D Floorstanding decor	H:2.5 Ø:3.73 m	
20	203884-24V	Boule L Infinity	3D Floorstanding decor	H:3 Ø:3 m	
21	203870-24V	Sphère L infinity	3D suspension	Ø:1 m	
22	203869-24V	Sphère M infinity	3D suspension	Ø:0.7 m	

Installation

All our decorations are made with 100% LED.

They come with power cables, but without bulbs or satilights.
All our floorstanding 3D decorations are wired in SELV.






Laval • France

FASTENING ACCESSORIES FOR ACROSS STREET

ACCROSS STREET


REF.	DESCRIPTION	COMPOSITION
113010	Wall/wall kit (for Ø 6 mm cable	2 capstan screws M12, 2 tensioners, 2 alpine karabiners 100 mm, 2 shackles, 6 cable grip, 2 wall plates - Kits delivered without cable
113020	Wall/lamp column kit (for Ø 6 mm cable)	2 tensioners, 2 alpine karabiners 100 mm, 2 shackles, 6 cable grip, 1 post plate + 1 wall plate + 2 capstan screws - Kits delivered without cable
113030	Lamp column/lamp column kit (for Ø 6 mm cable)	2 tensioners, 2 alpine karabiners 100 mm, 2 shackles, 6 cable grip, 2 post plates + 2 capstan screws M12 - Kits delivered without cable
031855	Wall plate	Supplied by unit
031852	Capstan screws	1 ring, 1 screws de 12 x 20 mm
100504	Tensioner	Supplied by unit - 235 kg maxi
031895	Alpine karabiners 100 mm	Supplied by 10, Ø 10 mm
122900	Shackles	Supplied by 10 for 6 mm cable
101500	Cable grips 6 mm	Supplied by 10
060726	Steel cable 4 mm (sleeve at 6 mm)	Length 100 m - 1 260 kg maxi. break load
100503	Shackles	Supplied by 10
031990	Fastening kit	1 nut, 1 washer, 1 capstan screw M12, 1 alpine karabiner 100 mm - 930 kg max.



113010



113020



113030



031855



031852



100504



031895



122900



101500



060726



100503



031990

SUSPENSIONS

REFERENCE	DESCRIPTION	COMPOSITION
032197	Rapid fix clip	1 self-locking system, 1 Gripple, 1 M10 tip fillet, 2 nuts, 2 Ø 10 mm washers, 1 Ø 2 mm x 1.15 m galvanised cable, 1 flag Key (Gripple). For use with 6 mm galvanised cable (sleeved or unsleeved) - 45 kg max
050768	Sling 1 m	Maximum load 15 kg - Indoor only
050769	Sling 3 m	Maximum load 15 kg - Indoor only
051039	Sling 2 m	Maximum load 90 kg - Outdoor
032198	Suspension clip	1 self-locking system, 1 Ø 65 mm galvanised cable ring Ø 2 mm For use with 6 mm galvanised cable (sleeved or unsleeved). 45 kg maxi.



032197



050768 / 050769



051039



032198



Bordeaux • France


FASTENING ACCESSORIES FOR LAMP COLMN

Assemble in 3 stages :


- Choose a bracket according to the decoration width.
- Plan the hanging kit.
- Plan on the metal band and the clips.

BRACKETS

REFERENCE	DESCRIPTION	COMPOSITION
792001	Aluminium bracket 1 m	Supplied by unit - Maximum load 10 kg
792101	Aluminium bracket 1.20 m	Supplied by unit - Maximum load 10 kg
792201	Aluminium bracket 2 m	Supplied by unit - Maximum load 10 kg
032289	Aluminium bracket 1.20 m	Supplied by unit - Maximum load 40 kg



792001 / 792101 / 792201



032289

SUSPENSIONS

REFERENCE	DESCRIPTION	COMPOSITION
792002	Hanging kit	4 alpine karabiners 60 mm, 2 eye hooks M6, 2 x 1 m chain, 2 washers Ø 6 mm, 2 nuts M6
032233	Suspension Kit M6	1 alpine karabiner 60 mm, 1 eye hook M6, 2 washers, 2 nuts M6
032220	Suspension Kit M10	1 alpine karabiner 100 mm, 2 Ø 10 mm washers, 2 nuts M10, 1 eye hook M10x70 mm
101640	Chain with soldered links	Length 1 m - 164 kg maxi
031894	Alpine karabiners 60 mm	Supplied by 10, Ø 6 mm


792002


032233 / 032220


101640


031894

STRAPS

REFERENCE	DESCRIPTION	COMPOSITION
032180	Strap	L 1 m x l 25 mm - Thickness : 2 mm -Tensioner included - 1 600 kg max
032361	Pliers for metal necklace	Pliers for metal necklace - Supplied by unit
032362	Metal necklaces	L 831 mm x l 19 mm - Supplied by 50


032180


032361


032362

PROTECTION AND SAFETY


REFERENCE	DESCRIPTION	COMPOSITION
722101	Support for concrete post	H 100 mm x W 300 mm - L element, shaped, suitable for any concrete post
032370	Silenbloc	Can be added to conventional attachments in the event of strong wind. Maximum load 10 kg
060637	Post plate protection	One side self-adhesive rubber foam strip - W 10 m x l 19 mm


722101


032370


060637


RAPID FIX **SYSTEM**




REFERENCE	DESCRIPTION	COMPOSITION
032242	4 sides Rapid Fix	4 plates with protection, 4 fastening parts, 4 washers, 8 nuts M10, 4 screws HM10x70, 8 washers Ø 10, 4 screws HM10x110
032094	Rapid Fix	1 plate, 1 fastening parts, 1 washer, 2 nuts M10, 1 screws HM10x70, 2 Ø 10 mm washers
032235	Wall plate Rapid Fix	1 plate, 1 fastening parts, 1 washer, 1 nut M10
032341	Multiple sides plate	Use to install a decoration in 4 or 8 sides, without a central pole.
370065*	Multiple sides plate	Use to install a decoration in 3 or 6 sides, without a central pole.

The 4-sided Rapid Fix is suitable for cylindrical, hexagonal, or octagonal lamp columns with a diameter ranging from 100 mm to 200 mm. For other types of lamp columns, please contact us.

Plate to fix onthe pole with the metal band




032094



032235


Plate to fix on the pole with screws provided



032242



032341



370065



Aix en Provence • France

GRID **CONNECTION**

REF.	DESCRIPTION	COMPOSITION
300038	Extension cable B+T	Bipolar + ground extension cable L 5 m - IP 44 Cable 3G1.5 mm² H07RNF black - 16 A max.
300039	Octopus B+T	Bipolar + ground octopus extension lead : 1 male end, 3 female ends. L 0.80 m - IP 44 Cable 3G1.5 mm² H07RNF black - 16 A max.
059556	Angled connector cable	Cable with angled female connector for lamp column with connecting cable with bared end. L 6 m - ID 68 - Cable 3G1.5 mm² H07RNF black - 20 A max.
059557	Cap for female connector	Cap for female connector, black with safety lead.
059558	Connecting cable L 2 m	Male cable with connecting cable with bared.

All Leblanc Illuminations decorations are delivered with power supply cables. You can find our various cables and accessories on the Plug & Light section p(266)



059556



059557



059558



300038




300039

* NEW

FASTENINGS FOR CIRCULAR DECORATIONS ON LAMP COLUMNS

REFERENCE	DESCRIPTION	COMPOSITION
031937	Simple crown Ø 600 mm	For pole Ø between 60 and 200 mm maximum.
031938	Simple crown Ø 800 mm	For pole Ø between 60 and 200 mm maximum.
031939	Crown extension Ø 600 mm	For pole Ø between 60 and 200 mm maximum. The crown extension enables installation of more curtain lights and animated cones.
031940	Crown extension Ø 800 mm	For pole Ø between 60 and 350 mm maximum. The crown extension enables installation of more curtain lights and animated cones.
031941	Big simple crown Ø 2 m	For pole Ø between 60 and 350 mm maximum.
031942	Big simple crown Ø 4 m	For pole Ø between 60 and 350 mm maximum.






Bar le Duc • France


WEIGHT AND PACKING

REFERENCE	DESCRIPTION	COMPOSITION
600595	Gold oval steel plate	Mounting base. L 190 x l 90 cm. 100 Kg. Gold. Provide 1 ref.370014 per plate.
600596	White oval steel plate	Mounting base. L 190 x l 90 cm. 100 Kg. White. Provide 1 ref.370014 per plate.
600738	Black circular steel plate	Mounting base. Ø 80 cm. 39 Kg. Black. Provide 1 ref.370014 per plate.
600700	Black rectangular steel plate	Mounting base. L 100 x l 33 cm. 26 Kg. Black. Provide 1 ref.370014 per plate.
370014	Steel plate screws	4 slings + screws - One Ref.370014 per steel plate.
300003	Square concrete pad - grey	Concrete pad - H 170 x W 700 mm - 200 Kg
300004	Sling	Sling for lifting of concrete pad 700x700, 1.2T max
032241	Concrete pad fastening kit	4 threaded studs M24, 8 nuts M24, 8 washers M24 Enables to set a pole on one or more blocks ref.032392 or ref.300003
032327	Rectangular concrete pad	H 170 x W 200 x D 400 mm - 28 kg - Grey
600171	Stake / Peg	Set of 4 - W 500 mm
550495	Fastening line	Set of 10 - W 600 mm
550496	Securing tool kit	Driving tool, mandrin, laying plate and bracket
001949	Storage rack	Effective dimensions : W 1.78 x D 0.96 m
001948	4 candles	Height : 1.68 m

The mooring line is strong, economical and quick to install.

Specially designed for stony ground, it avoids all the disadvantages of traditional anchoring systems.






CREAFIX **FLEXIBLE BARS**

REFERENCE	DESCRIPTION	LARGEUR	LONGUEUR
032275	Set of 4 Creafix bars	0,05 m	0,95 m
032274	Set of 10 multipurpose sliders for Creafix bars	-	-
059986	Threaded end for Creafix bars (2 ends + 1 threaded stud)	-	-
050475	Connector for Creafix flexible bar	-	-


032274


059986


050475


032275

Patented system

- Flexible mounting system for decorative lighting and/or items to be hanged.
- Quicker, easier installation.
- Makes it easy to lay Plug & Light cables.
- Invisible cables.
- Sturdy.
- Can be used to create curtains,canopies and innovative shapes.




INDOOR **FASTENINGS ACCESSORIES**

REFERENCE	DESCRIPTION	COMPOSITION
100117	Spring double hook	Supplied by 50 - Perfect for attaching Xmas balls on motives (Ø 30 cm max)
100118	Chain	L 25 m - Maximum load 35 kg - Adaptable height
100119	Hooks C shape	Supplied by 100 - Quick and discreet fixing of hanging kits
100120	Hooks 8 shape	Supplied by 100 - For every hanging kit
401667	White barrier	Supplied by unit -White lacquered - W 1 x H 0.70 m
032358	Water bag	Perfect to stabilize floorstanding decorations without drilling (filled: 38 Kg)



032358


100117


100118


100119


100120


401667



FAULT-DECTECTING SWITCH

FAULT-DECTECTING PROTECTION CASE

REFERENCE	DESCRIPTION
010011	Fault-dectecting protection case with manual reset

- 1 bipolar plug + earth
- 30 mA circuit breaker
- 10 A fuse holder
- 1 earth terminal



010011

ENERGY SAVER

REFERENCE	DESCRIPTION
010014	Energy saver



010014

- Enables stopping and restarting the illuminations in predefined periods : 7h stop after power,reset 6h (steady) after stopping.
- Automatic disconnection, automatic reset (guide UTE NF C17-210).
- 10 A - 2300 W - 300 mA.
- This product is designed to be mounted directly on plexo box sets, by yourself or in our factory.

IP54 ANIMATION CONTROLLERS

ANIMATION CONTROLLERS

REFERENCE	DESCRIPTION
105000	Flasher 1 x 5 A - Flasher with adjustable frequency
205000	Flasher 2 x 5 A - Flasher with adjustable frequency
010001	4 channels controller 5A - 10 programmes with adjustable frequency (from P0 to P9)
059708	2 channels controller with rectifier



Controller



Flasher

CABLE GLAND

REFERENCE	DESCRIPTION
031858	Cable gland - 1 seal and 1 nut



031858

Programs :

- Coming and going between the two directions.
- Flashing between the two directions.
- Alternate blinking between the two directions, then simultaneous.
- Alternate flashing between the two directions, then simultaneous.

4 channels controller programs :

- P0 : scrolling
- P1 : P0 + Flash
- P2 : stacking
- P3 : P2 + Flash
- P4 : reverse scrolling
- P5 : P4 + Flash
- P6 : forward / back
- P7 : stacking / unstack
- P8 : reverse forward / back
- P9 : clignotement 1/2 et 3/4
- PA : P0+P2+P4+P1+P3
- PB : P5+P6+P7+P8+P9
- PC : flashing 1/2 and 3/4
- PD : PC + flash
- PE : 4 forward / back + flash
- PF : alternating scrolling



FROM FRANCE WITH LOVE

Leblanc illuminations designs, manufactures and hand-builds decorations in-house to create a bespoke scheme for your place. We use high-quality materials and energy-efficient LED lights, which helps customers meet environmental and sustainable commitments.

We are operating as a Carbon Neutral Company throughout our global operations and are proud to be the most certified company in our sector.

Social Value is part of our everyday activity. We are a responsible and ethical company which has a positive impact on the world around it and trats its employees, suppliers and customers with respect.

We look forward to working with you on your next scheme, whether it's for Christmas or a seasonal display!

Leblanc illuminations



P&L 230V	Connectable 230V Plug & Light
P&L 24V	Connectable 24V Plug & Light
	DMX changing colour
optima	Optima range
	Steady
	Glittering
	Flash / Crackling
	Chasing
	Flame effect
	Confetti effect
SMD LED	SMD LED
	Indoor only
IP66	International Protection
	LED colour
	Cable colour
* NEW	New product

Lighting Solutions

FESTOON LIGHTS





TIMELESS AND WARM...

String lights illuminate spaces all year round, both indoors and outdoors.
Chromex by Leblanc illuminations, a long-standing manufacturer of string lights since 1943, continues this renowned French expertise in professional decorative lighting.





TRADITIONAL FILAMENT **FESTOON LIGHTS**


230V

P&L 230V | IP44 | DC

REF.	LGT.	GLOBES	NB LED	CABLE	P. / 230V	EXTEND.
551137	20 m	40 ⊘	40 ○ filament	▬	22 W	100 m
551138	20 m	40 ⊘	40 ○ filament	▭	22 W	100 m

LED filament. Extendable.


Transparent polycarbonate globes Ø 45 mm, unbreakable. Non-removable bulbs. Traditionnal effect. One filament per globe.



Requires a rectified power cable.

P&L 230V | IP44 | AC

REFERENCE	LGT.	GLOBES	NB LED	CABLE	P. / 230V	EXTEND.
551081	5 m	10 ⊘	10 ○ filament	▬	4 W	100 m
551082	5 m	10 ⊘	10 ○ filament	▭	4 W	100 m
551083	5 m	10 ⊘	10 ○ filament	▬	4 W	100 m
551084	5 m	10 ⊘	10 ○ filament	▭	4 W	100 m
551085	5 m	10 ⊘	10 filament	▬	4 W	100 m



Ref. 551085 : 2 red, 1 blue, 2 green, 1 violet, 1 orange, 1 pink and 2 yellow filaments.








TRADITIONAL **FESTOON LIGHTS**

230V

P&L 230V | IP44 | AC

REF.	LGT.	GLOBES	EFFECT	NB LED	LED	CABLE	P. / 230V	EXTEND.
550634	5 m	10 ○	milky	60	○	▭	5 W	100 m
550635	5 m	10 ○	milky	60	○	▬	5 W	100 m
051026	5 m	10 ⊘	filament	60	●●●	▭	4 W	100 m
051072	5 m	10 ⊘	filament	60	●●●	▬	4 W	100 m



Filament or milky effect.

Unbreakable polycarbonate globes. Non-removable bulbs. Traditionnal effect.
Ref.051026 et 051072 : 3 red, 2 blue, 3 green and 2 yellow bulbs.



Milky effect



Filament effect



Versailles, Guinguette Open Air • France




E27 JAVA **FESTOON LIGHTS**

230V

P&L 230V | IP44 | AC


REFERENCE	LGT.	BULBS	SOCKETS	LED	CABLE	P. BULB	EXTEND.
550300	5 m	10 A60	10 E27	○	▬	2.5 W / 44 mA	100 m
550472	5 m	10 A60	10 E27	○	▬	2.5 W / 44 mA	100 m
550299	5 m	10 A60	10 E27	●●●●●	▬	2.5 W / 44 mA	100 m



Extendable festoon light, supplied with plug and bulbs.
E27 LED bulbs Ø 60 mm. Sockets equipped with seals. Fastening rings included. Ref.550299 : 2 red, 2 blue, 2 green, 2 violettes and 2 yellow bulbs.

P&L 230V | IP44 | AC

REFERENCE	LGT.	SOCKETS	CABLE	SECT° CABLE	P. SOCKET	EXTEND.
551070	5 m	10 E27	▭	2 x 1.5 mm²	15 W max	100 m
551069	5 m	10 E27	▬	2 x 1.5 mm²	15 W max	100 m




Extendable festoon light, supplied with plug, without bulbs.
Sockets equipped with seals. Fastening rings included.

E27 JAVANESE **FESTOON LIGHTS** WITHOUT BULBS

230V

P&L 230V | IP44 | AC

REFERENCE	DIMENSIONS	SOCKETS	CABLE	SECT° CABLE	P. SOCKET	EXTEND.
551075	H 0.35 x W 5 m	10 E27	▬	2 x 1.5 mm²	15 W max	100 m





Extendable festoon light, supplied with plug, without bulbs.
Sockets equipped with seals. 10 falls of different heights. Fastening rings included.




E27 FESTIVAL **FESTOON LIGHTS**

230V

P&L 230V | IP44 | AC | * NEW

REFERENCE	LGT.	BULBS	SOCKETS	LED	CABLE	P. / 230 V	EXTEND.
550161*	3.5 m	10 G45	10 E27			13 W	100 m
550162*	3.5 m	10 G45	10 E27			5 W	100 m



Extendable festoon light, supplied with plug and bulbs.
E27 LED bulbs (Ø 45 x H 65 mm) in unbreakable polycarbonate. Sockets equipped with seals and 4 fastening rings. Round rubber cable.
Ref.550162 : 3 red, 2 blue, 2 green and 3 yellow bulbs.




E27 FESTIVAL **FESTOON LIGHTS** WITHOUT BULBS

230V

P&L 230V | IP44 | AC | * NEW

REFERENCE	LGT.	SOCKETS	CABLE	SECT° CABLE	P. SOCKET	EXTEND.
551071*	5 m	10 E27		2 x 1.5 mm²	15 W max	100 m
551072*	5 m	10 E27		2 x 1.5 mm²	15 W max	100 m
551073	10 m	20 E27		2 x 1.5 mm²	15 W max	100 m
551074*	10 m	20 E27		2 x 1.5 mm²	15 W max	100 m
551077*	20 m	60 E27		2 x 1.5 mm²	15 W max	100 m





Extendable festoon light, supplied with plug, without bulbs.
Sockets equipped with seals and 4 fastening rings. Round rubber cable.





E27 FESTOON LIGHTS TO ASSEMBLE

230V

AC FLAT CABLE FESTOON LIGHT TO ASSEMBLE

REFERENCE	DESCRIPTION	LGT.	COL.	P. / 230 V
057032NRB	Flat cable H05RNH2F 2 x 2.5 mm²	100 m	▬	5000 W max
059763	100 E27 sockets	-	▬	25 W max
059838	100 seals for E27 sockets	-	▬	-
058260	10 protective end caps	-	▬	-



For professional use only.

These festoon lights can be assembled according to your requirements with a 100 m cable roll and 200 sockets maximum (100 pieces in a box). Use non-removable screws.



E27 SOCKET SUSPENSION

230V

P&L 230V | IP44 | AC

REFERENCE	LGT.	SOCKET	CABLE	SECT° CABLE	P. SOCKET
550180	1.50 m	E27	▬	2 x 1.5 mm²	15 W max



Perfect as suspensions in a tree or ceiling lights.

Suspension supplied without bulb.
Requires an unrectified power cable.




B22 FILAMENT FESTOON LIGHTS

230V

P&L 230V | IP44 | AC

REFERENCE	LGT.	BULBS	SOCKETS	LED	CABLE	P. / 230 V	EXTEND.
551274	10 m	10 ST45	10 B22	○	▬	22 W	100 m



Extendable festoon light, supplied with plug and bulbs.
Optimised B22 2 LED filament bulbs (Ø 45 x H 80 mm) in unbreakable polycarbonate. Sockets equipped with seals. Round rubber cable.




B22 FESTOON LIGHTS

230V

P&L 230V | IP44 | AC

REFERENCE	LGT.	BULBS	SOCKETS	LED	CABLE	P. / 230 V	EXTEND.
551273	10 m	10 G45	10 B22	○	▬	14 W	100 m



Extendable festoon light, supplied with plug and bulbs.
Optimised B22 3 LED bulbs (Ø 45 x H 65 mm) in unbreakable polycarbonate. Sockets equipped with seals. Round rubber cable.




B22 COLOURED FESTOON LIGHTS

230V

IP44 | AC

REFERENCE	LGT.	BULBS	SOCKETS	LED	CABLE	P. BULB	EXTEND.
059783	10 m	10 G45	10 B22	●●●●	▬	0.5 W	No



Non-extendable Festoon light supplied with plug and bulbs.
Ref. 059783 : 3 red, 2 blue, 2 green and 3 yellow bulbs.
Sockets equipped with seals.






B22 FESTOON LIGHTS
WITHOUT BULBS

230V

P&L 230V | IP44 | ● | AC | * NEW

REFERENCE	LGT.	SOCKETS	CABLE	SECT° CABLE	P. SOCKET	EXTEND.
551398*	10 m	30 B22	▬	2 x 1.5 mm²	15 W max	100 m





Extendable festoon light, supplied with plug, without bulbs.
Sockets equipped with seals and 4 fastening rings. Round rubber cable.




B22 FESTOON LIGHTS
WITHOUT BULBS

230V

IP44 AC

REFERENCE	LGT.	SOCKETS	CABLE	SECT° CABLE	P. SOCKET	EXTEND.
058772	9 m	20 B22	▬	2 x 1.5 mm²	15 W max	No
058776	15 m	40 B22	▬	2 x 1.5 mm²	15 W max	No






Non-extendable festoon light, supplied with plug, without bulbs.
Sockets equipped with seals.

230V

IP44 AC

REFERENCE	LGT.	SOCKETS	CABLE	SECT° CABLE	P. SOCKET	EXTEND.
058785	50 m	140 B22	▬	2 x 1.5 mm²	15 W max	No
058828	50 m	200 B22	▬	2 x 1.5 mm²	15 W max	No
058810	100 m	100 B22	▬	2 x 1.5 mm²	15 W max	No
058811	100 m	200 B22	▬	2 x 1.5 mm²	15 W max	No
058242	100 m	300 B22	▬	2 x 1.5 mm²	15 W max	No





Non-extendable festoon light, supplied without plug nor bulbs.
Sockets equipped with seals.

ACCESSORY

REFERENCE	DESCRIPTION
050989	100 black seals for B22 sockets

B22 FESTOON LIGHTS
TO ASSEMBLE

230V

AC **FLAT CABLE FESTOON LIGHT TO ASSEMBLE**

REFERENCE	DESCRIPTION	LGT.	COL.	P. / 230 V
057032NRB	Flat cable H05RNH2F 2 x 2.5 mm²	100 m	▬	4600 W max
031873	100 B22 sockets	-	▬	15 W max
058965	100 seals for B22 sockets	-	▬	-
058260	10 protective end caps	-	▬	-



AC **SINGLE WIRE FESTOON LIGHTS TO ASSEMBLE**

REFERENCE	DESCRIPTION	LGT.	COL.	P. / 230 V
060255NR	Single wire H05RN-F 1.5 mm²	300 m	▬	3680 W max
070008BL	100 B22 sockets	-	▭	15 W max
059546	100 seals for B22 sockets	-	▭	-



For professional use only.

These festoon lights can be assembled according to your requirements with a 100 m cable roll and sockets (100 pieces in a box). Use non-removable screws.




BULB LIGHTS






What are the differences between E27 and B22 bulbs?



E27 and B22 bulbs differ in their base type. The E27, with its 27 mm screw base, is the most commonly used model. The B22, on the other hand, has a 22 mm bayonet base.

What are the differences between A60, G45, G50 and ST45 bulbs?

These bulbs differ in size and shape. The A60, with its 60mm diameter, adopts a classic pear-shaped silhouette, ideal for Java or Javanaise style garlands. The more compact G45 (45mm) has a globe shape, ideal for garlands or light displays. The G50, with a diameter of 50mm, offers a slightly larger globe shape, ideal for decorative and vintage lighting. Finally, the ST45, also 45mm in diameter, adopts an elongated Edison-type shape, perfect for warm, designer lighting.



All our bulbs are 100% LED.

What is an optimised bulb?

Our optimised bulbs are designed to maximise energy efficiency while guaranteeing outstanding visual performance.

They combine energy savings, durability and respect for the environment, without compromising on luminosity.

E27 BULBS
A60 FILAMENT

IP44/IP20 | SMD LED | AC

REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	GLOBE	P. / 230 V
551078	5 bulbs	E27	60 mm	2	⊘	2 W




Filament LED.
Large size bulbs, very high luminosity.

Set of 5 bulbs, transparent polycarbonate globe.
Coloured packaging.

Optimised SMD LED bulbs


The power displayed corresponds to the real power consumption.



E27 BULBS
A60 WARM COLOURS

IP44/IP20 | SMD LED | AC

REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	GLOBE	P. / 230 V
551079	5 bulbs	E27	60 mm	5		2.5 W



Large size bulbs, very high luminosity.

Set of 5 bulbs, tinted polycarbonate globe. Warm colours: 1 red, 1 violet, 1 orange, 1 pink and 1 yellow bulb).
Coloured packaging.



551079

Optimised SMD LED bulbs

The power displayed corresponds to the real power consumption.



E27 BULBS
A60

IP44 / IP20 | SMD LED | AC

REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	GLOBE	P. / 230 V
550473	1 bulb	E27	60 mm	11	○	2.5 W - 44 mA
551142	1 bulb	E27	60 mm	5	○	2.5 W
551145	1 bulb	E27	60 mm	5	●	2.5 W
551144	1 bulb	E27	60 mm	5	●	2.5 W
550475	1 bulb	E27	60 mm	5	●	2.5 W
551147	1 bulb	E27	60 mm	11	○	2.5 W - 44 mA
550478	1 bulb	E27	60 mm	11	○	2.5 W - 44 mA



550473 551144

Large size bulbs, very high luminosity.
Tinted polycarbonate bulb.



E27 AND B22 BULBS
DIMMABLE ST45 FILAMENT


IP44 / IP20 | SMD LED | AC | * NEW

REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	GLOBE	P. / 230 V
551397*	5 bulbs	E27	45 mm	2	⊘	2 W
551396*	5 bulbs	B22	45 mm	2	⊘	2 W

Dimmable SMD LED filament.
Set of 5 bulbs, transparent polycarbonate globe.
A dimmer switch is required.




Optimised SMD LED bulbs
The power displayed corresponds to the real power consumption.



ACCESSORY

REFERENCE	DESCRIPTION
551399*	Dimmer switch 500W + remote control





Compatible with our P&L 230V products.

E27 BULBS
G45 FILAMENT

IP44/IP20 | AC

REFERENCE	DESCRIPTION	CAP	DIAMETER	NB LED	GLOBE	P. / 230 V
550167	20 bulbs	E27	45 mm	1	⊘	3.22 W - 14 mA
550775	20 bulbs	E27	45 mm	1	⊘	1.4 W - 6 mA
550210	20 bulbs	E27	45 mm	1	⊘	3.22 W - 14 mA



Filament LED.

Set of 20 bulbs, transparent polycarbonate globe.
Ref.550210 : 5 red + 5 blue + 5 green + 5 yellow bulbs.



E27 BULBS
G45

IP44/IP20 | SMD LED | AC | * NEW

REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	GLOBE	P. / 230 V
550190*	5 bulbs	E27	45 mm	3	○	1.3 W
550191*	5 bulbs	E27	45 mm	3		1.4 W
551080	5 bulbs	E27	45 mm	3		1.3 W



High brightness SMD LED.

Set of 5 bulbs, white or tinted polycarbonate globe.
Ref.550191 : 2 red, 1 blue, 1 green and 1 yellow bulb.
Ref.551080 : 1 red, 1 violet, 1 orange, 1 pink and 1 yellow bulb. Coloured packaging.


551080

Optimised SMD LED bulbs

The power displayed corresponds to the real power consumption.



E27 BULBS
FLAME

IP44/IP20 | SMD LED | AC/DC

REFERENCE	DESCRIPTION	CAP	DIAMETER	HEIGHT	NB LED	GLOBE	P. / 230 V
550122	1 bulb	E27	60 mm	134 mm	96	○	4.4 W - 38 mA





The flame will always burn upwards, no matter which way up you use the bulb.

White polycarbonate globe.
Works on 120V to 230V.
P. / 120V: 4.4 - 69 mA.

Watch the animation

AMPOULE E27
SUPER FLASH

IP44/IP20 | AC

REFERENCE	DESCRIPTION	CAP	DIAMETER	NB LED	GLOBE	P. / 230 V
050857	1 bulb	E27	45 mm	18 ○	⊘	2 W - 7 mA

Works on 120V to 230V.
Approximately 30 flashs/minute on 120 V.
Approximately 45 flashs/minute on 230 V.





E27 BULBS
CANDLE

IP44/IP20 | SMD LED | AC | * NEW

REFERENCE	DESCRIPTION	CAP	HEIGHT	NB LED	P. / 230 V
551376*	1 bulb	E27	25 cm	40	2.5 W



Flame effect candle bulb.
White and transparent polycarbonate body.

Watch the animation





Courtenay • France

B22 BULBS
G50

IP44 / IP20 | SMD LED | AC

REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	GLOBE	P. / 230 V
050992	1 bulb	B22	50 mm	18	○	1.8 W - 27 mA
551149	1 bulb	B22	50 mm	5	○	2 W
551151	1 bulb	B22	50 mm	5	○	2 W



High brightness SMD LED.

White polycarbonate globe.
works on 120V to 230V.

B22 BULBS
G50 SPHERES

IP44 / IP20 | SMD LED | AC

REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	GLOBE	P. / 230 V
050744	1 bulb	B22	50 mm	32	○	2 W - 20 mA
050745	1 bulb	B22	50 mm	32	○	2 W - 20 mA



High brightness SMD LED.

White polycarbonate globe.

B22 BULBS
G45 FILAMENT

IP44 / IP20 | AC

REFERENCE	DESCRIPTION	CAP	DIAMETER	NB LED	GLOBE	P. / 230 V
550166	20 bulbs	B22	45 mm	1	⊘	3.2 W - 14 mA
551290	20 bulbs	B22	45 mm	1	⊘	3.2 W - 14 mA
550201	20 bulbs	B22	45 mm	1	⊘	3.2 W - 14 mA
550203	20 bulbs	B22	45 mm	1	⊘	3.2 W - 14 mA
550205	20 bulbs	B22	45 mm	1	⊘	3.2 W - 14 mA
550207	20 bulbs	B22	45 mm	1	⊘	3.2 W - 14 mA
550209	20 bulbs	B22	45 mm	1	⊘	3.2 W - 14 mA



Filament effect.

Set of 20 bulbs, transparent polycarbonate globe.
Ref.550209 : 5 red, 5 blue, 5 green et 5 yellow bulbs.



B22 BULBS
G45

IP44 / IP20 | SMD LED | AC

REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	GLOBE	P. / 230 V
050883	20 bulbs	B22	45 mm	3	○	0.5 W - 24 mA
550933	20 bulbs	B22	45 mm	3	○	1.4 W
050884	20 bulbs	B22	45 mm	3	○	0.5 W - 24 mA
050885	20 bulbs	B22	45 mm	3	●	0.5 W - 24 mA
050887	20 bulbs	B22	45 mm	3	●	0.5 W - 24 mA
050888	20 bulbs	B22	45 mm	3	●	0.5 W - 24 mA
550937	20 bulbs	B22	45 mm	3	●	1.4 W



High brightness SMD LED.

Set of 20 bulbs, tinted polycarbonate globe.

IP44 / IP20 | AC | * NEW

REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	GLOBE	P. / 230 V
051078*	5 bulbs	B22	45 mm	3	○	1.4 W
059828*	5 bulbs	B22	45 mm	3	○	1.4 W

Set of 5 bulbs, white polycarbonate globe.
Ref.059828 : 2 red + 1 blue + 1 green + 1 yellow bulb.





B22 BULBS
G45 COLOUR-CHANGING

IP44 / IP20 | AC

REFERENCE	DESCRIPTION	CAP	DIAM.	NB LED	GLOBE	P. / 230 V
059080	4 pre-programmed bulbs	B22	50 mm	14	○	1.5 W - 47 mA

Changing colours animation.

Tinted polycarbonate globe. Works on 120V to 230V.
14 synchronised animations, without animator.



Watch the animation



B22 BULBS
FLAME

IP44 / IP20 | SMD LED | AC/DC

REFERENCE	DESCRIPTION	CAP	DIAMETER	HEIGHT	NB LED	GLOBE	P. / 230 V
550087	1 bulb	B22	60 mm	134 mm	96	○	4.4 W - 38 mA





The flame will always burn upwards, no matter which way up you use the bulb.

White polycarbonate globe.
Works on 120V to 230V.
P. / 120V: 4.4 - 69 mA.

Watch the animation



B22 BULBS
SUPER FLASH

IP44/ IP20 | AC

REFERENCE	DESCRIPTION	CAP	DIAMETER	NB LED	GLOBE	P. / 230 V
550235	1 bulb	B22	45 mm	6 ○	⊘	5 W - 20 mA



Works on 120V to 230V.
Approximately 30 flashs/minute on 120 V.
Approximately 45 flashs/minute on 230 V.

B22 BULBS
FLASH

IP44/ IP20 | SMD LED | AC

REFERENCE	DESCRIPTION	CAP	DIAMETER	NB LED	GLOBE	P. / 230 V
051289	1 bulb	B22	45 mm	4 ○	⊘	0.9 W - 5 mA
051266	1 bulb	B22	45 mm	4 ○	⊘	0.9 W - 5 mA
059905	1 bulb	B22	45 mm	4 ○	⊘	0.9 W - 5 mA
051268	1 bulb	B22	45 mm	4 ○	⊘	0.9 W - 5 mA
051267	1 bulb	B22	45 mm	4 ○	⊘	0.9 W - 5 mA



High brightness SMD LED.

Approximately 45 flashs/minute on 230 V.



CONNECTOR BULBS
FLASH

P&L 230V | IP67 | SMD LED | AC/DC

REFERENCE	DESCRIPTION	DIAMETER	NB LED	GLOBE	CABLE	P. / 230 V
050761	1 bulb	40 mm	24 ○	⊘	▬	0.8 W - 3.5 mA
050762	1 bulb	40 mm	24 ○	⊘	▭	0.8 W - 3.5 mA

High brightness SMD LED.

Suitable for garlands with B connector.
Approximately 60 flashs/minute.
Works on 120V to 230V.



TWINKLY PRO RANGE

twinkly™ PRO

Discover breathtaking animations.









This is a major innovation in the lighting industry.

100% LED and point-to-point controllable,
Twinkly Pro represents the most significant technological advancement in the lighting decoration market in recent years.

Easily find all the products in the Twinkly Pro range thanks to this pictogram.

Module Twinkly Pro Music


This box allows you to precisely synchronise light animations with music to create dynamic and immersive effects.
It enhances Twinkly Pro installations by adding a perfectly coordinated sound dimension to the light shows.
To bring a fully customised project to life, please **don't hesitate to contact us.**

In Saint Jean de Luz, Santa Claus honors the Basque Country and goes in search of the colours of Christmas



There are 3 different types of Twinkly Pro connectors:

- T10 connectors plug together (24V).
- T13 connectors plug together (24V).
- T15 connectors plug together (24V).



Find out more about Twinkly Pro controllers and connectors on the following pages.

SPI and PLC technologies, two complementary solutions

SPI

SPI technology allows LEDs to be controlled point by point via Ethernet or WiFi, with a large number of pixels and scalable installations suitable for large-scale projects. It is ideal for creating complex and perfectly synchronised light shows.

PLC

PLC technology, based on embedded Wi-Fi, offers point-to-point control with simple and flexible implementation.


These two complementary technologies allow your project manager to select the solution best suited to your installation.

CONTROLLABLE **MODULES**


24V

SPI IP67 DC


REFERENCE	DESCRIPTION	LGT.	SPACING	NB MODULES	NB LED	LED	CABLE	P. / 230V
551178	A modules	60 cm	15 cm	5	10			10 W
551179	B modules	3.60 m	15 cm	25	50			38 W
551180	C modules	1.20 m	30 cm	5	10			10 W
551181	D modules	7.20 m	30 cm	25	50			38 W




ref. 551178



ref. 551179



ref. 551180



ref. 551181

These products require additional connection components and accessories that are essential for their operation. Our teams will assist you in defining the configuration best suited to your project.



Point-by-point controllable modules.

An infinite number of fully customisable effects.


Connect up to 2,000 LEDs per controller via Ethernet. Easily extend your installation by 15 metres by adding a power supply and an Ethernet controller. With Wi-Fi, you can connect up to 750 LEDs per controller. Extend your installation by 9 metres by adding a power supply and a Wi-Fi controller.




CONTROLLABLE **CURTAINS**

24V

PLC IP67 DC




REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V
550741	H 4 x W 0.40 m	250			34.5 W
550742	H 4 x W 0.40 m	250			34.5 W
550743	H 4 x W 0.40 m	250			34.5 W




CONTROLLABLE **ICICLE LIGHTS**

24V

PLC IP67 DC



REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V
550966	H 0.70 x W 5 m	250			34.5 W
550968	H 0.70 x W 5 m	250			34.5 W
550967	H 0.70 x W 5 m	250			34.5 W




CONTROLLABLE **STRING LIGHTS**

24V

PLC IP67 DC



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V
550744	25 m	250			30 W
550745	25 m	250			30 W
550746	25 m	250			25 W
550748	25 m	250			35 W
550749	25 m	250			35 W



These products require additional connection components and accessories that are essential for their operation. Our teams will assist you in defining the configuration best suited to your project.

STRINGS OF LIGHT











The majority of our products are available in both 230V and SELV*.

All our 230V products are rubber-wired to ensure optimal insulation. All our 24V products are wired with durable PVC (except for the 24V Titan range, which is rubber-wired).


All our products feature 100% LED technology.
For all glittering products, one LED in every five shines with a white glitter effect. For Confetti products, each LED gradually and randomly changes colour.

* SELV: Safety Extra Low Voltage, lower than 50V.

There are 4 different types of connectors Plug & Light:

- A connectors plug together (230V).
- B connectors plug together (230V).
- C connectors plug together (230V).
- D connectors plug together(24V).

For all our products, the specified dimensions do not include connectors.



IP67 1,4t CO2

Optima Range

With its IP67 rating, the Optima range is highly reliable.

Built without a rectifier, the Optima range requires less plastic in its manufacture: One ton of plastic is saved in its design.

Optima also uses approximately 20% less energy, saving four tonnes of CO_2.

It requires a non-rectified power cable (ref. 550734 or 550735).

optima RThis pictogram makes it easy to identify all the products in the Optima range.

MicroLED range, 3 times brighter.

All our products are made with 100% LED. For all glittering microLED products, every fourth LED is animated.

We advise you to connect microLED products **in parallel rather than in series,** to maximise their extendability. By default, it is the serial value that is noted in the tables.


STRING LIGHTS

230V



P&L 230V | IP67 | optima | AC


REFERENCE	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550885	20 m	200	○	▭	13 W	100m
550886	20 m	200	○	▭	13 W	100m
550887	20 m	200	●	▭	15 W	100m
550888	20 m	200	●	▭	13 W	100m
550889	20 m	200	○	▬	13 W	100m
550890	20 m	200	○	▬	13 W	100m
551020	20 m	200	○	▬	13 W	100m
550891	20 m	200	●	▬	13 W	100m
550892	20 m	200	●	▬	13 W	100m



Requires an unrectified power cable.
For ref. 551020, the glittering LEDs are warm white.

P&L 230V | IP67 | DC


REFERENCE	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550827	20 m	200	●	▭	17 W	100m



Requires a rectified power cable ref. 058989BL.
Sold in sets of 12.

P&L 230V | IP44 / IP67 | DC

REFERENCE	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550828	20 m	200	●	▭	17 W	100m
550829	20 m	200	●	▬	17 W	100m



Includes a rectified power cable.



Cyprus



Sainte Maxime • France


STRING LIGHTS

230V




P&L 230V | IP67 | optima | AC

REFERENCE	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550689	20 m	200			13 W	100m
550690	20 m	200			13 W	100m
550691	20 m	200			13 W	100m
550692	20 m	200			13 W	100m
550693	20 m	200			13 W	100m
550694	20 m	200			13 W	100m
550695	20 m	200			15 W	100m
550696	20 m	200			13 W	100m
550698	20 m	200			13 W	100m
550699	20 m	200			13 W	100m
550700	20 m	200			13 W	100m



Requires an unrectified power cable ref.550735.

24V




P&L 24V | IP65 | DC

REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V	EXTEND.
051097	20 m	200			9 W - 380 mA	80m
051098	20 m	200			9 W - 380 mA	80m
051099	20 m	200			9 W - 380 mA	80m
051100	20 m	200			6 W - 250 mA	80m
051101	20 m	200			9 W - 380 mA	80m
051103	20 m	200			9 W - 380 mA	80m
550468	20 m	200			11.5 W - 240 mA	80m
550469	20 m	200			9 W - 380 mA	80m
551345	20 m	200			9 W - 380 mA	80m
551344	20 m	200			9 W - 380 mA	80m
551343	20 m	200			9 W - 380 mA	80m

P&L 24V | IP65 | DC

REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V	EXTEND.
051105	20 m	200			9.5 W - 395 mA	80m
051106	20 m	200			9.5 W - 355 mA	80m
051107	20 m	200			9.5 W - 395 mA	80m
051108	20 m	200			7.5 W - 310 mA	80m
051109	20 m	200			9.5 W - 395 mA	80m
051111	20 m	200			9.5 W - 395 mA	80m



P&L 24V range: requires a power supply and transformer.


SPARKLING **STRING LIGHTS**

230V




P&L 230V | IP44 / IP67 | DC

REFERENCE	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550568	20 m	140	○	▭	17 W	100 m
550570	20 m	140	○	▭	17 W	100 m
550569	20 m	140	○	▬	17 W	100 m
550656	20 m	140	○	▬	17 W	100 m




24V



P&L 24V | IP65 | DC

REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V	EXTEND.
550556	20 m	140	○	▱	7.2 W - 300 mA	80 m
550557	20 m	140	○	▱	7.2 W - 300 mA	80 m



All LED string light sparkle.

P&L 24V range: requires a power supply and transformer.

CLASSIC'LINE **STRING LIGHTS**

230V



P&L 230V | SMD LED | DC


REFERENCE	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550009	20 m	200	●	▭	16 W	100 m
550016	20 m	200	●	▱	16 W	100 m



550016

High brightness SMD LED.

All the advantages of SMD LEDs combined with a classic design.
Preprogrammed glittering effect (1/5 LED).





Beverly Hills • U.S.A.

CRACKLING **STRING LIGHTS**

230V




P&L 230V | IP44 / IP67 | DC

REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
550643	20 m	136	○	▬	13 W	100 m
550644	20 m	136	○	▬	13 W	100 m

The perfect garland to cover tree branches.

Preprogrammed crackling effect (1/5 LED).





Park Ridge • U.S.A.




FLAME EFFECT **STRING LIGHTS**

24V



P&L 24V | IP65 | DC

REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V	EXTEND.
550565	20 m	192	●	▬	4.8 W - 200 mA	80 m



Flame effect.

One in every two LEDs twinkles like a candle to create the effect.
Requires a power supply and transformer.

TITAN **STRING LIGHTS**

24V




P&L 24V | IP65 | DC

REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V	EXTEND.
550213	10 m	100	○	▬	5.5 W - 229 mA	80m
550214	10 m	100	○	▬	5.5 W - 229 mA	80m

P&L 24V | IP65 | ● | DC


REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V	EXTEND.
550211	10 m	100	○	▬	5.5 W - 229 mA	80m
550212	10 m	100	○	▬	5.5 W - 229 mA	80m



Light strings in black rubber cable, to decorate trees safely.

Preprogrammed glittering effect (1/5 LED).
P&L 24V range: requires a power supply and transformer.






Cyprus


CONFETTI **STRING LIGHTS**

24V



P&L 24V | IP65 | DC

REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V	EXTEND.
550558	20 m	168			4.1 W - 170 mA	80m






New pastel hues.

Each LED is gradually and randomly colourchanging.
P&L 24V range: requires a power supply and transformer.

AQUARELLE **STRING LIGHTS**

230V





P&L 230V | IP44 / IP67 | DC

REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
550315	20 m	200			12 W	100m
550316	20 m	200			17 W	100m
550317	20 m	200			12 W	100m

Garlands in soft pastel colours.

Includes a power cable.







RGB STRING LIGHTS & ROPE LIGHTS
REMOTE-CONTROLLED

Change the colour or animation as you wish with a simple remote control.

Choose your colour and pre-programmed animation: glittering, steady, or automatic colour change.

A controller is required before installation to control the garland or rope lights. One remote control can manage all the decorations up to 10 metres.

Consult us for the implementation of your projects.



230V

P&L 230V | IP44 / IP67 | AC




REFERENCE	DESCRIPTION	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550222	RGB string light	10 m	100			37 W	3 000 LED

230V CONTROLLER

REFERENCE	DESCRIPTION	CABLE
032376	230V power cable	
550220	230V controller	

Example of 230V cabling plan:




230V Range : requires an unrectified power supply and a controller. Compatible with Plug & Light accessories.

REMOTE CONTROL

REFERENCE	DESCRIPTION
550575	Remote control

RGB STRING LIGHTS & ROPE LIGHTS
REMOTE-CONTROLLED

36V



IP44 / IP67 DC

REFERENCE	DESCRIPTION	LGT.	NB LED	LED	CABLE	EXTEND.
550240	RGB string light	10 m	100			350 LED
550241	RGB rope light	30 m	36 LED /m		-	350 LED

36V CONTROLLER

REFERENCE	DESCRIPTION	CABLE
032371	Bipolar power cable + earth	
550239	36V controller	
550242	36V transformer 150W	

ACCESSORIES BEYOND 36V TRANSFORMER

REFERENCE	DESCRIPTION	LGT.	CABLE
032367	T-connector	25 cm	
032366	Extend power cable	1 m	
550244	Extend power cable	2 m	
032368	Connector 6 falls	1 m	
032365	Connection rope light to string light	30 cm	
032364	Connection string light to rope light	30 cm	






REMOTE CONTROL

REFERENCE	DESCRIPTION
550575	Remote control


Example of 36V cabling plan:



36V Range : Requires a power supply cable, a transformer and a controller.
RGB rope light : 36 LED/m, Ø 13 mm, anti-UV treated, extendable, cuttable every 0.27 m.

MICROLED **STRING LIGHTS**

24V




P&L 24V | IP65 | DC

REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V	EXTEND.
550811	10 m	100	○	▭	5.5 W - 227 mA	1+3

P&L 24V | IP65 | ● | DC

REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V	EXTEND.
550810	10 m	100	○	▭	7 W - 290 mA	1+3



Extendable 24V range: find all accessories on p.271.
Reinforced cable. Pre-programmed glittering effect (1/4 LED).
Ideal for indoor or outdoor use. Ivory white LED. Requires a power cable and a 24V transformer. Max length in series: 40m of wire.



MICROLED VOLUME **STRING LIGHTS**

230V/12V



IP44 | DC

REF.	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550993	6 m	240	○	▭	10 W	No

IP44 | ● | DC

REF.	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550266	6 m	240	○	▭	17 W	No
550267	6 m	240	○	▭	17 W	No
550268	6 m	240	◐	▭	17 W	No


230V/6V

IP44 | ● | DC

REF.	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
550263	3 m	120	○	▭	4 W	No
550264	3 m	120	○	▭	4 W	No
550265	3 m	120	◐	▭	5 W	No

MicroLED 3 times brighter.

Suitable for indoor and outdoor use. 40 LED /m, power supply included.
Ref. 550264 & 550267: ivory white LED. Coloured packaging.
Not compatible with 24V P&L.





FIR **GARLANDS**

230V



P&L 230V | IP67 | DC


REFERENCE	LGT.	NB LED	LED	CABLE	P. / 230V	EXTEND.
551342	2.70 m	200	○	▬	15 W	1+4

24V



P&L 24V | IP65 | DC

REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V	EXTEND.
550989	2.70 m	200	○	▬	7 W - 291 mA	1+3
551350	2.70 m	200	○	▬	8 W - 334 mA	1+3



551342 550989 551350

Traditional and natural effect.

Ref.551342 and 551350: gold glitter trim and warm white glittering LEDs.

P&L 230V range: requires a rectified or unrectified power supply.
P&L 24V range: requires a power supply and transformer.






551350

FIR **RIBBON LIGHTS** FOR POLE

24V

P&L 24V | IP44 | DC

REFERENCE	LGT.	WIDTH	NB LED	LED	MAT	P. / 24V	EXTEND.
550170	4 m	20 cm	104	○	▬	4.3 W - 179 mA	80m
550171	4 m	20 cm	104	○	▭	4.7 W - 195 mA	80m
550548	4 m	20 cm	104	○	▭	3.8 W - 158 mA	80m



Pole decoration, quick and easy to set up.

Preprogrammed glittering effect (1/5 LED). Green or silver PVC mat. Suitable for indoor and outdoor use. Requires a power supply and transformer.



CLUSTER LIGHTS











CLUSTER LIGHTS



Angers • France



Dunkerque • France


230V



P&L 230V | IP67 | optima | AC

REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
551259	1 m	100	○	▭	7 W	1+47
551263	1 m	100	○	▬	7 W	1+47
551251	6 m	600	○	▭	35 W	1+7
551249	6 m	600	○	▭	37 W	1+7
551262	6 m	600	○	▬	35 W	1+7

Requires an unrectified power cable ref.550735.



P&L 230V | IP44/ IP67 | DC


REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
059914	1 m	100	○	▭	7 W	1+47
550651	1 m	100	○	▬	7 W	1+47
550653	6 m	600	○	▬	42 W	1+7

Includes a rectified power cable.

P&L 230V | IP44/ IP67 | DC

REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V	EXTEND.
550925	1 m	100	○	▬	10 W	1+47
550926	1 m	100	○	▬	10 W	1+47

Includes a rectified power cable.



Volume effect.

With self-supporting steel cable.
Preprogrammed glittering effect (1/5 LED), or crackling effect (all the LED crackle).

Watch the animation


CLUSTER LIGHTS



Czech Republic



24V




P&L 24V | IP65 | DC | * NEW

REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V	EXTEND.
551369*	2 m	128	○	▭	6 W	1+11
551368*	2 m	128	○	▭	6 W	1+11

P&L 24V | IP65 | ● | DC | * NEW

REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V	EXTEND.
551367*	2 m	128	○	▭	6 W	1+11



Volume effect.

With self-supporting steel cable.
Preprogrammed glittering effect (1/5 LED).
Discreet transparent cable. Encapsulated LEDs.
P&L 24V range: requires a power supply and transformer.





551350




FIREWORK **CLUSTER LIGHTS**

230V



P&L 230V | IP44 | AC/DC

REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V
551160	1.20 m	120	○	▬	21 W
551161	3 m	145	○	▬	26 W
550078	1.20 m	120	○	▭	21 W
550079	3 m	145	○	▭	26 W
550081	5 m	240	○	▭	42 W



Burning wick effect animation.

Requires a rectified power cable.
For horizontal use, a steel cable is required.
Unextendable product.

Watch the animation



Bordeaux • France

MICROLED **CLUSTER LIGHTS**

24V




P&L 24V | IP65 | DC

REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V
550217	20 m	1600	○	▭	12 W - 500 mA


P&L 24V | IP65 | ●

REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V
550218	20 m	1600	○	▭	12 W - 500 mA



MicroLED 3 times brighter.

Pre-programmed glittering effect (1 in every 4 LEDs). Suitable for indoor and outdoor use. Ivory white LED. Requires a power cable and 24V transformer. Not extendable in series.



ICICLE LIGHTS











ICICLE LIGHTS

230V




P&L 230V | IP67 | optima | AC


REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550872	H 0.50 x W 4 m	150	○	▭	6 W	100m
550873	H 0.50 x W 4 m	150	○	▭	6 W	100m
550874	H 0.50 x W 4 m	150	○	▭	4 W	100m
550875	H 0.50 x W 4 m	150	○	▭	6 W	100m
550877	H 0.80 x W 4 m	200	○	▭	13 W	100m
550878	H 0.80 x W 4 m	200	○	▭	9 W	100m
550879	H 0.80 x W 4 m	200	○	▭	13 W	100m
550880	H 0.80 x W 4 m	200	○	▭	13 W	100m
550881	H 1.50x L 4 m	300	○	▭	13 W	100m
550882	H 1.50x L 4 m	300	○	▭	13 W	100m
550884	H 1.50x L 4 m	300	○	▭	13 W	100m

Requires an unrectified power cable ref.550735.

P&L 230V | IP44/ IP67 | DC

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
059927	H 0.80 x W 4 m	200	○	▭	17 W	1+19
050540	H 1.50 x W 4 m	300	○	▭	26 W	1+12






Includes a rectified power cable.


230V




P&L 230V | IP67 | optima | ● | AC

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550686	H 0.80 x W 4 m	200	○	▭	12 W	100m
550687	H 0.80 x W 4 m	200	○	▭	13 W	100m
550688	H 0.80 x W 4 m	200	○	▭	12 W	100m









Requires an unrectified power cable ref.550735.

24V



P&L 24V | IP65 | DC

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 24V	EXTEND.
550914	H 0.50 x W 4 m	174	○	▱	8.2 W - 196 mA	80m
550915	H 0.50 x W 4 m	174	○	▱	8.2 W - 196 mA	80m



Preprogrammed glittering effect (1/5 LED). Discreet transparent cable. Encapsulated LEDs. P&L 24V range: requires a power supply and transformer.



Bruxelles • Belgium

DUALIS **ICICLE LIGHTS**

230V




P&L 230V | IP67 | optima | AC | NEW

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
551403*	H 0.80 x W 4 m	200			14 W	100m

P&L 230V | IP67 | optima | AC | NEW

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
551402*	H 0.80 x W 4 m	200			14 W	100m





The last two LEDs on each fall are white.
Requires an unrectified power cable ref.550735.




SPARKLING **ICICLE LIGHTS**

230V



P&L 230V | IP67 | DC

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
551172	H 0.80 x W 3.75 m	132			50 W	1+9



Chasing and sparkling effect.

Sparkling effect on the collector cable, chasing effect on the falls. Requires a non-rectified power supply. Extendable in width.

Watch the animation




ASTRELLA **ICICLE LIGHTS**

24V

P&L 24V | IP65 | SMD LED | DC | * NEW

REFERENCE	WIDTH	HEIGHT	NB LED	LED	CABLE	P. / 24V	EXTEND.
551400*	3 m	40 cm	240	○	▭	33 W - 1370 mA	1+3





Perfect for decorating trees.

High brightness SMD LED. Chasing effect.
5 chasing rope light mini stars on string light. UV-treated PVC. Fastening points included. Requires a power supply cable and transformer.

Watch the animation




ESTRELLO **ICICLE LIGHTS**

24V

P&L 24V | IP65 | SMD LED | DC | * NEW

REFERENCE	WIDTH	HEIGHT	NB LED	LED	CABLE	P. / 24V	EXTEND.
551401*	3 m	45 m	240	○	▭	33 W - 1370 mA	1+3





Perfect for decorating trees.

High brightness SMD LED. Chasing effect.
5 chasing rope light mini sparkle on string light. UV-treated PVC. Fastening points included. Requires a power supply cable and transformer.

Watch the animation




STELLIZ **STRING LIGHTS**

230V

P&L 230V | IP44 | AC/DC

REFERENCE	LGT.	NB LED	LED	CABLE	P. / 230V
050793	3 m	180	○	▱	11 W
050795	3 m	180	○	▱	11 W



Radiant animation.

One hook per star. Requires a power supply cable.



Watch the animation




Velaux • France

MINI DROPLIGHTS **STRING LIGHTS**

230V/12V

IP44 | DC

REFERENCE	HEIGHT	LGT.	NB LED	LED	DROPLIGHTS	CABLE	P. / 230V	EXTEND.
059805	0.50 m	11 m	144	○	6	▬	9 W	1+5



Snowfall effect.

Garland of 6 droplights synchronised in pairs.
Not compatible with P&L. Includes a power supply cable.




Biot • France

CANDLES **ICICLE LIGHT**

24V

P&L **24V** | **IP65** | **DC**

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 24V	EXTEND.
551277	W 5 x H 54 cm	10			9 W - 36 mA	1+6



Flame animation.

10 falls with hanged candles.
360° visibility. Easy to integrate into a ceiling, or to alternate with icicle lights.
Requires a power supply and transformer.

Laval • France








Watch the animation

ZEF **CURTAIN LIGHTS** SPARKLE

230V

P&L 230V | IP44 | DC

REFERENCE	WIDTH	HEIGHT	NB LED	LED	CABLE	P. / 230V	EXTEND.
551174	0.9 m	3.60 m	240	○	▬	49 W	1+3
551173	0.9 m	3.60 m	240	○	▬	49 W	1+3



Scrolling animation for your trees and city entrances.

Chasing and crackling effect. Ready to use.
Curtain light of 4 chasing rope light mini decorations, with self-supporting steel wire. Anti-UV treated PVC. Fastening points included. Requires an unrectified power cable.

Watch the animation



Bordeaux • France


SUR'LINE MINI DECORS **ICICLE LIGHTS**

230V

P&L 230V | IP44 | SMD LED | DC

REFERENCE	WIDTH	HEIGHT	NB LED	CABLE	P. / 230V	EXTEND.
550018	4 m	1.50 m	690 ○	▭	69 W	1+4
550019	4 m	1.50 m	690 ○	▭	69 W	1+4

High brightness SMD LED.
With self-supporting steel cable. Ref.550018 : ivory white LED.
Includes a power supply cable.






CHROMEX

TRADITIONAL FILAMENT
ICICLE LIGHTS

230V

P&L 230V | IP44 | DC

REF.	DIMENSIONS	GLOBES	NB LED	CABLE	P. / 230V	EXTEND.
551139	H 0.80 x W 4 m	30	30 filament		10 W	1+24







LED filament. Extendable.

Transparent unbreakable polycarbonate globes Ø 45 mm. Non-removable bulbs. Traditionnal effect. One filament per globe.





Poitiers • France

LIGHT NETS & CURTAIN LIGHTS










LIGHT NETS

230V



P&L 230V | IP66 | optima | AC

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
551311	H 3 x W 2 m	384	○	▭	24 W	1+13
551313	H 3 x W 2 m	384	○	▭	24 W	1+13
551312	H 3 x W 2 m	384	○	▬	24 W	1+13
551314	H 3 x W 2 m	384	○	▬	24 W	1+13







Drape your light net over your outdoor and indoor spaces:

trees, bushes, trunks, columns, cabins... as well as in windows, on awnings, decorations, etc.

Preprogrammed glittering effect (1/5 LED).
Nets are expandable in width. Very low energy consumption.
Requires an unrectified power cable ref.550735.

CURTAIN LIGHTS


230V



P&L 230V | IP67 | optima | AC

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550851	H 1.5 x W 2 m	360	○	▭	17 W	1+39
550852	H 1.5 x W 2 m	360	○	▭	20 W	1+39
550853	H 1.5 x W 2 m	360	●	▭	22 W	1+39
550854	H 1.5 x W 2 m	360	●	▭	20 W	1+39
550855	H 3 x W 2 m	540	○	▭	19 W	1+24
550856	H 3 x W 2 m	540	○	▭	25 W	1+24
550857	H 3 x W 2 m	540	●	▭	35 W	1+24
550858	H 3 x W 2 m	540	●	▭	25 W	1+24
550860	H 5 x W 2 m	900	○	▭	50 W	1+12
550861	H 5 x W 2 m	900	○	▭	50 W	1+12
550862	H 5 x W 2 m	900	●	▭	67 W	1+9
550863	H 5 x W 2 m	900	●	▭	50 W	1+12
550864	H 7 x W 2 m	1260	○	▭	48 W	1+12
550865	H 7 x W 2 m	1260	○	▭	50 W	1+12
550866	H 7 x W 2 m	1260	●	▭	67 W	1+12
550867	H 7 x W 2 m	1260	●	▭	50 W	1+12
550868	H 10 x W 2 m	1800	○	▭	103 W	1+5
550869	H 10 x W 2 m	1800	○	▭	101 W	1+5
550870	H 10 x W 2 m	1800	●	▭	101 W	1+5
550871	H 10 x W 2 m	1800	●	▭	101 W	1+5


Requires an unrectified power cable ref.550735.



P&L 230V | IP44 | DC

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	MAX WIDTH
550831	H 1.5 x W 2 m	360	●	▭	29 W	1+11
550832	H 3 x W 2 m	540	●	▭	44 W	1+7
550835	H 10 x W 2 m	1800	●	▭	144 W	1+ 1

Includes a rectified power cable.





Reims • France

CURTAIN LIGHTS


230V



P&L 230V | IP67 | optima | AC

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550668	H 1.5 x W 2 m	150	○	▭	11 W	1+27
550669	H 1.5 x W 2 m	150	○	▭	11 W	1+27
550670	H 1.5 x W 2 m	150	○	▭	11 W	1+27
550671	H 1.5 x W 2 m	150	○	▭	11 W	1+27
550672	H 3 x W 2 m	280	○	▭	23 W	1+15
550673	H 3 x W 2 m	280	○	▭	19 W	1+15
550675	H 3 x W 2 m	280	○	▭	23 W	1+15
550676	H 5 x W 2 m	442	○	▭	43 W	1+8
550677	H 5 x W 2 m	442	○	▭	43 W	1+8
550681	H 7 x W 2 m	598	○	▭	36 W	1+6
550682	H 7 x W 2 m	598	○	▭	46 W	1+6
550683	H 7 x W 2 m	598	○	▭	46 W	1+6
550685	H 10 x W 2 m	858	○	▭	36 W	1+5


Requires an unrectified power cable ref.550735.



P&L 230V | IP44 / IP67 | DC

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550042	H 3 x W 2 m	280	○	▭	28 W	1+15
550046	H 5 x W 2 m	442	○	▭	40 W	1+6
550045	H 5 x W 2 m	442	○	▭	40 W	1+6
550047	H 7 x W 2 m	598	○	▭	50 W	1+6
550537	H 10 x W 2 m	858	○	▭	53 W	1+5

Includes a rectified power cable.



Curtain lights:
Ideal for facades & across street.


Preprogrammed glittering effect (1/5 LED).
Extendable curtain lights. Very low energy consumption.
Height max 100 m for height-extendable curtains.



Villeneuve-sur-Lot • France


CURTAIN LIGHTS

24V



P&L 24V | IP65 | DC

REFERENCE	HEIGHT	WIDTH	NB LED	LED	CABLE	P. / 24V	EXTEND.
550063	2 m	2 m	240	○	▱	16.5 W - 687.5 mA	1+2
550064	2 m	2 m	240	○	▱	16.5 W - 687.5 mA	1+2
550065	3 m	2 m	360	○	▱	20 W - 834 mA	1+1
550066	3 m	2 m	360	○	▱	20 W - 834 mA	1+1
550067	5 m	2 m	360	○	▱	32 W - 1333 mA	1+1
550068	5 m	2 m	360	○	▱	32 W - 1333 mA	1+1



Preprogrammed glittering effect (1/5 LED).
Extendable in width.
Discreet transparent cable. Encapsulated LEDs.
P&L 24V range: requires a power supply and transformer.



Carros • France

SPARKLING CURTAIN LIGHTS

230V




P&L 230V | IP44 | DC

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550923	H 5 x W 2 m	900	○	▬	82 W	1+3
550924	H 5 x W 2 m	900	○	▬	82 W	1+3

All the LED curtain lights sparkle.
Requires a rectified power supply.

Watch the animation





Bruay sur L'Escaut • France

COMET **CURTAIN LIGHTS**

230V




P&L 230V | IP44 | DC

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
550921	H 5 x W 1 m	400	○	▭	75 W	1+8
550922	H 5 x W 1 m	400	○	▭	75 W	1+8

Chasing and sparkling effects.

Extendable in width.
Requires a rectified power cable.



Watch the animation



Amiens • France


BOA MICROLED **CURTAIN LIGHTS**

24V



P&L 24V | IP44 | DC

REFERENCE	DIMENSIONS.	NB LED	LED	CABLE	P. / 24V	EXTEND.
550522	H 0.50 x W 6 m	800	○	▭	19.6 W - 817 mA	1+2



MicroLED 3 times brighter.

Find all accessories on p.271.

Reinforced cable. Pre-programmed glittering effect (1/4 LED). Ideal for indoor or outdoor use. Ivory white LED. Requires a power cable and a 24V transformer.



CEILING LIGHTS









CEILING LIGHTS

230V



P&L 230V | IP67 | optima | AC


REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	MAX WIDTH
551265	H 30 x W 2 m	480	○	▭	24 W	1+9
551250	H 30 x W 2 m	480	○	▭	24 W	1+9

P&L 230V | IP67 | optima | ● | AC

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	MAX WIDTH
551252	H 30 x W 2 m	480	○	▭	28 W	1+9
551268	H 30 x W 2 m	480	○	▭	28 W	1+9

Starry sky effect to your streets or town square.

Preprogrammed glittering effect (1/5 LED), and staggered lights any 25 cm intervals (i.e. total interval of 50 cm on the same drop). Height max. 90 m. Requires an unrectified power cable ref.550735.



CEILING LIGHTS WITH SLINGS



Dreux • France

230V




P&L 230V | IP67 | optima | AC

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	MAX WIDTH
551348	H 30 x W 2 m	800	○	▭	55 W	1+11
551349	H 30 x W 2 m	800	○	▭	55 W	1+11


Designed for quick and easy installation, these light ceilings are wired with one sling for each downlight.

Pre-programmed glittering effect (1 in every 5 LEDs), with staggered light points every 6 cm (total spacing of 12 cm on the same drop). Maximum height: 90m. Requires an unrectified power cable ref.550735.



CEILING LIGHTS WITH SLINGS

24V




P&L 24V | IP65 | DC

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 24V	MAX WIDTH.
551308	H 30 x W 2 m	700	○	▭	32 W - 130 mA	1+1
551309	H 30 x W 2 m	700	○	▭	32 W - 130 mA	1+1

Quick installation thanks to the pre-wired slings on each fall.

Staggered light points every 30 cm (total spacing of 60 cm on the same drop). Expandable in width.
Preprogrammed glittering effect (1/5 LED).
Discreet transparent cable. Encapsulated LEDs.
P&L 24V range: requires a power supply and transformer.






Narbonne • France

LUMINOUS SUSPENSIONS








SHINE **SUSPENSIONS**

24V



P&L 24V | IP65 | DC

REFERENCE	DIAMETER	NB LED	LED	CABLE	P. / 24V
551316	30 cm	100	○	▭	4 W - 16 mA
551315	30 cm	100	○	▭	4 W - 16 mA



Ideal for hanging on trees.

Gold or silver aluminum ball.
Supplied with sling and fastening ring.
Requires a power supply and transformer.



551316




551315

BEADED BALL **SUSPENSIONS**

24V

P&L 24V | IP65 | DC

REFERENCE	DIAMETER	NB LED	LED	GLOBE	CABLE	P. / 24V
551329	15 cm	12	○	○	▭	1 W - 36 mA
551330	25 cm	12	○	○	▭	1 W - 36 mA
551327	15 cm	12	○	○	▭	1 W - 36 mA
551328	25 cm	12	○	○	▭	1 W - 36 mA
551331	15 cm	12	●	●	▭	1 W - 36 mA
551332	25 cm	12	●	●	▭	1 W - 36 mA
551333	15 cm	12	●	●	▭	1 W - 36 mA
551334	25 cm	12	●	●	▭	1 W - 36 mA



Perfect on trees, by day or night.

Lightweight, colourful soft ball with glitter effect. Supplied with sling.
Requires a power supply and transformer.



551330




551332

LIGHTING BULBS **SUSPENSIONS**

230V

P&L 230V | IP44

REFERENCE	DIAMETER	LED	CABLE	P. / 230V
050754	29 cm	○	▬	5 W
050757	40 cm	○	▬	5 W
411966	29 cm	○	▬	5 W





050754

Intense brightness.

Pearly effects during the day/ light bulbs at night. Supplied with alpine karabiners. Requires an unrectified power cable.




Belgium

BELLIZ **SUSPENSIONS**

230V

P&L 230V | IP44 | AC/DC

REFERENCE	DIAMETER	NB LED	LED	CABLE	P. / 230V
551182	40 cm	296	○	▱	16 W
551183	40 cm	296	○	▱	16 W



Snowfall effect.

Frosted lace covering. Suitable for outdoor use or inside buildings not ruled by ERP. Requires an unrectified power cable. Delivered without sling (ref.051039).

Watch the animation



Cadolive • France




551182



551183

MICROLED GLOBES **SUSPENSIONS**

24V




P&L **24V** | **IP65** | ● | **DC**

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 24V
550523	Ø 20 cm	80	○	▭	4 W - 167 mA
550524	Ø 30 cm	100	○	▭	4 W - 167 mA
550525	Ø 40 cm	200	○	▭	5.4 W - 220 mA

MicroLED 3 times brighter.

Supplied without sling, with fastening ring.
Requires a power supply and transformer.
Maximum distance between the first and the last product: 80m of wire.








ACCESSORIES

REFERENCE	DESCRIPTION	COMPOSITION
050768	Sling 1 m	Maximum load 15 kg - Indoor only
050769	Sling 3 m	Maximum load 15 kg - Indoor only
051039	Sling 2 m	Maximum load 90 kg - Outdoor

GAÏA, **THE FOLDABLE** MICROLED **SPHERE**


24V



P&L **24V** | **IP65** | **DC**

REFERENCE	DESCRIPTION.	DIMENSIONS	NB LED	LED	CABLE	P. / 24V
550528	Gaïa suspension	Ø 30 cm	180	○	▭	5.8 W - 240 mA
550529	Gaïa suspension	Ø 60 cm	400	○	▭	12.5 W - 510 mA
550526	Gaïa suspension	Ø 30 cm	180	○	▭	5.8 W - 240 mA
550527	Gaïa suspension	Ø 60 cm	400	○	▭	12.5 W - 510 mA





MicroLED, 3 times brighter.

Ideal for indoor or outdoor use.
Foldable aluminium structure.
Strengthened cable. Fastening ring.
Requires a power supply and transformer.
Maximum distance between the first and the last product: 80m of wire.





FLOKO **SUSPENSIONS**

230V

P&L 230V | IP44 | SMD LED | AC/DC


REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V
550077	55 x 42 cm	2 x 48	○	▭	6 W

24V


P&L 24V | IP44 | SMD LED | DC

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 24V
550555	55 x 42 cm	2 x 48	○	▭	9.6 W - 400 mA

550077 / 550555



Watch the animation



550077

Perfect in a small street with icicle lights.

Animated: Blast of light.

P&L 230V range: Provide an unrectified power supply. P&L 24V range: Provide power supply and transformer.




Lorient • France

SHOOTING STAR **SUSPENSIONS**

24V

P&L 24V | IP65 | SMD LED | DC


REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 24V
551340	37 x 37 cm	216	○	▭	5 W - 210 mA
551341	37 x 37 cm	216	○	▭	5 W - 210 mA



Ideal for trees or across streets.


Animated: Blast of light.

Lighting decorations to hang. Milky effect. Fastening ring on each branch. Supplied with sling. Requires a power supply and transformer.



551340

Watch the animation



551341


Watch the animation

STELLY STARS **SUSPENSIONS**

230V

P&L 230V | IP44 | AC/DC

REFERENCE	HEIGHT	NB LED	LED	CABLE	P. / 230V
050791	50 cm	110	○	▭	8 W
050792	50 cm	110	○	▭	8 W
550233	50 cm	110	●	▭	8 W



24V

P&L 24V | IP44 | DC

REFERENCE	HEIGHT	NB LED	LED	CABLE	P. / 24V
550552	50 cm	120	○	▭	7.2 W - 300 mA
550553	50 cm	120	○	▭	7.2 W - 300 mA

Radiant animation to liven up trees and town gateway.

Product mainly designed for outdoor use : PVC anti-UV treated, stainless steel screws. Fastening point included. P&L 230V range : Requires an unrectified power supply. P&L 24V Range : Requires a power supply and transformer. UV-resistant PVC.


550233


050791

Watch the animation




3D STAR **SUSPENSION**

24V

P&L 24V | IP67 | DC

REFERENCE	DIMENSIONS	NB LED	LED	STRUCTURE	P. / 24V
551166	50 x 55 x 10 cm	240	○	▬	10 W - 420 mA





Perfect in suspension or in trees.

3D decoration to suspend. Gold lacquered aluminum frame. Fastening ring included. Requires a power cable and a transformer.





LUMINOUS BOUQUETS **SUSPENSIONS**

230V




P&L 230V | IP44 | DC

REFERENCE	DIAMETER	NB LED	LED	CABLE	P. / 230V
050763	50 cm	100			7 W
050764	50 cm	100			7 W

P&L 230V | IP44 | DC

REFERENCE	DIAMETER	NB LED	LED	CABLE	P. / 230V
051187	50 cm	100			5 W

24V



P&L 24V | IP44 | DC


REFERENCE	DIAMETER	NB LED	LED	CABLE	P. / 24V
550559	50 cm	100			7.2 W - 300 mA

P&L 24V | IP44 | DC

REFERENCE	DIAMETER	NB LED	LED	CABLE	P. / 24V
550560	50 cm	100			9.6 W - 400 mA








20 branches per bouquet

Perfect in suspension or trees.

P&L 230V range : Requires a rectified power supply.
Works on 120V to 230V.
P&L 24V range: requires a power supply and transformer.


SPARKLE **SUSPENSIONS**

24V



P&L 24V | IP65 | DC

REFERENCE	DIAMETER	NB LED	LED	CABLE	BRANCHES	P. / 24V
551338	80 cm	175				3 W - 120 mA
551339	80 cm	175				3 W - 120 mA



49 branches per bouquet





Watch the animation

Ideal for hanging in trees or upon a street.

P&L 24V range: requires a power supply and transformer.
With fastening ring.




DROPLIGHTS

230V

P&L 230V | IP44 | AC/DC


REFERENCE	HEIGHT	NB LED	LED	CABLE	P. / 230V	EXTEND.
051180	50 cm	50	○	▭	6 W	1+19
550485	50 cm	50	○	▭	6 W	1+19
051181	100 cm	72	○	▭	6 W	1+19
550486	100 cm	72	○	▭	6 W	1+19



24V

P&L 24V | IP44 | DC

REFERENCE	HEIGHT	NB LED	LED	CABLE	P. / 24V
550172	50 cm	50	○	▭	2.2 W - 90 mA
550483	50 cm	50	○	▭	2.2 W - 90 mA
550173	100 cm	72	○	▭	2.2 W - 90 mA
550484	100 cm	72	○	▭	2.2 W - 90 mA



Cyprus





Snowfall effect.

Visible 360°. Easy to insert into a ceiling light, in the middle of a curtain or icicle lights.


P&L 230V range : Requires a rectified power cable.
Works on 120V to 230V.
P&L 24V range: requires a power supply and transformer.

SPARKLE **DROPLIGHTS**

230V

P&L 230V | IP44 | AC/DC


REFERENCE	HEIGHT	NB LED	LED	CABLE	P. / 230V
550725	50 cm	36	○	▭	9 W
550726	100 cm	72	○	▭	12 W
550765	50 cm	36	○	▭	9 W
550766	100 cm	72	○	▭	12 W



24V

P&L 24V | IP44 | DC

REFERENCE	HEIGHT	NB LED	LED	CABLE	P. / 24V
550727	50 cm	36	○	▭	4 W - 170 mA
550728	100 cm	72	○	▭	4 W - 170 mA
550767	50 cm	36	○	▭	4.2 W - 170 mA
550768	100 cm	72	○	▭	4.2 W - 175 mA



Chasing & crackling effect

Visible 360°. Easy to insert into a ceiling light, in the middle of a curtain or icicle lights.

P&L 230V range: Requires a rectified power cable.
Works on 120V to 230V.
P&L 24V range: requires a power supply and transformer.

Watch the animation

ANGEL HAIR **SUSPENSIONS**

230V

P&L 230V | IP44 | AC/DC



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 230V
050602	1 m	150	○	▭	25 W
050603	1 m	150	○	▭	25 W

24V


P&L 24V | IP44 | DC



REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V
550561	1 m	150	○	▭	9.6 W - 400 mA
550562	1 m	150	○	▭	9.6 W - 400 mA

P&L 24V | IP44 | DC

REFERENCE	LENGTH	NB LED	LED	CABLE	P. / 24V
550563	1 m	150	●	▭	14.4 W - 600 mA



Perfect in suspension or trees.

P&L 230V range : Requires a rectified power supply. Works on 120V to 230V.
P&L 24V range: requires a power supply and transformer.




FREE-STANDING CANDLE

24V

P&L 24V | IP65 | DC

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 24V	EXTEND.
551310	H 30 cm	1			1 W - 36 mA	1+79



Flame animation.

Illuminated candle.
Requires a power supply and transformer.





Watch the animation






MICROLED WATERFALL **SUSPENSION**



24V

P&L 24V | IP44 | DC

REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V	EXT.
550219	2.40 m	1152	○	▭	31 W - 1290 mA	1+2




MICROLED WATERFALL **SUSPENSION** WITH LEAVES



24V

P&L 24V | IP44 | DC

REFERENCE	LGT.	NB LED	LED	CABLE	P. / 24V	EXT.
550530	2.40 m	1152	○	▭	31 W - 1290 mA	1+2





MicroLED 3 times brighter.


Pre-programmed glittering effect (1/4 LED). Indoor/outdoor use. Extendable. Ivory white LED. Requires a power supply and transformer. Connect up to 3 products in series.

Watch the animation

BRANCHES, TREES & FLOORSTANDING DECORS







CEILING LIGHTS **BRANCHES**

230V



P&L 230V | IP44 | DC

REFERENCE	DIMENSIONS	NB LED	LED	BRANCHES	P. / 230V	EXTEND.
050541	Ø 0.70 x W 1.50 m	150	○	▭	9 W	1+39
050508	Ø 0.70 x W 3.50 m	300	○	▬	20 W	1+16
550821	Ø 0.70 x W 3.50 m	300	●	▬	20 W	1+16

P&L 230V | IP44 | ● | DC

REFERENCE	DIMENSIONS	NB LED	LED	BRANCHES	P. / 230V	EXTEND.
059243	Ø 0.70 x W 3.50 m	300	○	▬	25 W	1+13

Volume effect.

Semi-rigid branches, simple and easy to install.
Preprogrammed glittering effect (1/5 LED).
Includes a rectified power cable.







BRANCH **STRING LIGHTS**

230V




P&L 230V | IP44 | DC

REFERENCE	DIMENSIONS	NB LED	LED	CABLE	P. / 230V	EXTEND.
551167	Ø 1 x W 2 m	320	○	▬	18 W	1+19
551168	Ø 1 x W 2 m	320	●	▬	18 W	1+19

Volume effect.


Semi-rigid branches, simple and easy to install. Fastening ring at each end. Pre-programmed glittering effect (1/5 LED). Requires a rectified power cable.





MICROLED NAYA **BRANCHES**

230V/4V




IP20 | DC | * NEW

REFERENCE	DESCRIPTION	DIMENSIONS	NB LED	NB BRANCHES	LED	CABLE	P. / 230V
551000*	Naya branches	H 93.5 x W 34 x D 15 cm	120	12 branches	○	▱	7 W
551001*	Naya branches	H 123.5 x W 37 x D 15 cm	240	16 branches	○	▱	7 W
551002*	Naya branches	H 153.5 x W 40 x D 15 cm	324	18 branches	○	▱	7 W

Ideal for a reception area.

White lacquered wooden base.
For indoor use only. Not compatible with 24V P&L range. Cannot be extended.
Includes a transformer and power supply cable.






MICROLED CARACAS **PALM TREES**

230V/4,5V

IP44/IP67 | AC

REFERENCE	DESCRIPTION	HEIGHT	NB LED	LED	ARBRE	P. / 230V
550647	Caracas palm tree	1.82 m	280	○	▬	11.5 W
550648	Caracas palm tree	2.13 m	302	○	▬	12.5 W




Guaranteed tropical effect.

Floorstanding microLED tree. Indoor/Outdoor use. Suitable for use inside buildings not ruled by ERP. Not compatible with 24V P&L range.
Includes a transformer and power supply cable.



MICROLED **CHRISTMAS TREE AND STARS**


230V/24V




P&L **24V** | **IP44** | ● | **DC**

REFERENCE	DESCRIPTION	DIMENSIONS	NB LED	LED	CABLE	P. / 230V
550516	Sapin 3D	H 118 x W 94 x D 15 cm	600	○	▭	21W
550517	Sapin 3D	H 98 x W 87 x D 12 cm	240	○	▭	12 W
550518	Étoile 3D	H 118 x W 118 x D 15 cm	600	○	▭	25 W
550519	Étoile 3D	H 98 x W 98 x D 12 cm	240	○	▭	16 W
550520	Étoile 3D	H 75 x W 75 x D 7 cm	200	●	▭	16 W

Decorations for hanging or standing.
Gold lacquered aluminium frame, except from ref.550520 (brown lacquered).
3 attachment rings. Compatible with our 24V transformers.
Max distance between the first and the last product: 80m of wire.
Includes a transformer and power supply cable.






Zoom ref. 550520



Zoom ref. 550519


550519


550517

MICROLED **STARS**


230V/12V




IP44 DC * NEW

REFERENCE	DESCRIPTION	DIMENSIONS	NB LED	LED	CABLE	P. / 230V
551025*	3D star	H 58 x W 58 x D 8 cm	800	○	▭	12 W
551026*	3D star	H 78 x W 78 x D 12 cm	600	○	▭	14 W

Decorations for hanging or standing.
Black painted metal structure. 1 fastening ring. Not compatible with 24V P&L range. Includes a transformer and power supply cable.



551025



551026


551025


551026

ROPE LIGHTS









MICROLED **ROPE LIGHTS**

24V

IP44 ● DC

REFERENCE	LENGTH	LED	P. / 230V	P. / 24V	EXTEND.
550978	2 m	120 ○	18 W	9.6 W - 400 mA	2 m
550979	2 m	120 ○	18 W	9.6 W - 400 mA	2 m
550990	4 m	240 ○	36 W	19.2 W - 800 mA	4 m
550991	4 m	240 ○	36 W	19.2 W - 800 mA	4 m




Intense brightness 360°


Ideal for decorating e-deco backdrops or small custom structures.

Non-extendable, non-cuttable.
60 microLED/m, UV-resistant. Requires a power supply cable ref.032371 and a transformer ref.061218.

P&L 24V CONNECTION KIT







CHASING **ROPE LIGHTS**

230V

P&L 230V | IP44 | AC/DC

REFERENCE	LGT.	NB LED	LED	P. / 230V
550713	1 m	36	○	13 W
550714	1 m	36	○	13 W
550482	1 m	36	○	5.5 W
550716	2 m	60	○	19 W
550717	2 m	60	○	19 W
550226	2 m	60	○	7 W
550719	5 m	120	○	30 W
550132	5 m	120	○	30 W
550227	5 m	120	○	13 W
550722	10 m	240	○	83 W
550133	10 m	240	○	80 W

24V

P&L 24V | IP44 | DC

REFERENCE	LGT.	NB LED	LED	P. / 24V
550701	1 m	30	○	9 W - 375 mA
550702	1 m	30	○	9 W - 375 mA
550254	1 m	30	○	3 W - 125 mA
550704	2 m	60	○	12.5 W - 520 mA
550705	2 m	60	○	12.5 W - 520 mA
550223	2 m	60	○	4 W - 167 mA
550707	5 m	120	○	24 W - 1000 mA
550708	5 m	120	○	24 W - 1000 mA
550224	5 m	120	○	7 W - 291 mA
550710	10 m	240	○	32 W - 1334 mA
550179	10 m	216	○	10 W - 417 mA
550225	10 m	240	○	10 W - 417 mA

Chasing effect.

Anti-UV treated, Ø 13 mm.
P&L 230V range : requires an unrectified power cable.
P&L 24V range: requires a power supply and transformer.

Watch the animation

230V ACCESSORY

REFERENCE	DESCRIPTION	LGT.
032376	White power supply cable	L 3 m





Béziers • France

SPARKLING **ROPE LIGHTS**

230V

P&L 230V | IP44 | AC/DC

REFERENCE	LGT.	NB LED	LED	P. / 230V
550729	2 m	60	○	19 W
550756	2 m	60	○	19 W

230V ACCESSORY

REFERENCE	DESCRIPTION	LGT.
032376	White power supply cable	L 3 m

24V

P&L 24V | IP44 | DC | NEW

REFERENCE	LGT.	NB LED	LED	P. / 24V
551383*	1 m	30	○	4.3 W - 176 mA
551384*	1 m	30	○	4.3 W - 176 mA
550730	2 m	60	○	8.9 W - 370 mA
550757	2 m	60	○	8.9 W - 370 mA



Chasing & crackling effect.

Anti-UV treated, Ø 13 mm
P&L 230V range : requires an unrectified power supply cable (ref.032376).
P&L 24V range: requires a power supply and transformer.


FLASHING **ROPE LIGHTS**

230V

IP44 | DC

REFERENCE	LGT.	LED	P. / 230V	CUTTABLE	EXTEND. (1)
550054	30 m	○	3.5 W /m	every 2 m	100 m
550055	30 m	○	3.5 W /m	every 2 m	100 m
550057	30 m	●	3.5 W /m	every 2 m	100 m
550056	30 m	●	3.5 W /m	every 2 m	100 m
550058	30 m	●	3.5 W /m	every 2 m	100 m

(1) Max. length with ref.550732.


Intense brightness 360°

CONNECTION KIT

REFERENCE	COMPOSITION	CABLE
550732	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	▬
550733	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	▭

Flashing animation 1 LED in 2.

36 LED/m, anti-UV treated, Ø 13 mm.
Requires a connection kit (ref.550732 or 550733).

Watch the animation



Watch the animation

NEON **ROPE LIGHTS**

24V

P&L 24V | IP65 | SMD LED | DC | * NEW

REFERENCE	LGT.	LED	P. / 24V	CUTTABLE
551392*	30 m	○	7 W /m	every 50 cm
551393*	30 m	○	7 W /m	every 50 cm

High brightness SMD LED.
144 LED SMD /m, anti-UV treated.
Requires a power supply cable ref.032371 and a transformer.
Max lenght in serie : 10 m.


P&L 24V CONNECTION KIT





SUR'LINE **ROPE LIGHTS**

230V




P&L 230V | IP44 | SMD LED | DC


REFERENCE	LGT.	LED	P. / 230V	EXTEND.
051032	3 m	●	21 W	50 m
051033	3 m	●	27 W	50 m
051012	5 m	○	45 W	50 m
051034	5 m	●	35 W	50 m
051035	5 m	●	45 W	50 m
051036	7 m	●	49 W	50 m

High brightness SMD LED.
92 SMD LED/m, extendable.

SUR'LINE ACCESSORIES

REFERENCE	DESCRIPTION	LGT.
032353	Fastening rail	2 m
058989BL	White power supply cable	1.50 m








032353



ROP'LINE **ROPE LIGHTS**

230V - Without power supply



P&L 230V | IP44 | SMD LED | DC

REFERENCE	LGT.	LED	P. / 230V	CUTTABLE	EXTEND. (1)
051264	30 m	○	6 W /m	every 1 m	100 m
550313	30 m	○	6 W /m	every 1 m	100 m
051265	30 m	○	6 W /m	every 1 m	100 m
550118	30 m	●	3.3 W /m	every 1 m	100 m
550119	30 m	●	3.3 W /m	every 1 m	100 m
550120	30 m	●	3.3 W /m	every 1 m	100 m

(1) Max. length with ref.550732.



High brightness SMD LED.
60 SMD LED/m.
Dual-sided rope light Ø 13 mm, extendable.
Requires a connection kit (ref.550732).

230V CONNECTION KIT

REFERENCE	COMPOSITION	CABLE
550732	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	▬
550733	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	▭



OPTIMA **ROPE LIGHTS**

230V - Without power supply

P&L 230V | IP67 | optima | AC | NEW

REFERENCE	LGT.	LED	P. / 230V	NB LED/M	CUTTABLE	EXTEND. (1)
551351*	30 m	○	3 W /m	36 LED/m	every 1 m	100 m
551352*	30 m	○	3 W /m	36 LED/m	every 1 m	100 m

(1) Max. length with ref.300063.

Requires a connection kit (ref.300063).

CONNECTION KIT FOR OPTIMA ROPE LIGHTS

REFERENCE	COMPOSITION	CABLE
300063*	Unrectified power supply cable + round tip connector + end cap + heat shrink sleeve	▬





High-quality rope lights.
Intense brightness 360°

The one you can find on our decorations.
Anti-UV treated, Ø 13 mm.

HIGH-QUALITY **ROPE LIGHTS**

230V - Without power supply

IP44 | DC

REF.	LGT.	LED	P. / 230V	NB LED/M	CUTTABLE	EXTEND.(1)
058911	30 m	○	2.5 W /m	36 LED/m	every 2 m	100 m
058914	30 m	●	1.6 W /m	36 LED/m	every 3.30 m	100 m
550822	30 m	●	2.5 W /m	36 LED/m	every 2 m	100 m
058912	30 m	●	2.5 W /m	36 LED/m	every 2 m	100 m
058913	30 m	●	2.5 W /m	36 LED/m	every 2 m	100 m
058915	30 m	●	1.6 W /m	36 LED/m	every 3.30 m	100 m
059974	30 m	●	3.0 W /m	36 LED/m	every 1.50 m	100 m
059711	44 m	○	1.4 W /m	18 LED/m	every 4 m	100 m
059715	44 m	●	1.4 W /m	18 LED/m	every 4 m	100 m
059712	44 m	●	1.4 W /m	18 LED/m	every 4 m	100 m
059713	44 m	●	1.4 W /m	18 LED/m	every 4 m	100 m
059714	44 m	●	1.4 W /m	18 LED/m	every 4 m	100 m
550823	90 m	●	2.5 W /m	36 LED/m	every 2 m	100 m
050686	90 m	●	4 W /m	36 LED/m	every 1 m	100 m
050688	90 m	●	4 W /m	36 LED/m	every 1 m	100 m
050687	90 m	●	4 W /m	36 LED/m	every 1 m	100 m

(1) Max. length with ref.550732.

Requires a connection kit (ref.550732).

CONNECTION KIT

REFERENCE	COMPOSITION	CABLE
550732	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	▬
550733	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	▭

230V - Includes power supply

IP44 | DC

REF.	LGT.	LED	P. / 230V	NB LED/M	CUTTABLE	EXTEND.
550307	45 m	○	2.3 W /m	36 LED/m	every 1.5 m	100 m
550308	45 m	●	2.3 W /m	36 LED/m	every 1.5 m	100 m
550311	45 m	●	2.3 W /m	36 LED/m	every 1.5 m	100 m
550309	45 m	●	2.3 W /m	36 LED/m	every 1.5 m	100 m
550310	45 m	●	2.3 W /m	36 LED/m	every 1.5 m	100 m

Supplied with a mounted overmoulded power cable.





HIGH-QUALITY **ROPE LIGHTS**

24V

IP44 ● DC

REFERENCE	LGT.	LED	P. / 230V	P. / 24V	CUTTABLE	EXTEND. (1)
051079	30 m	○	2.3 W /m	2.89 W /m - 120 mA	every 16.6 cm	20 m
550736	30 m	○	2.3 W /m	2.89 W /m - 120 mA	every 16.6 cm	20 m
051083	30 m	●	2.3 W /m	1.4 W /m - 58 mA	every 33 cm	20 m
051082	30 m	●	2.3 W /m	2.89 W /m - 120 mA	every 16.6 cm	20 m
051081	30 m	●	2.3 W /m	2.89 W /m - 120 mA	every 16.6 cm	20 m
550577	30 m	●	2.3 W /m	1.4 W /m - 58 mA	every 16.6 cm	20 m


(1) Max. length with transformer ref.061219.



Intense brightness 360°

36 LED/m, anti-UV treated, Ø 13 mm.
P&L 24V range : requires a connection kit.

P&L 24V CONNECTION KIT





Saint Gilles • Reunion Island

CANDY **ROPE LIGHTS**

230V

IP44 DC

REFERENCE	LGT.	LED	P. / 230V	CUTTABLE	EXTEND.
550126	30 m	○	1.8 W /m	every 2 m	100 m

230V CONNECTION KIT

REFERENCE	COMPOSITION	CABLE
550732	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	▬
550733	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	▭



Intense brightness 360°

Candy cane effect.

36 LED/m, anti-UV treated, Ø 13 mm.
Requires a connection kit (ref.550732).



ROPE LIGHT **QUICK CONNECTION**

CONNECTION KITS

REF.	DESCRIPTION	COMPOSITION	CABLE
300063*	230V power supply kit for Optima rope lights	Unrectified power supply cable + round tip connector + end cap + heat shrink sleeve	▬
550732	230V power supply kit	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	▬
550733	230V power supply kit	Power supply cable with rectifier 4 A + round tip connector + end cap + heat shrink sleeve	▭
059975	230V power supply kit	Power supply cable with rectifier 1.6 A + round tip connector + end cap + heat shrink sleeve	▬



GUARLANDS AND ROPE LIGHTS **ACCESSORIES**

ROPE LIGHTS ACCESSORIES

REFERENCE	DESCRIPTION
001867	2 m nylon strip light
331300	1 T-connector
720102	transparent heat shrink sleeves ø 19 mm - Lgt: 1.20 m
055193	1 junction kit to connect 2 rope lights together (1 double pin connector + 2 heat shrink sleeves)
201300	10 junction kits 055193
413000	100 nylon clips
351000	100 double pin connectors
354000	100 round tip connectors
513000	100 safety caps
055476	10 safety caps
060959	1.000 white nylon collars 3.6 x 203 mm

GUARLANDS ACCESSORIES

REFERENCE	DESCRIPTION
550974	10 white caps


060959


001867


331300


720102


550974


513000 / 055476


351000


354000


055193


413000

PLUG & LIGHT










Plug & Light modularity


All our ranges of luminous decorations can be interconnected using Plug & Light technology. Mix and match products, colours, and animations to your liking!

Contact us for personalised support.



DECORATING **TREES**

Whether you prefer *'Champagne glass style'* or *'snowfall'* installation, you can easily install your light strings and hanging lights with our **extensions** and **collectors**.



CLADDING A **FACADE**

Adapt your decoration to the architecture of your building by alternating **extension cords**, curtains and friezes according to your needs, all powered by a single **electrical supply.**



INSTALL AN **ACROSS-THE-STREET** DISPLAY

Use our **T-connectors** to insert decorations between your strings lights. Let your imagination run wild!

How to choose between 230V and 24V?



230V PLUG & LIGHT

These products can be **interconnected and extended.** Powered by transformers, they operate on safety extra-low voltage (SELV ≤50V). They offer enhanced safety for the public, are discreet (transparent PVC cable), and suitable for international use. However, their wiring, whether in series or parallel, can be more complex, requiring precise calculation of total power to select the appropriate transformer.


24V PLUG & LIGHT

These products can be **interconnected and extended.** Powered by transformers, they operate on safety extra-low voltage (SELV ≤50V). They offer **enhanced safety for the public,** are **discreet** (transparent PVC cable), and suitable for international use. However, their wiring, whether in series or parallel, can be more complex, requiring precise calculation of total power to select the appropriate transformer.

230V PLUG & LIGHT CONNECTORS


RECTIFIED POWER SUPPLY CABLE

REFERENCE	CABLE	LGT.	CONNECTOR
550663	▬	0.25 m	A
550662	▭	0.25 m	A
550665	▬	0.25 m	B
550664	▭	0.25 m	B




RECTIFIED POWER SUPPLY CABLE

REFERENCE	CABLE	LGT.
058989BL	▭	1.50 m




POWER SUPPLY CABLE

REFERENCE	CABLE	LGT.	CONNECTOR	P. / 230 V
550735	▭	1.5 m	Bf	1 840 W
300002	▬	3 m	Af	3 680 W
300001	▭	3 m	Af	3 680 W
050476	▬	3 m	Bf	1 840 W
032376	▭	3 m	Bf	1 840 W
050477	▬	5 m	Bf	1 840 W




CONNECTORS Ø 2.35 BETWEEN STRING LIGHT AND ROPE LIGHT

REFERENCE	CABLE	LGT.
032187	▬	0.30 m
032338	▭	0.30 m




CONNECTORS Ø 2.35 BETWEEN ROPE LIGHT AND STRING LIGHT

REFERENCE	CABLE	LGT.
032375	▭	0.30 m




A-A EXTENSION CABLE

REFERENCE	CABLE	LGT.
058815	▬	2 m
032283	▭	2 m




B-B EXTENSION CABLE

REFERENCE	CABLE	LGT.
032374	▭	1 m
059072	▬	2 m
300034	▭	2 m
031903	▬	3 m
032342	▭	3 m
300036	▬	5 m
300035	▭	5 m




RECTIFIED CONNECTORS TO SUPPLY ROPE LIGHTS

REFERENCE	CABLE	LGT.
032189	▬	0.40 m
032339	▭	0.40 m




ADAPTER FROM A TO B

REFERENCE	CABLE	LGT.
059238	▬	0.15 m




2 WIRE STRIPPED MALE CABLES ALLOWING TO SUPPLY A DECOR

REFERENCE	CABLE	LGT.
058940	▬	3 m
032188	▬	0.30 m



2 WIRE STRIPPED FEMALE CABLES


REFERENCE	CABLE	LGT.
058968	▬	3 m




230V PLUG & LIGHT CONNECTORS

CONNECTION CABLE BETWEEN B-B STRING LIGHT AND SOCKET


REFERENCE	CABLE	LGT.	CAP
059549	▬	0.20 m	B22
032337	▭	0.20 m	B22
050487	▬	0.40 m	E27






ADAPTER B22 SOCKET TO CONNECTOR B

REFERENCE	CABLE	LGT.
059910	▬	0.37 m




T CONNECTORS

REFERENCE	CABLE	LGT.
032093	▭	0.15 m
032279	▬	0.50 m




Y CONNECTOR

REFERENCE	CABLE	LGT.
058814	▬	1.50 m




COLLECTOR CABLE 4 FALLS

REFERENCE	CABLE	LGT.
058919	▬	1 m
050479	▭	1 m




COLLECTOR CABLE 6 FALLS

REFERENCE	CABLE	LGT.
059241	▬	0.80 m
059240	▭	0.80 m




COLLECTOR CABLE 10 FALLS

REFERENCE	CABLE	LGT.
300069	▭	10 m



REFERENCE	CABLE	LGT.
032357	▬	10 m



Plug & Light 24V: what makes it special?

To connect your P&L 24V decorations safely, please follow these steps:

STEP 1 . Identify the lighting decorations you wish to use for your project.

STEP 2 . Check and carefully follow the maximum recommended length for each type of decoration.

STEP 3 . Add up the wattages of all selected decorations to determine the total wattage. Then use a suitable transformer.


Decorate your shop frontage by combining P&L 24V and P&L 230V.

It's entirely possible to combine Plug & Light decorations operating on 24V with those on 230V. For example, you can dress up a shop window with 24V microLED string lights, whose discreet power cable ensures an aesthetic installation, while using a 230V light decoration to decorate a Christmas tree.

These elements complement each other to create a magical atmosphere and draw visitors into a magical Christmas setting!




EXAMPLE OF **SERIES** AND **PARALLEL** WIRING





EXAMPLE OF MIXED **230V** AND **24V** WIRING




230V / 24V **PLUG & LIGHT CONNECTORS**


P&L 24V **IP65**

ACCESSORIES AHEAD 230V TRANSFORMER


REFERENCE	DESCRIPTION	LGT.	CABLE	P. MAX/ 230V
032371	Bipolar power supply cable + grounding	3 m		1840 W




REFERENCE	DESCRIPTION	LGT.	CABLE	P. MAX/ 230V
032372	Bipolar extension cable + grounding	2 m		1840 W
032286	Bipolar extension cable + grounding	2 m		1840 W




REFERENCE	DESCRIPTION	LGT.	CABLE	P. MAX/ 230V
551317	Connector adapterC to B	15 cm		1840 W



REFERENCE	DESCRIPTION	LGT.	CABLE	P. MAX/ 230V
032373	Bipolar T-connector + grounding	50 cm		1840 W




REFERENCE	DESCRIPTION	LGT.	CABLE	P. MAX/ 230V
551318	Bipolar T-connector + grounding	50 cm		1840 W



This reference is ideal for powering both 24V and 230V decorations.

TRANSFORMERS 230V AC / 24V DC


REFERENCE	DESCRIPTION
550514	Transformer 0.5 A max. (12W/24VDC) output



Works in AC or DC.
B connector input.

This reference is ideal for powering our 24V P&L suspensions.


REF.	DESCRIPTION
061218	Transformer 1.25 A max. (30W/24VDC) output
061219	Transformer 2.5 A max. (60W/24VDC) output
061220	Transformer 4 A max. (96W/24VDC) output
550628	Transformer 6.25 A max. (150W/24VDC) output
550336	Transformer 2x 6.25 A max. (2x150W/24VDC) output



ACCESSORIES BEYOND TRANSFORMER

REFERENCE	DESCRIPTION	LGT.	CABLE
032367	T-connector	25 cm	
550471	T-connector	25 cm	
300043	T-connector	25 cm	
300044	T-connector	25 cm	
300045	T-connector	25 cm	
550931	Titan[1] T-connector	25 cm	


[1] Products with rubber cable.




ACCESSORIES BEYOND TRANSFORMER

REFERENCE	DESCRIPTION	LGT.	CABLE
032366	Extension cable	1 m	
550470	Extension cable	1 m	
300040	Extension cable	1 m	
300041	Extension cable	1 m	
300042	Extension cable	1 m	
550244	Extension cable	2 m	
550930	Titan[1] ext. cable	2 m	
550342	Extension cable	10 m	

[1] Products with rubber cable.




REFERENCE	DESCRIPTION	LGT.	CABLE
032365	Rope light to string light connection	30 cm	
300049	Rope light to string light connection	30 cm	
300046	Rope light to string light connection	30 cm	
300047	Rope light to string light connection	30 cm	
300048	Rope light to string light connection	30 cm	



REFERENCE	DESCRIPTION	LGT.	CABLE
032364	String light to rope light connection	30 cm	
300053	String light to rope light connection	30 cm	
300050	String light to rope light connection	30 cm	
300051	String light to rope light connection	30 cm	
300052	String light to rope light connection	30 cm	



REFERENCE	DESCRIPTION	LGT.	CABLE
032368	Connector 6 falls	1 m	



DAY TIME DECORATIONS

e-deco









PRINTED PRODUCTS
ACROSS STREET AND LAMP COLUMNS



Made in France, our 3D printed products are 100% recyclable. The material will be transformed into new granules for creating new decorations.

Integrate day-visible decorations into your illuminations. Design by Leblanc Illuminations. UV resistant. Suitable for use in buildings not subject to regulations for public-access buildings.

Learn more

Collections of 2D decorations.

Attachment points included. Non-luminous decorations. Available individually. The Lyria collection is available in red, white or gold. The Givre collection is available in white or gold. The Holly collection is available in green or gold.

REFERENCE	DESCRIPTION	DIMENSIONS	MATERIAL
170703	Lyria across street red	H 1.50 x W 5 m	Rainbow
170702	Lyria lamp column red	H 3 x W 1.40 m	Rainbow
170701	Lyria lamp column red	H 2 x W 1.40 m	Rainbow
170786	Givre across street white	H 1 x W 5 m	Rainbow
170785	Givre lamp col. & across str. white	H 3 x W 1.45 m	Rainbow
170784	Givre lamp col. & across str. white	H 2.50 x W 1.20 m	Rainbow
170783	Givre lamp col. & across str. white	H 2 x W 1 m	Rainbow
170782	Givre lamp col. & across str. white	H 1.50 x W 0.75 m	Rainbow
170781	Givre lamp col. & across str. white	H 1 x W 0.50 m	Rainbow
170787	Givre globe white	H 2 x W 1.20 m	Rainbow
170788	Givre suspension white	H 0.80 x W 0.80 m	Rainbow
170809	Holly across street green	H 1 x W 5 m	Rainbow
170808	Holly lamp col. & across str. green	H 3 x W 1.45 m	Rainbow
170807	Holly lamp col. & across str. green	H 2.50 x W 1.20 m	Rainbow
170806	Holly lamp col. & across str. green	H 2 x W 1 m	Rainbow
170805	Holly lamp col. & across str. green	H 1.50 x W 0.75 m	Rainbow
170804	Holly lamp col. & across str. green	H 1 x W 0.50 m	Rainbow
170810	Holly globe green	H 2 x W 1.20 m	Rainbow
170811	Holly suspension green	H 0.80 x W 0.80 m	Rainbow



PRINTED PRODUCTS
FLOORSTANDING 3D DECORS

3D floorstanding decorations. Delivered flat.

Attachment points included. Non-luminous decors. Available individually. Four colours are available: gold, white, blue or red.


REFERENCE	DESCRIPTION	DIMENSIONS	MATERIAL
170738	Cadeau gold	W 0.3 x H 0.43 x D 0.3 m	Mellow
170656	Renne POP gold	W 0.72 x H 1.27 x D 0.37 m	Rainbow
170658	Sapin POP gold	W 0.81 x H 1.52 x D 0.81 m	Rainbow
170662	Barrière POP gold	W 0.7 x H 0.6 x D 0.3 m	Rainbow
170282	Maxi Cadeau Pop gold	H 0.50 x Ø 0.48 m	Rainbow
170278	Petit Cadeau Pop gold	H 0.50 x Ø 0.30 m	Rainbow
170286	Étoile Pop gold	H 0.64 x Ø 0.64 m	Rainbow



170278 170282 170286



170738 170662



170656 170658


PRINTED PRODUCTS
LUMINOUS 3D SUSPENSIONS

Snowfall effect droplight. Lighting decorations to hang. Delivered flat.
Attachment points included. Available individually. Four colours are available: gold, white, blue or red. Find our droplights p.248.

230V

P&L 230V IP44

REFERENCE	DESCRIPTION	DIMENSIONS	MATERIAL
205313	Magie gold	H 0.50 x Ø 0.10 m	Mellow
204988	Boule de Noël Pop gold	H 0.50 x Ø 0.37 m	Rainbow
204992	Boule Tradi Pop gold	H 0.50 x Ø 0.39 m	Rainbow
204996	Maxi Cadeau Pop gold	H 0.50 x Ø 0.48 m	Rainbow
205001	Petit Cadeau Pop gold	H 0.50 x Ø 0.30 m	Rainbow
205005	Flocon Étoile Pop gold	H 0.50 x Ø 0.46 m	Rainbow
205009	Flocon Givré Pop gold	H 0.50 x Ø 0.50 m	Rainbow
205013	Étoile Pop gold	H 0.64 x Ø 0.64 m	Rainbow
205017	Éclat Pop gold	H 0.54 x Ø 0.52 m	Rainbow


205313


204988


204992


204996


205001


205005


205009


205013


205017

PRINTED PRODUCTS
3D SUSPENSIONS


3D decorations. Delivered flat.
Attachment points included. Non-luminous decoration. Available individually. Four colours are available: gold, white, blue or red.

REFERENCE	DESCRIPTION	DIMENSIONS	MATERIAL
170721	Lanterne POP gold	W 0.27 x H 0.5 x D 0.27 m	Rainbow
170723	Perle	W 0.3 x H 0.6 x D 0.3 m	Mellow
170727	Goutte	W 0.35 x H 0.6 x D 0.12 m	Mellow
170838	Moulin	W 0.65 x H 0.65 m	Mellow
170833	Nœud	W 0.57 x H 0.54 m	Mellow


170721


170723


170727


170838


170833

PRINTED PRODUCTS
2D SUSPENSIONS


170304


170340


170292


170320


170300


170328


170288


170312


170308


170332


170296


170316


170324


170344


170348

2D suspensions.
Attachment points included. Non-luminous decoration. Sold in packs of 5, except for ref.170336. Four colours are available: gold, white, blue or red.

REFERENCE	DESCRIPTION	DIMENSIONS	MATERIAL
170304	Cadeau Étoiles gold	W 38.7 x H 65.8 cm	Rainbow
170300	Cadeau Dream gold	W 52.8 x H 42.8 cm	Rainbow
170308	Cadeau Zig gold	W 38.7 x H 40.7 cm	Rainbow
170292	Boule de Noël gold	W 32.7 x H 45.4 cm	Rainbow
170288	Boule Tradi gold	W 31.2 x H 40.7 cm	Rainbow
170296	Petite Boule gold	W 21.3 x H 16 cm	Rainbow
170340	Flocon Givré gold	W 39.7 x H 39.7 cm	Rainbow
170328	Flocon Étoile gold	W 21.7 x H 31.7 cm	Rainbow
170332	Petit Flocon gold	W 18.5 x H 21.3 cm	Rainbow
170320	Éclat gold	W 40.7 x H 31.3 cm	Rainbow
170312	Grande Étoile gold	W 38.7 x H 40.7 cm	Rainbow
170316	Petite Étoile gold	W 19.7 x H 20.7 cm	Rainbow
170324	Flocon Snow gold	W 36.2 x H 40.7 cm	Rainbow
170344	Pain d'Épices gold	W 33.5 x H 40.6 cm	Rainbow
170348	Sucre d'Orge gold	W 21.8 x H 30 cm	Rainbow



DAY TIME DECORATIONS









INFLATABLE **SHINING BAUBLES**

REFERENCE	DESCRIPTION	DIAMETER	COLOUR
550101	Inflatable bauble	40 cm	
550100	Inflatable bauble	40 cm	
550102	Inflatable bauble	40 cm	
550103	Inflatable bauble	40 cm	



550100

550101

Inflatable structure covered with fabric.

Suitable for use in buildings not subject to regulations governing use in public spaces. Compressor required.



FOLDABLE **SHINING STARS**

REFERENCE	DESCRIPTION	DIAMETER	COLOUR
550094	Foldable star	80 cm	
550095	Foldable star	80 cm	
550097	Foldable star	150 cm	
550096	Foldable star	150 cm	
550098	Foldable star	150 cm	
550099	Foldable star	150 cm	



550094

550095

550093

Foldable decoration.

Metal structure covered with fabric. Suitable for use in buildings not subject to public access regulations.



VOLUME **JABOTS**

REFERENCE	DESCRIPTION	LGT.	DIAMETER	WEIGHT
051016	Volume jabot	2.70 m	14 to 35 cm	2 kg
051076	Volume jabot	4 m	14 to 50 cm	6 kg

Natural effect.

Supplied with 2 alpine carabiners. Flexible and luxuriant.






Carabiner attachment



CHRISTMAS BOWS

REFERENCE	DESCRIPTION	DIMENSIONS AXBXC
550938	Red & gold Xmas bow	38 x 45 x 10 cm
550939	Red & gold Xmas bow	60 x 76 x 17 cm
550940	Red & gold Xmas bow	91 x 114 x 23 cm
550941	Red Xmas bow	30 x 38 x 7.5 cm
550942	Red Xmas bow	45 x 58 x 15 cm



Extremely resistant for outdoor use.

Wire fastening on the back. Suitable for use in buildings not subject to regulations governing use in public spaces.





550938

550941

FOLDABLE **LANTERNS**

REFERENCE	DIMENSIONS	COLOUR
550488	Ø 25 cm	
550489	Ø 25 cm	
550490	Ø 25 cm	
550491	Ø 25 cm	
550492	Ø 25 cm	
550493	Ø 25 cm	
550494	Ø 25 cm	
550572	Ø 25 cm	
550949	Ø 15 x H 25 cm	



550491



550949

Foldable decoration.
Volume effect, flat storage.

Sold in sets of 5.
Metal structure covered with fabric. Suitable for use in buildings not subject to regulations governing use in public spaces. **UV resistant.**
Designed to be assembled on suspension sockets ref.550180, or B22/E27 festoon lights.
Ref.550572: 1 red, 1 yellow, 1 blue, 1 green and 1 white lantern.



FIBERGLASS **DECORATIONS**

REFERENCE	DESCRIPTION	DIAMETER	HEIGHT	FIBER
050172	Half-sphere	50 cm	25 cm	
050176	Half-sphere	100 cm	50 cm	
050683	3D pot	100 cm	100 cm	

Non-combustible. Light and strong structures. Suitable for use in buildings not subject to regulations governing use in public spaces.Visible in daylight and easy to highlight at night.





050683



050176



RIFLETTI **SUSPENSIONS**

REFERENCE	DESCRIPTION	DIAMETER
051066	Golden Rifletti mini star	280 mm
051067	Golden Rifletti disc	500 mm
051069	Silver Rifletti disc	500 mm



Swivel hook

Delivered flat. Swivellling in the wind.

Gold or silver stainless steel suspensions. Delivered flat. Swivel hook included. Mini stars packed by 5. Stars and discs available individually.



051069



051067



051066

DECORATIVE **GARLANDS**

REFERENCE	DESCRIPTION	LGT.
050579	Brilliant metal beads	10 m

Extra daytime effect...

Integrate daytime details into your illuminations. Suitable for use in public spaces, on buildings, across streets and in floorstanding decorations.



050579

CHRISTMAS **BALLS**

DIAMETER	PEARL	SILVER	GOLD	BLUE	RED	PINK
100 mm	060742	060743	061052	001814	061024	061020
140 mm	060820	060759	060812	001813	060808	061030
200 mm	060821	060745	060813	060856	060809	061061
280 mm	060822	060817	061056	060857	000002	061107
400 mm	060823	060818	060814	001242	060810	060980



Outdoor drilled balls (from Ø 200 mm). Attachment included. Glossy finish (except from pearly). Choose your diameter.

ROUNDED **SPANGLES**

DIAMETER	SET OF	WHITE	GOLD	BLUE	RED
100 mm	10	600439	600434	600449	600444
140 mm	10	600440	600435	600450	600445
200 mm	5	600441	600436	600451	600446
280 mm	5	600442	600437	600452	600447
400 mm	4	600443	600438	600453	600448



600449

Beautiful glitter effect on both sides.

Sold in lots.




600439 600434

SUSPENSIONS WITH MIRROR EFFECT

REFERENCE	DESCRIPTION	DIAMETER
050562	Mirror flakes	26 cm
050563	Mirror sparkles	25 cm

Reflects light.

Mirrored surfaces on both sides. 2 attachment points. Suitable for use in buildings not subject to regulations governing use in public spaces. Packed by 10.




050562 050563

GOLDEN / SILVER **SPANGLES**

REFERENCE	DESCRIPTION	DIAMETER
050772	Silver and golden spangles	10 cm

Gold on the front, silver on the back.

Packed by 10.



FEATHERS AND LEAVES

REFERENCE	DESCRIPTION	DIMENSIONS
600428	Little silver feather	43 x 8 cm
600429	Little golden feather	43 x 8 cm
600430	Silver leaves	36 x 20 cm
600431	Golden leaves	36 x 20 cm
600432	Width silver feather	50 x 12 cm
600433	Width golden feather	50 x 12 cm

A touch of nature and delicacy…

Integrate decoration visible during the day into your illuminations. Suitable for use in public spaces, these details can be added to displays on the ground or across streets, on lamp columns and attached to buildings. Packed by 12.



600428 600432 600430 600429 600433 600431



GARLANDS WITH SPANGLES

REFERENCE	DESCRIPTION	LGT.
060790	Garland with silver spangles	20 m
060791	Garland with golden spangles	20 m
060792	Guarlands with blue spangles	20 m
060793	Garland with red spangles	20 m
550386	Guarlands with pink pangles	20 m

Reflects light.

Reflective coloured spangles.
Visible day and night



060791



060793




NATURAL **CHRISTMAS TREES**

Choose a tailor-made giant natural Christmas tree and support European Christmas tree growers.

This innovative metal structure brings together lots of standard-sized natural fir trees, to form an impressive festive centrepiece. Validated by technical consultants, the resulting structure stands up to the most extreme weather conditions and can be safely installed in a public place.

The spruce or Nordmann fir Christmas trees used to form this giant tree, have been grown in special forests in France. The giant tree can be created in your desired height and includes full installation kit: metal structure, Christmas trees, ballast and bracing kit, screws and assembly drawing.





TECHNOLOGICAL ANIMATIONS










REMOTE CONTROL
OF YOUR ILLUMINATIONS



Technology designed to save energy.

At least 50% energy saving with our patented solution!

I can programme my illuminations and their turned on/off period and hours, zone by zone, with a few clics on my tablet or smartphone.

It's so easy. I don't need any extra power supply cable.

Indeed, with the Saver Box installed on Leblanc illuminations products, I simply **download the App** and follow the instructions.

Further information
on our remote control solution

REMOTE CONTROL
OF YOUR ILLUMINATIONS

Simple and intuitive

- Intuitive app
- Communication USBc / radio 868 MHz
- One power cut period and 4 exceptions
- Memorising of programmes guaranteed even switched off
- Super-easy installation thanks to the Plug & Light connectors

PASS BOX (1)

REFERENCE	AUTONOMY
110045	7 hours



Communication link between decoration and tablet/ smartphone.
Controls and programs the street decorations equipped with a Saver Box, thanks to the App, the tablet/smartphone application.

- Dimensions: H 117 x W 72 x P27 mm
- USB / radio communication
- 7 hours battery life - supplied with battery, mains charger 230V, and mini USBc cable.
- IP 20

P&L 230V IP54

SAVER BOX(1)

REFERENCE	REACH	P. MAX/230V
010019PA	50 m	460W/AC + 460W/DC



Power supply which turns on/off street decorations according to required hours.
Enables you to create a power cut period at night.
The Savers Boxes talk to each others wireless.


- Dimensions: H 115 x W 78 x D 33 mm
- Power supply 230V AC
- 1 AC max 2A output + 1 DC max 2A output, P&L Bf
- Connection 2.35 mm P&L Bm
- IP 54

(1) Works in Europe only

Accessories to avoid cutting the Maestrio housing connector :


MALE CONNECTOR WITH CABLE GLAND

REFERENCE	CABLE	LGT.
032355	▬	0.18 m



FEMALE CONNECTOR WITH CABLE GLAND

REFERENCE	CABLE	LGT.
032369	▬	0.18 m



KUBIX³ TECHNOLOGY

Produce amazing light shows with Kubix³ !

Kubix3, an exclusive Leblanc illuminations technology.
These DMX transmission boxes let you control, dim and synchronise very precisely all our street decorations, lighting solutions, projectors, let you set up independant networks and make the most amazing light designs possible.

Discover Kubix³



Saint Jean de Luz • France

Pau • France


Megève • France

KUBIX³ TECHNOLOGY

230V


P&L 230V | IP67

REFERENCE	DESCRIPTION	C. DMX
110047	Kubix³ 230V	1/3



Front side adressable DMX controller.
Stand alone mode with preset programmes for non DMX use.
Dimensions : W 170 x l 73,6 x D 38 mm

Example of 230V cabling plan



DMX ACCESSORIES

REFERENCE	DESCRIPTION	DIMENSIONS	WEIGHT	C. DMX
180034	E-Board 512	97 x 166 x 38 mm	0.18 kg	1 x 512

REFERENCE	DESCRIPTION	LGT.
080805	Adapter DMX in/outdoor	20 cm
080190	IP 67 DMX cable light	10 m
080191	IP 67 DMX cable light	5 m
080192	IP 67 DMX cable light	2.50 m



HALTO
by Leblanc illuminations

HALTO, an exclusive brand by LEBLANC illuminations.



Dynamic Lighting Solutions


For more then 30 years, the HALTO brand has been working alongside lighting designers, visual artists, scenographers, and event agencies.

Drawing on its experience, HALTO delivers bespoke lighting solutions - designed specifically for you!

Wheter for aquatic, urban, dynamic environments or extreme cold conditions... HALTO turns your creative ideas into outstanding realisations.


www.haltolighting.com

Discover the HALTO catalogue





Architectural Lighting



BAR

IP67

REFERENCE	DESCRIPTION	LAMP	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180240	BAR 9	RGBL 9 LED	305 x 66 x 61 mm	1.2 kg 30 W	15° to 60°	1/3/4/5/6/7
180241	BAR 18	RGBL 18 LED	610 x 66 x 61 mm	2.2 kg 60 W	15° to 60°	1/3/4/5/6/7/11
180242	BAR 27	RGBL 27 LED	915 x 66 x 61 mm	3.3 kg 90 W	15° to 60°	1/3/4/5/6/7/15



New generation of linear wall washers, the BAR range is available in three versions, with 9, 18 or 27 LEDs. With an IP67 rating, the BARs provide a flexible solution for archtectural lighting across a wide range of outdoor building installations.
The BARs are equipped with RDM functionality and can be controlled by sections (Bar 9 - 1 sections, Bar 18 - 2 sections, Bar 27 - 3 sections). Each section requires one filter (for example: 1 filter for Bar 9; 2 filters for bar 18, and 3 filters for bar 27).
Finish : saline treament.

- 9, 18 ou 27 LEDs multichip RGBL
- Beam angle 15° to 60°
  (15°, 30°, 45°, 60°, 15°x30° et 15°x60°)
- RDM
- IP67



SPO 15

- 1 RGBL LED
- Power 15W



SPO 100

- 5 RGBL LEDs
- Power 100W




SPO 180

- 9 RGBL LEDs
- Power 180W



SPO 450

- 30 RGBL LEDs
- Power 450W



SPO & SQA 300 use the latest 4 in 1 LED technology to achieve high levels of colour saturation and exceptional colour mixing.
A range of filters provides multiple beam angles allowing precise adjustment to the desired effect.
Equipped with RDM functionality, the projectors deliver real-time feedback on their operating status, simplifying commissioning and setup. Finish : saline treatment.

- RGBL LEDs
- Beam angle 6°
- Advanced colour processing
- RDM
- IP67



SQA 300

- 27 RGBL LEDs
- Power 300W

IP67

REFERENCE	DESCRIPTION	LAMP	DIMENSIONS	WEIGHT	P. / 230V	OPTICS	C. DMX
180247	SPO 450	RGBL 30 LED	423 x 284 x 443 mm	18 kg	450 W	6°	1/3/4/5/7/15
180243	SQA 300	RGBL 27 LED	521 x 119 x 284 mm	11.4 kg	300 W	6°	1/3/4/5/7/8
180246	SPO 180	RGBL 9 LED	287 x 245 x 284 mm	8 kg	180 W	6°	1/3/4/5/7/8
180245	SPO 100	RGBL 5 LED	206 x 197 x 217 mm	5 kg	100 W	6°	1/3/4/5/7/8
180244	SPO 15	RGBL 1 LED	176 x 111 x 164 mm	1.7 kg	15 W	6°	1/3/4/5/7/8

GOBO SELECTION


800259


800042


800000


800519


800278



800283



800202



800564



800038

CUSTOMISED GOBOS

Custom visuals can be produced on request.





NEWTON 210 HD+

IP66

REFERENCE	DESCRIPTION	LAMP	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180063	Newton 210 HD+	RGBAL LED	668 x 344 x 273 mm	16 kg	250 W	15° > 30° 8/10/13/19

The Newton 210 HD+ is an IP66 profile projector equipped with a 250W RGBA + Lime LED and a medium-sized gobo holder (water effect gobo included). The light features 12 white macros, ranging from 2700° to 8000°, as well as Lee and Rosco colour presets. The die-cast aluminium houdsing is designed to operate in temperatures from -20°C to +45°C.



- IP66 profile
- Zoom 15 to 30°
- Motorized zoom focus
- 4 manual shutters
- Medium size indexable rotating gobo
- Water effect gobo included
- Wireless DMX by Wireless Solution
- RDM
- Illuminance 4662 Lux at 5m



Watch the animations

KEPLER 350

The Kepler 350 is an IP66 gobo projector equipped with a 350W white LED at 7000°—perfect for outdoor projection. Thanks to its various gobo effects, CMY colour mixing, prism, frost, and an 8° to 40° zoom, the spotlight delivers impressive short and long-distance projections. With an IP66 waterproof rating, the product is ideal for highlighting theme parks, shopping centres, architectural buildings, historical monuments, and more.



- 350W white LED
- Zoom 8 to 40°
- Power 380W
- 7 rotating gobos + white wheel
- 7 colours + white wheel
- CMY
- Animation wheel
- 3 facets prism
- Frost
- Wireless Solution
- RDM
- IP66



KEPLER 150

IP66

REFERENCE	DESCRIPTION	LAMP	DIMENSIONS	WEIGHT P. / 230V	OPTICS	C. DMX
180249	Kepler 350	White 1 LED 350 W	605 x 343 x 250 mm	23 kg 350 W	8° > 40°	17/20
180248	Kepler 150	White 1 LED 150 W	454 x 201 x 186 mm	9.2 kg 150 W	18° > 40°	11/14

The latest addition to the range, the Kepler 150, is an IP66 gobo projector equipped with a 100W 5900K white LED engine, delivering a flux of 2850 lumens. Housed in a compact case, it includes a 5-colour wheel, a 4-rotating-gobo wheel, a 4-facet prism, an animation wheel, and an 18° to 40° zoom. The Kepler 150 can project images onto buildings or any other outdoor surface at short to medium distances. It is also equipped with a wireless DMX receiver, removing the need for a control cable.

- 100W white LED
- Zoom 18 to 40°
- Power 150W
- 4 rotating gobos
- 5 colours wheel
- CMY
- Animation wheel
- 4 facets prism
- Wireless Solution
- RDM
- IP66

IZY 80

Rotating gobo spotlight





IP65

REFERENCE	DESCRIPTION	LAMP	DIMENSIONS	WEIGHT P. / 230V	OPTICS
551157	IZY 80	White 1 LED 80 W	266 x 182 x 105 mm	2.3 kg 92 W	32°
800360	Set of 6 Christmas gobos				
551221	Optics 20° for IZY 80				
551222	Optics 53° for IZY 80				







FLOODLITE

This projector houses an RGBW COB LED in a compact body, delivering an impressive 200W output and a 60° beam angle.

Its weight and size make it easy to conceal.

IP65

REFERENCE	DESCRIPTION	LAMP	DIMENSIONS	WEIGHT P. / 230V		OPTICS	C. DMX
180108	Floodlite HD	RGB 1 LED 200 W	235 x 110 x 190 mm	3 kg	120 W	60°	4/7/10/11/15

E-BOARD

This box allows you to animate all your events and lighting decorations.

Available in 1024 DMX channels, it lets you recall your recorded scenes using the buttons on the front panel.

IP20

REFERENCE	DESCRIPTION	DIMENSIONS	WEIGHT	C. DMX
180163	E-Board 1024 MKIII	127 x 110 x 40 mm	0.18 kg	2 x 512



Make your installations easier by eliminating cables, choose wireless DMX!

These boxes can support 512 to 1024 DMX channels, and can be used as DMX transmitters, receivers or repeaters, all IP65.



GALILEO

EASY TO INSTALL

BLUETOOTH

REFERENCE	DESCRIPTION
110039	Galileo RX
110040	Galileo TX

Galileo makes your next installation project easier than ever by providing reliable Wireless DMX in an install friendly form factor.

GALILEO RX

Supported Protocols:

- DMX / RDM
- CRMX², CRMX Classic
- W-DMX G3/G4/G4S/G5
- Bluetooth 5.0

GALILEO TX

Supported Protocols:

- DMX / RDM
- CRMX Classic
- W-DMX G3/G4S
- Bluetooth 5.0

RF Characteristics:


- 2402-2480 MHz frequency
- 7 - 280 mW output power
- 5ms latency
- 128-bit encryption
- Forward Error Correction

Physical:


- DIN-rail 2 module width
- RP-SMA antenna connector
- 12-24 VDC/VAC pluggable screw terminal
- DMX/RDM 3 pin pluggable screw terminal

Approvals :

- CE, FCC, IC, NRTL (MET), KC, MIC, UKCA







SERVICES

To support you in your projects, we offer a range of services.
From cable preparation to the installation start-up,
everything is done to guide you as effectively as possible in bringing your lighting vision to life.

MEL-CABLAGE :

- Action carried out on a projector to match the product's connectors to the customer's project
- Address projector / Define static programme

MEL-PREPA :

- Project wiring plan
- Programming of a show defined with the customer
- Hotline with dedicated spotlighting contact person

MEL-ASSIST :

- On-site travel
- Project wiring plan
- Programming a show defined with the customer
- Helpline with dedicated contact person for spotlighting
- Adjusting spotlights and checking installation
- Validation of product operation

MEL-FORMA :

- On-site training 4 people maximum per course
- Training in projector use
- Pilot software training
- Various training courses

MEL-SCAN :

- On-site travel
- Measuring buildings
- Supply of data files

MEL-TWINKLY :

- On-site travel
- Project study
- Project wiring diagram
- Set-up of decorations/products and verification of installation
- Validation of product operation
- On-the-spot training in the use and control of Twinkly PRO technology

Our high-performance scanner enables precise 3D surveying of complex objects and buildings.

This automated dimensioning system is an invaluable asset, as it allows all necessary measurements to be taken in record time and integrates this data into the simulation of your lighting project. You can also retrieve neutral files from a simple and intuitive interface, compatible with any operating system, for all your future needs



REFERENCE

MEL-CABLAGE
MEL-PREPA
MEL-ASSIST
MEL-FORMA
MEL-SCAN
MEL-TWINKLY


Sound & lighting

Thanks to our project managers, specialists in creating sound and light shows, your installations (Christmas trees, ceilings, etc.) come to life during events.

Sound and light shows tell a story, whether imaginary or historical. Depending on the location and the atmosphere you wish to create, we can offer solutions tailored to your needs.

A light show can be installed in a place rich in history: a historic building, a facade, an avenue... In this way, you can highlight your heritage and reveal details that might otherwise go unnoticed!

Spectators are captivated, and it's up to you to fill them with even more wonder: light, sound, fragrance... Programmed scenes or sensor-triggered – anything is possible to bring your story to life.



Beaugrenelle Shopping Center • France
Design Bruno Dolis



Megève • France

Cathédrale • France



Carvin • France



SYNCHRONISED ILLUMINATIONS

wet

Weather
Exterior
Technology

A UNIQUE RANGE OF IP65 MOVING HEADS
100% ALUMINIUM BODY



3 NEW FIXTURES


Starway

STARWAY.EU | contact@starway.eu

starway.eu



Technical Appendix



COMPLIANCE OF OUR PRODUCTS

All Leblanc illuminations' products comply with all European standards and directives.
The product compliance certificates are provided on request.

DIRECTIVE NAME	AREA OF APPLICATION
ROHS 2011/65/UE Directive	The ROHS European directive aims to restrict the use of 6 dangerous substances (lead, mercury, cadmium, hexavalent chrome, polybrominated biphenyls (PBBs), and polybrominated diphenyl ethers (PBDEs). RoHS signifies 'Restriction of the use of certain Hazardous Substances' in electrical and electronic equipment.
Directive DEEE 2012/19/UE Directives	Waste Electronic and Electrical Equipment (WEEE) is a category of waste defined by European regulations as 'equipment functioning with electric currents or electromagnetic fields, as well as equipment which produces, transfers, and measures these currents and fields, designed to be used at a voltage which does not exceed 1000 volts AC and 1500 volts DC'. In Europe, this directive aims to make the recycling of WEEE mandatory and establish the principle of producers' responsibility. Consumers will contribute to this process by paying an eco-contribution or eco-tax, included in the purchase price for new equipment.

INTERNATIONAL PROTECTION

IP is the protection index against solids and liquids. Outside, the minimum protection index is IP44.



1st protection figure = SOLIDS

2nd protection figure = LIQUIDS

IP	PROTECTION
0	No protection.
1	Protected against solids of more than 50 mm (unintentional contact with hands).
2	Protected against solids of more than 12.5 mm (fingers).
3	Protected against solids of more than 2.5 mm (tools, screws).
4	Protected against solids of more than 1 mm (small tools, small wires).
5	Protected against dust (no harmful deposits).
6	Fully protected against dust.


IP	PROTECTION
0	No protection.
1	Protected against drops of water falling vertically (condensation).
2	Protected against drops of water up to 15° from vertical.
3	Protected against rainwater up to 60° from vertical.
4	Protected against water spray from all directions.
5	Protected against hosed water from all directions.
6	Fully protected against water spray similar to waves.
7	Protected against the effects of immersion.
8	Protected against the effects of prolonged immersion in the specified conditions (followed by an indication of the maximum immersion depth in metres).

PUBLIC ACCESSIBILITY TO 230V DECORATIONS


Installations which are accessible to the public
EThey are located at a height lower than 3 m above the ground or at least 1 m horizontally outwards from a balcony, terrace or any place accessible to the public. Light installations positioned directly on the ground are also included.

QWhat precautions need to be taken?
▪ Extract from the standard C 17-202, § 5.1.2
'The circuits must be protected at their source by high sensitivity residual current devices (30mA) for additional protection against direct contact.'
▪ Extract from the standard C 17-202, § 5.2.2
'Maintained inaccessibility provides protection against direct contact. In terms of indirect contact, the circuits must be protected by a medium sensitivity residual current device (300mA). The connection must be made with fixed connections. Non-fixed connections and even inaccessible sockets are protected by high sensitivity residual current devices (30mA). If part of the temporary installation does not comply with inaccessibility regulations, the requirements of 5.1.2 must be applied at least to the part in question.'

INSTALLATIONS ACCESSIBLE TO THE PUBLIC



INSTALLATIONS NOT ACCESSIBLE TO THE PUBLIC





TECHNICAL VOCABULARY

AMPERE (A)
Unit which measures the intensity of current which corresponds to the number of electrons which pass through a point in a circuit per second.

VOLT (V)
Unit which measures the voltage. The voltage is the difference in electrostatic potential between two points and is associated with the energy that an electron needs to move between these two points.

WATT (W)
Unit which measures the power consumed by a product.
Calculation of the intensity of the current : P = U x I
(P : power in W, U : voltage in V, I : intensity in A)

FREQUENCY (Hz)
Number of times the polarity of the signal changes per second. It is given in Hertz.

COLOUR TEMPERATURE
The colour temperature makes it possible to determine the colour of a light source. The apparent colour of a light source varies from the orange-red of a candle flame (1850 K) to the blueish colour of an electronic flash (between 5000 and 6500 K according to the manufacturer). It is measured in Kelvin (K).
- Warm white: 2600 K
- Neutral white: 3500 K
- Cool white: 4500 K

CE MARKINGS
It is mandatory for all products covered by one or several European directives which specifically provide for it. To put CE marking on a product, the manufacturer must carry out, or have carried out, checks and tests to ensure that a product complies with the essential requirements, particularly in terms of health and safety, defined in the directive(s) concerned. It is not a certification mark or an indication of the geographical origin of the product. It is mandatory and of a regulatory nature and is the visible commitment of the manufacturer that its product complies with European legislation. It gives the products concerned the right of free movement throughout the European Union.



PROCESSING OF ELECTRIC AND ELECTRONIC PRODUCTS' END-OF-LIFE
Applied to all products except incandescent bulbs, gas bulbs, spotlights, power cables and all non-electric products

LEAKAGE CURRENT
The leakage current is current which, by definition, leaks between the active parts and the grounding connection in the absence of an electrical fault. It is part of the installation's normal functioning. The design of an electric installation must provide for residual current protection to ensure the safety of persons and goods by taking these leakages into account. These, along with the installation's upstream cables, can reach the threshold value for activating the protection. The solution is to limit the number of devices protected by the same residual current device.
For example, for 10 m of garlands, you measure leakage current equal to 0.09 mA. Knowing that a 30 mA circuit breaker is triggered at 16 mA, you need to heed to a maximum of 50 x 20 m garlands for an HPI type 30 mA differential circuit breaker.

DMX PROJECTION AND MANAGEMENT

DIAMETER PROJECTION TABLE

You can choose the projector suited to your project according to the minimum projection angle to illuminate a building from a given distance.

PROJECTION DISTANCE (IN METRES)

BEAM ANGLE (IN DEGREES)

	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	18	20	25	30	35	40	45	50	60	70	80
10°	**0.17**	**0.35**	**0.52**	**0.70**	**0.87**	**1.05**	**1.22**	**1.40**	**1.57**	**1.75**	**1.92**	**2.10**	**2.27**	**2.45**	**2.62**	**3.15**	**3.50**	**4.37**	**5.25**	**6.12**	**7.00**	**7.87**	**8.75**	**10.50**	**12.25**	**14.00**
11°	0.19	0.39	0.58	0.77	0.96	1.16	1.35	1.54	1.73	1.93	2.12	2.31	2.50	2.70	2.89	3.47	3.85	4.81	5.78	6.74	7.70	8.67	9.63	11.55	13.48	15.41
12°	**0.21**	**0.42**	**0.63**	**0.84**	**1.05**	**1.26**	**1.47**	**1.68**	**1.89**	**2.10**	**2.31**	**2.52**	**2.73**	**2.94**	**3.15**	**3.78**	**4.20**	**5.26**	**6.31**	**7.36**	**8.41**	**9.46**	**10.51**	**12.61**	**14.71**	**16.82**
13°	0.23	0.46	0.68	0.91	1.14	1.37	1.60	1.82	2.05	2.28	2.51	2.73	2.96	3.19	3.42	4.10	4.56	5.70	6.84	7.98	9.11	10.25	11.39	13.67	15.95	18.23
14°	**0.25**	**0.49**	**0.74**	**0.98**	**1.23**	**1.47**	**1.72**	**1.96**	**2.21**	**2.46**	**2.70**	**2.95**	**3.19**	**3.44**	**3.68**	**4.42**	**4.91**	**6.14**	**7.37**	**8.59**	**9.82**	**11.05**	**12.28**	**14.73**	**17.19**	**19.65**
15°	0.26	0.53	0.79	1.05	1.32	1.58	1.84	2.11	2.37	2.63	2.90	3.16	3.42	3.69	3.95	4.74	5.27	6.59	7.90	9.22	10.53	11.85	13.17	15.80	18.53	21.06
16°	**0.28**	**0.56**	**0.84**	**1.12**	**1.41**	**1.69**	**1.97**	**2.25**	**2.53**	**2.81**	**3.09**	**3.37**	**3.65**	**3.94**	**4.22**	**5.06**	**5.62**	**7.03**	**8.43**	**9.84**	**11.24**	**12.65**	**14.05**	**16.86**	**19.68**	**22.49**
17°	0.30	0.60	0.90	1.20	1.49	1.79	2.09	2.39	2.69	2.99	3.29	3.59	3.89	4.18	4.48	5.38	5.98	7.47	8.97	10.46	11.96	13.45	14.95	17.93	20.92	23.91
18°	**0.32**	**0.63**	**0.95**	**1.27**	**1.58**	**1.90**	**2.22**	**2.53**	**2.85**	**3.17**	**3.48**	**3.80**	**4.12**	**4.43**	**4.75**	**5.70**	**6.34**	**7.92**	**9.50**	**11.09**	**12.67**	**14.25**	**15.84**	**19.01**	**22.17**	**25.34**
19°	0.33	0.67	1.00	1.34	1.67	2.01	2.34	2.68	3.01	3.35	3.68	4.02	4.35	4.69	5.02	6.02	6.69	8.37	10.04	11.71	13.39	15.06	16.73	20.08	23.43	26.77
20°	**0.35**	**0.71**	**1.06**	**1.41**	**1.76**	**2.12**	**2.47**	**2.82**	**3.17**	**3.53**	**3.88**	**4.23**	**4.58**	**4.94**	**5.29**	**6.35**	**7.05**	**8.82**	**10.58**	**12.34**	**14.11**	**15.87**	**17.63**	**21.16**	**24.69**	**28.21**
21°	0.37	0.74	1.11	1.48	1.85	2.22	2.59	2.97	3.34	3.71	4.08	4.45	4.82	5.19	5.56	6.67	7.41	9.27	11.12	12.97	14.83	16.68	18.53	22.24	25.95	29.65
22°	**0.39**	**0.78**	**1.17**	**1.56**	**1.94**	**2.33**	**2.72**	**3.11**	**3.50**	**3.89**	**4.28**	**4.67**	**5.05**	**5.44**	**5.83**	**7.00**	**7.78**	**9.72**	**11.66**	**13.61**	**15.55**	**17.49**	**19.44**	**23.33**	**27.21**	**31.10**
23°	0.41	0.81	1.22	1.63	2.03	2.44	2.85	3.26	3.66	4.07	4.48	4.88	5.29	5.70	6.10	7.32	8.14	10.17	12.21	14.24	16.28	18.31	20.35	24.41	28.48	32.55
24°	**0.43**	**0.85**	**1.28**	**1.70**	**2.13**	**2.55**	**2.98**	**3.40**	**3.83**	**4.25**	**4.68**	**5.10**	**5.53**	**5.95**	**6.38**	**7.65**	**8.50**	**10.63**	**12.75**	**14.88**	**17.00**	**19.13**	**21.26**	**25.51**	**29.76**	**34.01**
25°	0.44	0.89	1.33	1.77	2.22	2.66	3.10	3.55	3.99	4.43	4.88	5.32	5.76	6.21	6.65	7.98	8.87	11.08	13.30	15.52	17.74	19.95	22.17	26.60	31.04	35.47
26°	**0.46**	**0.92**	**1.39**	**1.85**	**2.31**	**2.77**	**3.23**	**3.69**	**4.16**	**4.62**	**5.08**	**5.54**	**6.00**	**6.46**	**6.93**	**8.31**	**9.23**	**11.54**	**13.85**	**16.16**	**18.47**	**20.78**	**23.09**	**27.70**	**32.32**	**36.94**
27°	0.48	0.96	1.44	1.92	2.40	2.88	3.36	3.84	4.32	4.80	5.28	5.76	6.24	6.72	7.20	8.64	9.60	12.00	14.40	16.81	19.21	21.61	24.01	28.81	33.61	38.41
28°	**0.50**	**1.00**	**1.50**	**1.99**	**2.49**	**2.99**	**3.49**	**3.99**	**4.49**	**4.99**	**5.49**	**5.98**	**6.48**	**6.98**	**7.48**	**8.98**	**9.97**	**12.47**	**14.96**	**17.45**	**19.95**	**22.44**	**24.93**	**29.92**	**34.91**	**39.89**
29°	0.52	1.03	1.55	2.07	2.59	3.10	3.62	4.14	4.66	5.17	5.69	6.21	6.72	7.24	7.76	9.31	10.34	12.93	15.52	18.10	20.69	23.28	25.86	31.03	36.21	41.38
30°	**0.54**	**1.07**	**1.61**	**2.14**	**2.68**	**3.22**	**3.75**	**4.29**	**4.82**	**5.36**	**5.89**	**6.43**	**6.97**	**7.50**	**8.04**	**9.65**	**10.72**	**13.40**	**16.08**	**18.76**	**21.44**	**24.12**	**26.79**	**32.15**	**37.51**	**42.87**
31°	0.55	1.11	1.66	2.22	2.77	3.33	3.88	4.44	4.99	5.55	6.10	6.66	7.21	7.77	8.32	9.98	11.09	13.87	16.64	19.41	22.19	24.96	27.73	33.28	38.83	44.37
32°	**0.57**	**1.15**	**1.72**	**2.29**	**2.87**	**3.44**	**4.01**	**4.59**	**5.16**	**5.73**	**6.31**	**6.88**	**7.46**	**8.03**	**8.60**	**10.32**	**11.47**	**14.34**	**17.20**	**20.07**	**22.94**	**25.81**	**28.67**	**34.41**	**40.14**	**45.88**
33°	0.59	1.18	1.78	2.37	2.96	3.55	4.15	4.74	5.33	5.92	6.52	7.11	7.70	8.29	8.89	10.66	11.85	14.81	17.77	20.73	23.70	26.66	29.62	35.55	41.47	47.39
34°	**0.61**	**1.22**	**1.83**	**2.45**	**3.06**	**3.67**	**4.28**	**4.89**	**5.50**	**6.11**	**6.73**	**7.34**	**7.95**	**8.56**	**9.17**	**11.01**	**12.23**	**15.29**	**18.34**	**21.40**	**24.46**	**27.52**	**30.57**	**36.69**	**42.80**	**48.92**
35°	0.63	1.26	1.89	2.52	3.15	3.78	4.41	5.04	5.68	6.31	6.94	7.57	8.20	8.83	9.46	11.35	12.61	15.76	18.92	22.07	25.22	28.38	31.53	37.84	44.14	50.45
36°	**0.65**	**1.30**	**1.95**	**2.60**	**3.25**	**3.90**	**4.55**	**5.20**	**5.85**	**6.50**	**7.15**	**7.80**	**8.45**	**9.10**	**9.75**	**11.70**	**13.00**	**16.25**	**19.50**	**22.74**	**25.99**	**29.24**	**32.49**	**38.99**	**45.49**	**51.99**
37°	0.67	1.34	2.01	2.68	3.35	4.02	4.68	5.35	6.02	6.69	7.36	8.03	8.70	9.37	10.04	12.05	13.38	16.73	20.08	23.42	26.77	30.11	33.46	40.15	46.84	53.54
38°	**0.69**	**1.38**	**2.07**	**2.75**	**3.44**	**4.13**	**4.82**	**5.51**	**6.20**	**6.89**	**7.58**	**8.26**	**8.95**	**9.64**	**10.33**	**12.40**	**13.77**	**17.22**	**20.66**	**24.10**	**27.55**	**30.99**	**34.43**	**41.32**	**48.21**	**55.09**
39°	0.71	1.42	2.12	2.83	3.54	4.25	4.96	5.67	6.37	7.08	7.79	8.50	9.21	9.92	10.62	12.75	14.16	17.71	21.25	24.79	28.33	31.87	35.41	42.49	49.58	56.66
40°	**0.73**	**1.46**	**2.18**	**2.91**	**3.64**	**4.37**	**5.10**	**5.82**	**6.55**	**7.28**	**8.01**	**8.74**	**9.46**	**10.19**	**10.92**	**13.10**	**14.56**	**18.20**	**21.84**	**25.48**	**29.12**	**32.76**	**36.40**	**43.68**	**50.96**	**58.24**
60°	1.15	2.31	3.46	4.62	5.77	6.93	8.08	9.24	10.39	11.55	12.70	13.86	15.01	16.17	17.32	20.78	23.09	28.87	34.64	40.41	46.19	51.96	57.74	69.28	80.83	92.38

DMX: DIGITAL MULTIPLEXING

The DMX is a protocol which came out of the USA and was introduced in 1986. It is a copyright-free system and it is cheap to implement. The DMX protocol is a switchboard for transmitting information between controls and remote receivers. Everything is based on digital pulse trains made up of square waves transmitted cylindrically on a frequency of 250 kHz. 24 to 512 channels can be transmitted on the same frame, with 512 possible Start codes.

Precautions:


- It has low voltage, so you need to avoid being close to high-emission high voltage.
- The voltage compared to the mass = - 7V to + 12V.
- The current between 2 conductors must be min. 200 mV.
- Y connections are strictly prohibited. You must use an amp junction box.
- The signal must be re-amplified approx. every 200 m or every 20 products.

INSTALLING A CEILING LIGHT

EXAMPLE: to fit a 100 m long x 4 m wide street with an led ceiling light

CALCULATE THE MINIMUM NUMBER OF ATTACHMENT POINTS

Length of street $\Big/ \frac{100}{9.6} = 10.41$




You need 12 attachment points (or ropes):
10 spaces of 9.6 m + 11th space of 4 m

CALCULATE THE NUMBER OF CONNECTORS ACROSS (REF.058919)

Width of street $\Big/ \frac{4}{1} = 4$

Length of connector

You need 4 connectors width-wise.



N.B.: For 10 m of garland, you can only cover 9.6 m of ceiling. You therefore need to have attachment points every 9.6 m or less.

CALCULATE THE TOTAL NUMBER OF 20 M GARLANDS

Given that you need 4 connector cables width-wise and that each connector has 4 connection points, there will be 16 garland outlets (4x4 = 16).
We also have 10 spaces of 9.6 m (knowing that you need 10 m of garland to cover 9.6 m of ceiling) + 1 space of 4 m (that we could cover with 5 m of garland).

For each of the 16 lengths, you will need 5 x 20 m garlands + 1 x 5 m garland:
- 16 outlets of 5 x 20 m garlands = 16 x 5 = 80 x 20 m garlands.
- 16 additions of 5 m = $\frac{16 \times 5}{20}$ = 4 x 20 m garlands (dividable every 5 m).

To do this street's 'ceiling', you will therefore need
84 x 20 m garlands.


CALCULATE THE NUMBER OF SUPPLIES (REF.550663 + 300002)


Given that a fixed LED garland uses 17W/230V, the total use for the ceiling will be:
84 x 17 = 1428W.
We are limited in terms of power here by the power cable, which can handle a maximum power of 920W/230V
(because of the 4A rectifier). So: $\frac{1428}{920} = 1.55$

2 power cables are therefore required.


INSTALLING A CEILING LIGHT

Examples of cabling :





550663 + 300002
Power cable + 4A rectifier (see p.268)



058919
2-wire connector cable for fixed LED garlands (see p.269)



FITTING A TREE WITH LIGHTING GARLANDS

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times D$$

P: Perimeter in m; π = 3.14; D: Diameter in m

CALCULATE THE NUMBER OF GARLAND COILS (NC) (0.3 M BETWEEN EACH COIL)

$$NC = \frac{H}{0.3}$$

NC: Number of coils

CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED


$$LT = \frac{NC \times P}{2}$$

LT: Total length in m

CALCULATE THE NUMBER OF GARLANDS (NG) REQUIRED

$$NG = \frac{LT}{LG}$$

NG: Number of garlands; LG: Length of garland used in m



EXAMPLE

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times 4.5 = 14.13 \text{ m}$$

CALCULATE THE NUMBER OF GARLAND COILS (NC) (0.3 M BETWEEN EACH COIL)

$$NC = \frac{6}{0.3} = 20$$


CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED

$$TL = \frac{20 \times 14.13}{2} = 141.3 \text{ m}$$

CALCULATE THE NUMBER OF GARLANDS (NG) REQUIRED

$$NG = \frac{141.3}{20} = 7.065$$

or 8 garlands are therefore required, depending on the density desired



FITTING A FIR TREE WITH LIGHTING GARLANDS

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times D$$

P: Perimeter in m; π = 3.14; D: Diameter in m

CALCULATE THE NUMBER OF GARLAND COILS (NC) (0.3 M BETWEEN EACH COIL)

$$NC = \frac{H}{0.3}$$

NC: Number of coils

CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED


$$TL = \frac{NT \times P}{2}$$

TL: Total length in m

CALCULATE THE NUMBER OF GARLANDS (NG) REQUIRED

$$NG = \frac{LT}{LG}$$

NG: Number of garlands; LG: Length of garland used in m



EXAMPLE

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times 3 = 9.42 \text{ m}$$

CALCULATE THE NUMBER OF GARLAND COILS (NC) (0.3 M BETWEEN EACH COIL)

$$NC = \frac{8}{0.3} = 26.66$$

CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED


$$TL = \frac{26.66 \times 9.42}{2} = 125.6 \text{ m}$$

CALCULATE THE NUMBER OF GARLANDS (NG) REQUIRED

$$NG = \frac{125.6}{20} = 6.28$$

garlands are therefore required to decorate this tree.

N.B.: Depending on requirements, you can reduce or increase the space between the garlands:
- dense tree: 0.15 m
- normal tree: 0.30 m
- light tree: 0.50 m



FITTING A TREE WITH B22 GARLANDS

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times D$$

P: Perimeter in m; π = 3,14; D: Diameter in m

CALCULATE THE NUMBER OF GARLAND COILS (NC) (1 M BETWEEN EACH COIL)


$$NC = \left(\frac{H}{1}\right) /2$$

NC: Number of coils

CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED

$$TL = NC \times P$$

TL: Total length in m



EXAMPLE

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times 5 = 15,7 \text{ m}$$


CALCULATE THE NUMBER OF GARLAND COILS (NC) (1 M BETWEEN EACH COIL)

$$NC = \frac{8}{2} = 4$$

CALCULATE THE TOTAL LENGTH (TL) OF GARLANDS REQUIRED

$$TL = 4 \times 15,7 = 62,8 \text{ m}$$

Depending on the density desired, take either a 50 m/140 socket garland or a 50 m/200 socket garland.



FITTING A FIR TREE WITH B22 GARLANDS

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times D$$

P: Perimeter in m; π = 3.14; D: Diameter in m

CALCULATE THE NUMBER OF GARLANDS (NG) (2 M BETWEEN EACH DROP)

$$NG = \frac{P}{2}$$

NG: Number of garlands

CALCULATE THE LENGTH (LG) OF A GARLAND DROP


$$LG = \sqrt{H^2 + \left(\frac{D}{2}\right)^2}$$

LG: Total length in m

CALCULATE THE TOTAL LENGTH (TL) REQUIRED

$$TL = LG \times NG$$

TL: Total length in m



EXAMPLE

CALCULATE THE PERIMETER OF THE TREE

$$P = \pi \times 6 = 18.84 \text{ m}$$

CALCULATE THE NUMBER OF GARLANDS (NG)

$$NG = \frac{18.84}{2} = 9.42$$


CALCULATE THE LENGTH (LG) OF A GARLAND DROP

$$LG = \sqrt{10^2 + \left(\frac{6}{2}\right)^2} = 10.44 \text{ m}$$

CALCULATE THE TOTAL LENGTH (TL) REQUIRED

$$TL = 10.44 \times 9.42 = 98.34 \text{ m}$$

A 100 m B22 garland is therefore required.



Index

A

ALPHA 50
ABBY 84
AGATHE 98, 103
AGATHE BONNES FÊTES 98
ALYA 174
ARBRE MAGIQUE 164
ARCEAU ALPI 125
ARCEAU BOULE 125
ARCEAU CADEAU 125
ARCEAU CANDY L 143
ARCEAU CANDY M 143
ARCEAU CANDY XL 143
ARCEAU MILLÉSIME 125
ARCEAU MUFFIN 143
ARCEAU SPIRALE 143
ARCHE 47
ARCHE 3D 47
ARCHE 3D INFINITY 47
ARCHE BOULE 117
ARCHE CADEAU 59
ARCHE CASSE-NOISETTE 116
ARCHE CHAMPAGNE 116
ARCHE CIRCULAIRE 47
ARCHE FILANTE 93
ARCHE LUMINEUSE 47
ARCHE MILLÉSIME 87
ARCHE NOËL 117
ARCHE NOVA 117
ARCHE SAPIN COURBÉ 116
ARCHE SAPINETTE 47, 116
ARCHÉTOILE 117
ARCHE XMAS 117
ART DÉCO 84
ASTRA M 90
ASTRA S 90
ATMOS 99
AUGUSTIN LE LUTIN 147
AVION 136
AYDEN , 62, 63, 64*

B

BAUBLE CHAIR 132
BF FORÊT 58, 73
BF TORSADE 86
BICHE FÉÉRIQUE 153
BIG CAKE 141
BIRDY 99
BOA CHIC 59
BOA GIVRÉ 78
BOA TRADI 67
BOÎTE AUX LETTRES 146
BOÎTE DU PÈRE NOËL 149
BOÎTE LUTIN 147
BOÎTE NOËL 146
BOÎTE SANTA 149
BOUGIE PÉTILLANTE 120
BOULE ARTY 124
BOULE CHOUPI 149
BOULE DÉCO 159
BOULE DÉCO INFINITY 175
BOULE ÉTINCELANTE 121
BOULE ETOILÉE 158
BOULE L 158
BOULE L INFINITY 175
BOULE M 158
BOULE M INFINITY 174
BOULE MINIZ 121
BOULE NOËLLA 1 59
BOULE NOËLLA 2 59
BOULE NOËLLA 3 59
BOULE PÉTILLANTE 120
BOULE S 142, 159
BOULE S INFINITY 174
BOULE STAR 124
BOULLIZ' 45, 148
BOUQUETIN GLACÉ 152
BULLE DE GIVRE 76
BULLE DE GIVRE SOUPLE 76
BULLE DORÉE 158

C

CADEAU 58, 59, 158, 159
CADEAU CHOUPI 149
CADEAU COUCHÉ 158
CADEAU ÉTINCELANT 121
CADEAU FUNKY 66
CADEAU INFINITY 174
CADEAU M 159
CADEAU MINIZ 121
CADEAU PHOTO 128
CADEAU RUBAN 128
CADEAU S 159
CADEAUX FESTIFS 140
CADRE DE NOËL 129
CADRE LUMINEUX 45
CADRE OURS 129
CADRE PÈRE NOËL 128
CADRE PHOTO 45
CADRE PHOTO 129
CADRE PINGOUIN 128
CADRE RENNE 129
CADRE SAPINETTE 45, 129
CANNELLE 62, 63
CARROSSE INFINITY 174
CARROUSEL DE NOËL 153
CARROUSEL MACARONS 140
CASSE-NOISETTE 147
CÉLESTE 102
CERF FÉÉRIQUE 153
CHAMOIS 152
CHANDELIER 86
CHAPIN DE NOËL 147
CHARMIL INFINITY A 175
CHARMIL INFINITY B 175
CHARMIL INFINITY C 175
CHAT CHOUPI 154
CHEVAL 152
CHRISTMAS BAUBLE XL 158
CHRISTMAS MARKET 47
CÎMIER CÔNE GIVRÉ 162
CÎMIER ETOILÉ 164
CIMIER GIVRE 162
CIMIER HOLLY 166
CIMIER MAGIE 165
CIMIER NAOS 164
COEUR PETILLANT 120
CÔNE ARLEQUIN 163
CÔNE ESSENTIEL 164
CÔNE FUNKY 166
CÔNE GIVRÉ 164
CÔNE GOURMAND 141
CÔNE INFINITY 175
COURONNE DE NOËL 63
COURONNE FILAMENT 105
COURONNE GOURMANDE 62
COURONNE SONGE 103
CRISTAL 76
CRYSTAL FLAKE 72
CRYSTAL M INFINITY 174
CUPCAKE 142

D

DAIM 153
DEMI CÔNE CHIC M 167
DEMI CÔNE CHIC S 167
DEMI CÔNE TRADI M 167
DEMI CÔNE TRADI S 167

E

ECLAIR 132
ECLAT PÉTILLANT 121
ELFIE 105
ETOILE CHOUPI 149
ETOILE ÉTINCELANTE 121
ÉTOILE GIVRÉE 98
ETOILE GOURMANDE 62
ETOILE INFINITY 175
ETOILE NOVA 124
ETOILE PAIN D'ÉPICE 142
ETOILE PÉTILLANTE 120

F

FAON FÉÉRIQUE 153
FAUTEUIL CADEAU 133
FAUTEUIL NOËL 133
FAUTEUIL OURS 133
FAUTEUIL RENNE 133
FILAMENT 105
FLAKE 124
FLOCON , 77
FLOCON GIVRÉ 72
FLOCON MANDALA 72
FLOCON PÉTILLANT 120
FLOCON STRASS 72
FONTAINE E-DECO 175
FORÊT 58, 73
FRISE DE NOËL 104
FUSÉE 137

G

GABIN LE LUTIN 147
GÉOMÉTRA 50
GINGER CHOUPI 149
GINGER FUNKY 66
GINGER GOURMAND 62
GINGER MINIZ 121
GINGER PÉTILLANT 120
GIVRE 79, 104
GRANDE LOUISE 87, 91
GRANDE ROUE 137
GRAND PINGOO 154
GRAND RUDOLPHE 154
GRAND SYLVESTRE 166
GROS CADEAU 158

H

HOLLY 65
HOUX PÉTILLANT 120

I

IGLOO 152
INAYA 93

J

JF ART DÉCO 84
JF BIRDY 99
JF CÉLESTE , 102
JF LILY GIVRE 73
JF LILY PERLE 98
JF LILY STAR 93
J'M MA VILLE M 124
JOY DIAMANT 103
JOY ÉTOILE 65, 67, 92
JOYEUSES FÊTES 50
JOYEUSES FÊTES RUBAN 87
JOYEUX CADEAU 58
JOYEUX NOËL 129
JOY FLOCON 78
JOY FLOCON 78
JOY GOUTTE 92, 103

K

KIOSQUE 129
KIOSQUE INFINITY 174
KIT BOULES ABBY L 167
KIT BOULLIZ' FROSTY 45
KIT BOULLIZ' RUDY 45
KIT CÔNE ESSENTIEL 164
KIT FROSTY 148
KIT NOEUDS ABBY S 167
KIT NOEUDS ABBY XL 167
KIT RUDY 148

L

LA BOÎTE DES LUTINS 147
LANTERNE 64
LANTERNE MELLOW 64
LETTRAGE 50
LILY GIVRE 73
LILY PERLE 98
LILY STAR 93
LOUISE 87, 91
LUGE DES LUTINS 137
LUSTRE BOUGIES 64
LUSTRE DENTELLE 99
LUSTRE JOY DIAMANT 103
LUSTRE JOY ÉTOILE 67, 92
LUSTRE JOY FLOCON 78
LUSTRE JOY GOUTTE 103
LUSTRE TRADI 64
LUTIN FUNKY 66
LUTIN OUPS 148
LUTIN PHOTO 128

M

MACARONS 140
MAGIE 90, 91
MAISON BISCUIT 136
MAISON PAIN D'ÉPICE 142
MANDALA 85
MARCHÉ DE NOËL 47
MARIN LE LUTIN 146
MAXI CADEAU 159
M BISCUIT 142
MC ART DÉCO 84
MC BIRDY 99
MC LILY GIVRE 73
MC LILY PERLE 98
MC LILY STAR 93
MC TORSADE 86
MEILLEURS VOEUX 58
MEL-CABLAGE 299
MEL-PREPA 299
MEL-PRESTA 299
MEL-SCAN 299
MERRY CHRISTMAS 50
MILA 86
MILLÉSIME 87
MINI CADEAU 159
MIRA BOULE 104
MIRA ÉTOILE 92
MIRA FLOCON 78
MIRA TRADI 67
M. NOËL 146
MODULE ASSISE 49
MODULE PLAFOND 49
MR. NEIGE CHOUPI 148

N

NAÉ FLOKO 103
NAÉ STELLIZ 91
NAOS 164
NEIGE FUNKY 66
NEIGE OUPS 147
NOËL FILANT 58
NOËLLA 59
NOEUD 86, 87, 93
NORDIC 73
NOUGAT 155
NOVA 93

O

ORIANE 163, 166
ORIFLAMME 49
ORIFLAMME FLOCON 76
OURS FUNKY TRUFFE 66
OURSON CHOUPI 154, 155

P

PAQUET CADEAU PÉTILLANT 120
PÈRE NOËL CADEAU 146
PÈRE NOËL CHOUPI 146
PÈRE NOËL ÉTINCELANT 121
PÈRE NOËL FUNKY 66, 146
PÈRE NOËL OUPS 149
PETIT ALYA 163
PETIT AMAYA 163
PETIT CÔNE GOURMAND 141
PETITE LOUISE 87, 91
PETIT RENNE 137
PETIT TRAÎNEAU 133

PINGOO 155
PINGOUIN CHOUPI 155
PÔLE NORD 128
POMME D'AMOUR 141
POMPON 148
POP LANTERNE 64
POP UP BANQUISE 125
POP UP BOUGIE 125
POP UP GINGER 124

R

RENNE 124, 152
RENNE CHOUPI 154
RENNE COMÈTE 133, 152
RENNE FANTASTIQUE 153, 175
RENNE FÉÉRIQUE 153
RENNE FUNKY TRUFFE 66
RENNE PÉTILLANT 120
RENNES E-DECO 132, 152
RUBAN INFINITY 174
RUDOLPHE 155

S

SANTA 146
SANTA CLAUS 146
SAPIN 8P GIVRE 162
SAPIN 8P HOLLY 166
SAPIN 8P MAGIE 165
SAPIN ABBY L 167
SAPIN ABBY S 167
SAPIN ABBY XL 167
SAPIN COURONNES VERT 166
SAPIN CUBES 164
SAPIN DIAMANT L 162
SAPIN ÉTINCELANT 121
SAPIN ÉTOILES 165
SAPIN INFINITY 174
SAPIN L 124
SAPIN LOUISE 162
SAPIN M 124
SAPIN PAILLETÉ M 165
SAPIN PÉTILLANT 120, 121
SAPIN RUBAN 165
SAPIN S 124
SNOW FLAKE 72
SNOWMAN 125
SNOWMAN PÉTILLANT 121
SNOWY , 77
SOUPLE DIAMANT 63
SOUPLE ENCHANTÉE 105
SOUPLE FILAMENT 105
SOUPLE FLOCON 79
SOUPLE GIVRÉE 79
SOUPLE GLACÉ 79
SOUPLE LOUISE 84
SOUPLE MERRY 105
SPHÈRE L INFINITY 175
SPHÈRE M INFINITY 175
SPHÈRE PLIABLE 67
SPHÈRE S INFINITY 174
SPIRALE INFINITY 175
STARLIGHT BOULE 67
STARLIGHT DIAMANT 99
STARLIGHT FLOCON 79
SUCETTE 140
SUCRES D'ORGE 141
SUCRES D'ORGE PÉTILL 120
SYLVESTRE CADEAUX 166

T

TONNERRE 132
TORNADE 132
TORSADE 86
TRAIN 136
TRAINEAU CRISTAL 133
TRAINEAU DE LAPONIE 132
TRAINEAU E-DECO 132, 152
TRAINOSSIMO 146
TRAVERSÉE FUNKY 66
TROIS SUCETTES 140

V

VENTI 90
VERSA , 102
VOITURE DE COURSE 137

W

WAGON 136
WINTER 76

Z

ZEF 103





Belgium

Index

REFERENCE	PAGE
000002	280
001242	280
001813	280
001814	280
001867	265
001948	181
001949	181
010001	183
010011	183
010014	183
010019PA	287
010020	287
031852	178
031855	178
031858	183
031873	193
031894	179
031895	178
031903	268
031937	181
031938	181
031939	181
031940	181
031941	181
031942	181
031990	178
032093	269
032094	180
032180	179
032187	268
032188	268
032189	268
032197	178
032198	178
032212	181
032220	179
032233	179
032235	180
032241	181
032242	180
032274	182
032275	182
032279	269
032283	268
032286	271
032289	179
032327	181
032337	269
032338	268
032339	268
032341	180
032342	268
032353	261
032355	287
032357	269
032358	182
032361	179
032362	179
032364	216, 271
032365	216, 271
032366	216, 271
032367	216, 271
032368	216, 271
032369	287
032370	179
032371	216, 271
032372	271
032373	271
032374	268
032375	268
032376	215, 259, 260, 268
050172	279
050176	279
050475	182
050476	268
050477	268
050479	269
050487	269
050508	253
050540	224
050541	253
050562	280
050563	280
050579	279
050602	249
050603	249
050683	279
050686	263
050687	263
050688	263
050744	199
050745	199
050754	242
050757	242
050761	202
050762	202
050763	247
050764	247
050768	178, 243
050769	178, 243
050772	280
050791	246
050792	246
050793	227
050795	227
050857	198
050883	200
050884	200
050885	200
050887	200
050888	200
050989	193
050992	199
051012	261
051016	277
051026	187
051032	261
051033	261
051034	261
051035	261
051036	261
051039	178, 243
051066	279
051067	279
051069	279
051072	187
051076	277
051078	200
051079	264
051081	264
051082	264
051083	264
051097	210
051098	210
051099	210
051100	210
051101	210
051103	210
051105	210
051106	210
051107	210
051108	210
051109	210
051111	210
051180	248
051181	248
051187	247
051264	262
051265	262
051266	202
051267	202
051268	202
051289	202
055193	265
055476	265
057032NRB	190, 193
058242	193
058260	190, 193
058772	193
058776	193
058785	193
058810	193
058811	193
058814	269
058815	268
058828	193
058911	263
058912	263
058913	263
058914	263
058915	263
058916	260, 263
058919	269
058940	268
058965	193
058968	268
058989BL	261, 268
059072	268
059080	201
059238	268
059240	269
059241	269
059243	253
059546	193
059549	269
059556	180
059557	180
059558	180
059708	183
059711	263
059712	263
059713	263
059714	263
059715	263
059763	190
059783	191
059805	227
059828	200
059838	190
059905	202
059910	269
059914	220
059927	224
059974	263
059975	265
059986	182
060255NR	193
060637	179
060726	178
060742	280
060743	280
060745	280
060759	280
060790	281
060791	281
060792	281
060793	281
060808	280
060809	280
060810	280
060812	280
060813	280
060814	280
060817	280
060818	280
060820	280
060821	280
060822	280
060823	280
060856	280
060857	280
060959	265
060980	280
061020	280
061024	280
061030	280
061052	280
061056	280
061061	280
061107	280
061218	271
061219	271
061220	271
070008BL	193
080190	289, 296
080192	289
080805	289
100117	182
100118	182
100119	182
100120	182
100503	178
100504	178
101500	178
101640	179
105000	183
110004	289
110039	298
110040	298
113010	178
113020	178
113030	178
122900	178
170149	67
170278	273
170282	273
170286	273
170288	275
170292	275
170296	275
170300	275
170304	275
170308	275
170312	275
170316	275
170320	275
170324	275
170328	275
170332	275
170340	275
170344	275
170348	275
170656	273
170658	273
170662	273
170701	273
170702	273
170703	273
170721	64, 274
170723	274
170727	274
170738	273
170754	45, 148
170755	45, 148
170781	273
170782	273
170783	273
170784	273
170785	273
170786	273
170787	273
170788	273
170801	49
170802	49
170804	273
170805	273
170806	273
170807	273
170808	273
170809	273
170810	273
170811	273
170823	49
170824	49
170833	274
170838	274
170857	49
170858	49
170859	49
170860	49
170866	164
170868	167
170871	167
170874	167
170879	104
170880	104
170902	50
170903	50
170904	50
170905	50
170906	50
170907	50
170908	50
170909	50
170910	50
170911	50
170912	50
170913	50
170914	50
170915	50
170916	50
170917	50
170918	50
170919	50
170920	50
170921	50
170922	50
170923	50
170924	50
170925	50
170926	50
170927	50
170928	50
170943	50
170944	50
170945	50
170946	50
170947	50
170948	50
170949	50
170950	50
170951	50
170952	50
170953	50
170954	50
170955	50
170956	50
170957	50
170958	50
170959	50
170960	50
170961	50
170962	50
170963	50
170964	50
170965	50
170966	50

REFERENCE	PAGE
170967	50
170968	50
170969	50
170997	47
170998	47
171108	86
171109	86
171232	86
171346	47
171347	47
180034	289, 297
180063	294
180064	295
180087	293
180088	293
180089	293
180090	293
180108	297
180208	295
180223	293
201211	72
201300	265
201744-24V	146
202002	72
202010	72
202378-24V	148
202499-24V	165
202672-24V	147
202673-24V	133
202675-24V	146
202679-24V	128
202708-24V	155
202709-24V	148
202724-24V	158
202798-24V	132
202810-24V	158
202884-24V	155
202932	105
202936	105
202986	103
202987-24V	120
202988-24V	120
202989-24V	120
202991-24V	120
203117-24V	152
203118-24V	152
203121-24V	152
203122-24V	152
203131-24V	133
203138-24V	165
203144-24V	120
203145-24V	120
203146-24V	120
203147-24V	120
203174-24V	166
203176-24V	133, 152
203185-24V	158
203187-24V	164
203189-24V	162
203230-24V	155
203233	103
203258-24V	164
203270-24V	142
203271-24V	142
203274	76
203293	79
203294	105
203295	105
203296	105
203297	105
203304	58
203308-24V	128
203309-24V	125
203322-24V	125
203323-24V	125
203324-24V	125
203337	86
203347	87
203348	87
203351	87
203352-24V	125
203364-24V	163
203374-24V	163
203405	93
203418	87
203420	58
203428-24V	153
203429-24V	146
203430-24V	149
203435-24V	166
203436-24V	153
203713-24V	174
203722-24V	175
203730-24V	128
203751	87
203753	87
203754	87
203755	87
203756-24V	162
203765	91
203767	91
203768	91
203769	91
203778	98
203780	98
203782	103
203783	98
203834-24V	175
203835-24V	175
203836-24V	174
203837-24V	159
203847-24V	174
203857-24V	175
203868-24V	174
203869-24V	175
203870-24V	175
203873-24V	174
203874-24V	159
203879-24V	174
203880-24V	158
203884-24V	175
203885-24V	158
203890-24V	175
203891-24V	159
203899-24V	175
203900-24V	175
203901-24V	175
203902-24V	174
203912-24V	124
203917	87
203925	98
204183	93
204185	93
204186	93
204187	93
204188	93
204211	77
204212	77
204214	77
204215	77
204216	77
204220	77
204308	93
204332	92
204334	92
204335	92
204336	92
204339	78
204343	78
204345	67
204350	67
204353	104
204355	104
204356	104
204357	104
204413	99
204415	99
204416	99
204417	99
204484	66
204485	66
204486	66
204487	66
204488	66
204489	66
204490	66
204491	66
204492	66
204493	66
204499	64
204520	76
204522	76
204523	76
204524	76
204525	76
204529	59
204530	59
204531	59
204532	59
204534	58
204577	63
204578	63
204579	79
204580	79
204581	84
204582	84
204585	79
204586	79
204587	64
204598	87
204599	93
204601	86
204632-24V	137
204633-24V	137
204634-24V	136
204635-24V	136
204636-24V	136
204637-24V	136
204638-24V	133
204639-24V	133
204640-24V	133
204641-24V	146
204645-24V	128
204647-24V	147
204648-24V	146
204649-24V	137
204650-24V	137
204654-24V	147
204656-24V	149
204657-24V	147
204658-24V	147
204659-24V	129
204661-24V	124
204665-24V	124
204669-24V	124
204672-24V	124
204676-24V	124
204678-24V	124
204680-24V	124
204682-24V	124
204684-24V	125
204685-24V	129
204686-24V	116
204690-24V	117
204694-24V	117
204698-24V	117
204702-24V	129
204706-24V	174
204707-24V	158
204711	129
204717	99
204725	86
204730-24V	121
204732-24V	121
204733-24V	120
204735-24V	120
204737-24V	120
204740-24V	121
204748-24V	166
204753-24V	159
204754-24V	159
204769-24V	162
204788-24V	174
204790-24V	174
204792-24V	152
204793-24V	164
204799-24V	53
204800-24V	53
204801-24V	53
204802-24V	53
204803-24V	53
204804-24V	53
204805-24V	53
204806-24V	53
204807-24V	53
204808-24V	53
204809-24V	53
204810-24V	53
204811-24V	53
204812-24V	53
204813-24V	53
204814-24V	53
204815-24V	53
204816-24V	53
204817-24V	53
204818-24V	53
204819-24V	53
204820-24V	53
204821-24V	53
204822-24V	53
204823-24V	53
204824-24V	53
204825-24V	53
204826-24V	53
204827-24V	53
204828-24V	53
204829-24V	53
204830-24V	53
204831-24V	53
204832-24V	53
204833-24V	53
204834-24V	53
204835-24V	53
204877	58
204932-24V	53
204933-24V	53
204934-24V	53
204935-24V	53
204936-24V	53
204937-24V	53
204938-24V	53
204939-24V	53
204940-24V	53
204941-24V	53
204942-24V	53
204943-24V	53
204944-24V	53
204945-24V	53
204946-24V	53
204947-24V	53
204948-24V	53
204949-24V	53
204950-24V	53
204951-24V	53
204952-24V	53
204953-24V	53
204954-24V	53
204955-24V	53
204956-24V	53
204957-24V	53
204958-24V	53
204959-24V	53
204960-24V	53
204961-24V	53
204962-24V	53
204963-24V	53
204964-24V	53
204965-24V	53
204966-24V	53
204967-24V	53
204982-24V	53
204988	274
204992	274
204996	274
205000	183
205001	274
205005	274
205009	274
205013	274
205017	274
205037	47
205039	45
205040	45
205044-24V	147
205045-24V	116
205046-24V	153
205048-24V	143
205049-24V	143
205050-24V	143
205051-24V	143
205052-24V	143
205053-24V	142
205054-24V	140
205055-24V	141
205056-24V	140
205057-24V	140
205058-24V	141
205059-24V	140
205060-24V	141
205061-24V	142
205062-24V	140
205063-24V	141
205064-24V	141
205105	47
205109	73
205112	73
205114	73
205115	73
205116	73
205134	67
205137	67
205138	92
205142	92
205145	103
205150	78
205152	78
205155	92
205157	92
205160	103
205163	103
205201	91
205204	91
205205	91
205217	65
205220	65
205221	65
205222	65
205223	65
205225	166
205228	104
205230	104
205231	104
205232	104
205233	104
205235	162
205240	79
205241	79
205242	79
205243	79
205247	76
205250	49
205251	49
205252	59
205253	59
205254	78
205255	78
205256	67
205257	67
205261	149
205262	146
205263	45, 148
205264	45, 148
205267	146
205269	152
205271	152
205274	154
205275	154
205279	47
205280	47
205281	47
205282	49
205283	49
205284	165
205285	45

Index

REFERENCE	PAGE
205286	45
205287	47
205288	47
205289	67
205290	65
205291	65
205292	92
205293	92
205294	92
205295	103
205297	103
205298	78
205299	78
205300	78
205301	103
205303	103
205309	90
205310	90
205311	90
205312	175
205313	274
205331	91
205333	91
205335	91
205349	125
205350	125
205351	45
205352	45
205372	132
205373	132
205382	165
205417	166
205433	162
205446	137
205455	49
205456	49
205457	49
205490	62
205491	62
205492	62
205493	62
205496	62
205498	62
205499	63
205500	66
205504	77
205506	77
205507	77
205508	77
205513	77
205514	77
205522	98
205525	98
205526	98
205527	63
205530	63
205532	62
205533	62
205535	63
205536	64
205537	64
205538	85
205541	85
205543	85
205544	85
205545	85
205546	85
205547	85
205548	85
205549	99
205552	99
205554	67
205557	67
205559	79
205562	79
205564	103
205565	92
205566	67
205567	78
205568	103
205569	64
205570	64
205571	64
205573	159
205576	158
205578	158
205581	159
205584	142
205585	166
205586	129
205587	128
205588	129
205589	128
205590	117
205591	117
205592	121
205593	121
205594	121
205595	121
205596	121
205597	105
205598	105
205599	105
205604	84
205605	84
205606	84
205608	84
205609	149
205610	149
205611	149
205612	155
205613	148
205614	146
205615	149
205616	154
205617	116
205618	47, 116
205619	47, 116
205620	133
205621	132
205622	132
205623	132
205624	132
205625	164
205626	50
205627	50
205628	163
205629	163
205630	59
205631	59
205632	59
205633	59
205636	59
205638	59
205639	90
205640	90
205643	167
205644	167
205646	167
205648	102
205650	102
205652	102
205654	102
205657	102
205659	102
205662	102
205672	98
205675	98
205677	98
205678	98
205680	73
205683	73
205684	73
205685	73
205688	93
205690	93
205691	93
205692	93
205694	72
205699	72
205700	72
205704	72
205705	72
205710	72
205713	72
205714	72
205719	72
205721	58
205724	58
205726	58
205727	58
205728	58
205730	73
205732	73
205734	73
205735	73
205736	73
205741	86
205746	86
205747	86
205754	86
205757	86
205758	86
205763	102
205765	102
205769	102
205771	102
205773	90
205777	90
205778	90
205780	90
205781	90
205784	90
205785	99
205788	99
205790	99
205791	99
205792	99
205793	99
205795	84
205797	84
205799	84
205800	84
205801	84
205802	84
205803	125
205804	125
205805	124
205807	45, 129
205808	45, 129
205809	146
205810	147
205811	146
205813	154
205814	155
205815	167
205816	167
205817	167
205818	167
205819	166
205820	163
205821	164
205822	164
205823	165
205824	164
205825	121
205826	121
205827	121
205834	63, 64
205835	76
205837	76
205839	76
205840	76
205841	154
300001	268
300002	268
300004	181
300009	289
300034	268
300035	268
300036	268
300038	180
300039	180
300040	271
300041	271
300042	271
300043	271
300044	271
300045	271
300046	271
300047	271
300048	271
300049	271
300050	271
300051	271
300052	271
300053	271
300063	263, 265
300069	269
331300	265
351000	265
354000	265
370014	181
370065	180
370127	181
401667	182
411966	242
413000	265
513000	265
550009	211
550016	211
550018	229
550019	229
550042	234
550045	234
550046	234
550047	234
550054	260
550055	260
550056	260
550057	260
550058	260
550063	235
550064	235
550065	235
550066	235
550067	235
550068	235
550077	245
550078	222
550079	222
550081	222
550087	201
550094	277
550095	277
550096	277
550097	277
550098	277
550099	277
550100	277
550101	277
550102	277
550103	277
550118	262
550119	262
550120	262
550122	198
550126	264
550132	259
550133	259
550161	189
550162	189
550166	200
550167	197
550170	218
550171	218
550172	248
550173	248
550179	259
550180	190
550190	197
550191	197
550201	200
550203	200
550205	200
550210	197
550211	213
550212	213
550213	213
550214	213
550217	222
550218	222
550219	251
550220	215
550222	215
550223	259
550224	259
550225	259
550226	259
550227	259
550233	246
550235	202
550236	189
550239	216
550240	216
550241	216
550242	216
550244	216, 271
550254	259
550263	217
550264	217
550265	217
550266	217
550267	217
550268	217
550299	188
550300	188
550307	263
550309	263
550310	263
550311	263
550313	262
550315	214
550316	214
550317	214
550336	271
550342	271
550386	281
550468	210
550469	210
550470	271
550471	271
550472	188
550473	196
550475	196
550478	196
550482	259
550483	248

REFERENCE	PAGE
550484	248
550485	248
550486	248
550488	278
550489	278
550490	278
550491	278
550492	278
550493	278
550494	278
550495	181
550496	181
550514	271
550516	255
550517	255
550518	255
550519	255
550520	255
550522	236
550523	243
550524	243
550525	243
550526	244
550527	244
550528	244
550529	244
550530	251
550537	234
550548	218
550552	246
550553	246
550555	245
550556	211
550557	211
550558	214
550559	247
550560	247
550561	249
550562	249
550563	249
550565	212
550568	211
550569	211
550570	211
550572	278
550575	215, 216

REFERENCE	PAGE
550577	264
550628	271
550634	187
550635	187
550643	212
550644	212
550647	254
550648	254
550651	220
550653	220
550656	211
550662	268
550663	268
550664	268
550665	268
550668	234
550669	234
550670	234
550671	234
550672	234
550673	234
550675	234
550676	234
550677	234
550681	234
550682	234
550683	234
550685	234
550686	224
550687	224
550688	224
550689	210
550690	210
550691	210
550692	210
550693	210
550694	210
550695	210
550696	210
550698	210
550699	210
550700	210
550701	259
550702	259
550704	259
550705	259

REFERENCE	PAGE
550707	259
550708	259
550710	259
550713	259
550714	259
550716	259
550717	259
550719	259
550722	259
550725	249
550726	249
550727	249
550728	249
550729	260
550730	260
550732	262, 264, 265
550733	262, 265
550735	268
550736	264
550741	206
550742	206
550743	206
550744	206
550745	206
550746	206
550748	206
550749	206
550756	260
550757	260
550765	249
550766	249
550767	249
550768	249
550775	197
550810	217
550811	217
550821	253
550822	263
550823	263
550827	209
550828	209
550829	209
550831	233
550832	233
550835	233

REFERENCE	PAGE
550851	233
550852	233
550853	233
550854	233
550855	233
550856	233
550857	233
550858	233
550860	233
550861	233
550862	233
550863	233
550864	233
550865	233
550866	233
550867	233
550868	233
550869	233
550870	233
550871	233
550872	224
550873	224
550874	224
550875	224
550877	224
550878	224
550879	224
550880	224
550881	224
550882	224
550884	224
550885	209
550886	209
550887	209
550888	209
550889	209
550890	209
550891	209
550892	209
550914	224
550915	224
550921	236
550922	236
550923	235
550924	235
550925	220

REFERENCE	PAGE
550926	220
550930	271
550931	271
550933	200
550937	200
550938	278
550939	278
550940	278
550941	278
550942	278
550949	278
550966	206
550967	206
550968	206
550974	265
550978	258
550979	258
550989	218
550990	258
550991	258
550993	217
551000	254
551001	254
551002	254
551020	209
551025	256
551026	256
551069	188
551070	188
551071	189
551072	189
551074	189
551077	189
551078	195
551079	195
551080	197
551081	187
551082	187
551083	187
551084	187
551085	187
551137	187
551138	187
551139	230
551142	196
551144	196

REFERENCE	PAGE
551145	196
551147	196
551149	199
551157	296
551160	222
551161	222
551166	246
551167	253
551168	253
551172	225
551173	229
551174	229
551178	205
551179	205
551180	205
551181	205
551182	242
551183	242
551212	153
551221	296
551222	296
551249	220
551250	238
551251	220
551252	238
551262	220
551263	220
551265*	238
551268*	238
551271	153
551272	153
551273	191
551274	191
551277	228
551290	200
551306	239
551307	239
551308	239
551309	239
551310	250
551311	232
551312	232
551313	232
551314	232
551315	241
551316	241

REFERENCE	PAGE
551317	271
551318	271
551327	241
551328	241
551329	241
551330	241
551331	241
551332	241
551333	241
551334	241
551338	247
551339	247
551340	245
551341	245
551342	218
551343	210
551344	210
551345	210
551348	238
551349	238
551350	218
551351	263
551352	263
551361	153
551367	221
551368	221
551369	221
551376	198
551383	260
551384	260
551392	261
551393	261
551396	196
551397	196
551398	192
551399	196
551400	226
551401	226
551402	225
551403	225
600428	281
600429	281
600430	281
600431	281
600432	281
600433	281

REFERENCE	PAGE
600434	280
600435	280
600436	280
600437	280
600438	280
600439	280
600440	280
600441	280
600442	280
600443	280
600444	280
600445	280
600446	280
600447	280
600448	280
600449	280
600450	280
600451	280
600452	280
600453	280
600595	181
600596	181
600700	181
600738	181
720102	265
722101	179
792001	179
792002	179
792101	179
792201	179



Mexico

Decorations delivered with power cable and attachment kits, without bulb or satilight. All the luminous products in the catalogue are equipped with LEDs.

Eco-tax:
Due to changes in European directives and their interpretations, some of our products, which are not currently subject to this contribution, may be included in it during the year. The eco-tax scale may also change. The eco-tax is neither rebatable nor refundable.

Tax on light bulbs:
This tax applies to both professionals and individual customers. Leblanc illuminations is affiliated to Ecosystem for the management of light bulbs.

Tax on other electrical products :
The tax applies to retailers who sell to individual customers as well as professionals. However, it does not apply to professionals who take charge of recycling end-of-life products. The latter must send written confirmation to Leblanc Illuminations. For other electrical products, Leblanc Illuminations is affiliated to Ecologic and Corepile.

Design & Execution:
Communication & Design Dpt. | Leblanc illuminations 10.2025 | www.leblanc-illuminations.com
6-8 rue Michaël Faraday 72027 Le Mans Cedex 2 France | +33 (0)2 43 61 43 54
SAS with a 7 938 000 € capital - SIRET 482 323 649 000 20 - APE 2740Z - RCS 482 323 649 - FR 37 482 323 649

Photos credits:
Adrien Basse-Cathalinat, AHD, Antoine Barbot, Antonin Stephany, Arc illuminations, Brasserie Mimoza, Bruno Warion, CSI, cyrilgarrabos, David Meyer, David Piole, Deodatus photographie, Everled, Facebook Live Rigal, Fédération Française de Ski, Féerie Events, François Parmentier, Gala Lights, Gilles Auteroche, Guy Philipart, Héléna Villain, JFU, Julien Demengel, Laurent Cornu, Laurent pascal, Leblanc illuminations, Leblanc illuminations Canada, Les Blouses Roses, M. Petit, Maftex, Mairie de Carvin, MarieAnselmeMartin, Nicolas Baleizao, P. Bréchet, P. Valleau, Pact Solutions, Pascal Lecoeur, Renaud Wailliez, Rodolphe Serres_ Visual_Diffusion, Shots of memories, Studio OG, Thierry Vincent, Twinkly, Ville de Lectoure - Fiona Demichelis, Ville de Megève, Ville de Nîmes Dominique Marck, Ville de Punaauia, Ville du Mans, Viviane Hervieux.
Unsplash : Aaron Burden, Alsu Vershinina, Annie Spratt, Aoi, Bia Octavia, CalebKim, Chandler Cruttenden, Chinh Le Duc, Darius Cotoi, Diliara Garifullina, Dorin Moise, Edgar Almeida, erica-marsland, Henrique Ferreira, Hikarinoshita Hikari, Ira E, JESHOOTS.COM, Kelly Sikkema, Kirill Mikhaylyuk, Laura Chouette, Lillit-Photography, Matt Seymour, Morgane Le Breton, Mourad Saadi, Olivie Strauss, Sanket Gupta, Skön Communication, Skyler Ewing, Thandy Yung, Tim Zänkert, Tomas Trajan, Vidar Nordli-Mathisen, Yan Ots, Yuliia-Huzenko. AdobeStock : lorenza62.

Some content, text or images, can be generated or modified by an AI. Non contractual pictures & documents. All our decorations are protected by patents at INPI & OMPI. All specifications relative to the decorations are provided for information only and may be revised. Any reproduction, whole or partial, of the catalogue is prohibited.

IMPRIM'VERT®

Printed in France by Octavo, Imprim'vert® certied, a mark of its commitment to reducing the impact of its business activity on the natural environment. This catalogue is printed on paper sourced from sustainably managed forests.

We are proud ouf our labels !

PICTOGRAMS CAPTION

Connectable 230V Plug & Light

Connectable 24V Plug & Light

DMX changing colour

Optima range

Steady

Glittering

Flash / Crackling

Chasing

Flame effect

Confetti effect

SMD LED

Indoor only

International Protection

LED colour

Cable colour


Leblanc
illuminations
www.leblanc-illuminations.com
international@leblanc-illuminations.com
contact@leblanc-illuminations.com
NOËL

220271